

GRUBER & PETTERS

# WebUntis

[grupet.at](http://grupet.at)

# Inhaltsverzeichnis

<b>I Welcome to WebUntis</b>	<b>7</b>
1 Structure of the manual.....	7
<b>II WebUntis Info</b>	<b>8</b>
1 User login.....	9
2 User profile.....	11
Home page .....	12
Data access .....	13
Security .....	13
Contact details .....	14
3 Calendar.....	14
4 Timetable display.....	15
Timetable overview .....	15
iCal calendar subscription .....	17
ICS calendar download .....	18
Activate data access via apps .....	19
5 Substitution lists.....	20
6 Messages.....	22
Distribution lists .....	27
7 SMS (text message).....	28
Sending via 'My messages' .....	30
Sending via class register .....	31
Sending via 'Today's lessons: Teachers' .....	32
Sending via 'Absences' .....	33
<b>III Teachers</b>	<b>34</b>
1 Lessons.....	34
2 Student groups.....	36
Creating a student group .....	37
Assigning students .....	38
3 Class register.....	40
Accessing the class register .....	41
Class register page .....	42
Student absences .....	42
Entering new absences.....	42
Students arriving late.....	44
Extending absences.....	44
Interrupting absences.....	44
Deleting absences.....	45
Higher-priority school events.....	46
Entering teaching content .....	47
Enter grades .....	48
Reports on lessons .....	52

Class register entries .....	56
Homework .....	57
Open periods .....	58
Examinations .....	59
Entering examinations.....	59
Examination lists.....	61
Return .....	64
<b>4 Agenda .....</b>	<b>65</b>
List of rooms/resources .....	66
Change of room for a lesson .....	67
Booking rooms .....	70
Room list .....	71
Search for free rooms.....	74
Free rooms .....	75
Booking resources .....	77
Resource overview .....	79
New activities .....	81
New lessons.....	82
Additional periods .....	83
Appointments .....	85
My bookings .....	86
Tasks .....	86
Reports on bookings .....	87
<b>IV Form teacher/class teacher .....</b>	<b>88</b>
1 Open class register periods.....	89
2 Editing absences.....	89
3 Time absent.....	91
4 Class register entries.....	92
5 Class services.....	92
6 Exemptions.....	95
7 Reports.....	96
Examples of reports .....	97
<b>V Headmaster .....</b>	<b>99</b>
1 Printing the class register.....	100
<b>VI School secretary .....</b>	<b>100</b>
1 Entering absences in the school office.....	100
2 Bookings for other users/teachers.....	102
3 Emergency list.....	104
<b>VII Administration .....</b>	<b>105</b>
1 Getting started.....	105
Allocation functions .....	106
Handling lists .....	106
2 Basic settings.....	108
Messages of the day .....	110

General selection of departments .....	112
<b>3 Importing student data.....</b>	<b>113</b>
Import .....	113
Import profile .....	114
Importing student images .....	116
<b>4 User administration.....</b>	<b>117</b>
<b>User rights .....</b>	<b>118</b>
Timetables.....	120
Mes. /Student asgnmnt/Details period.....	121
Bookings .....	121
Teacher selection for lesson.....	122
Class register.....	122
Master data.....	123
Administration rights .....	124
Course registrations .....	125
<b>User groups .....</b>	<b>125</b>
<b>Creating users .....</b>	<b>127</b>
User attributes.....	129
Creating several users.....	131
LDAP .....	132
Settings .....	132
Transfer mail with every logon to LDAP.....	135
<b>5 Timetable.....</b>	<b>136</b>
<b>Colour settings .....</b>	<b>136</b>
<b>Timetable formats .....</b>	<b>137</b>
<b>Timetable settings .....</b>	<b>140</b>
<b>List of office hours .....</b>	<b>142</b>
<b>ICS formats .....</b>	<b>142</b>
<b>6 Administration - Class register.....</b>	<b>143</b>
<b>Master data – Class register .....</b>	<b>143</b>
Classes .....	145
Students .....	147
Teacher .....	150
Subjects .....	151
Reasons of absence.....	152
Reasons of exemption.....	153
Excuse status.....	153
Remark category.....	154
Types of exam.....	155
Exam blockings.....	157
Teaching methods.....	158
Services .....	159
Reduction reason.....	159
<b>Settings – Class register .....</b>	<b>160</b>
Class register main page.....	160
General .....	161
Settings – Lessons.....	163
Settings - Grading.....	164
<b>7 Administration – Agenda.....</b>	<b>166</b>
<b>Master data – Agenda .....</b>	<b>166</b>
Rooms .....	166
Room groups.....	168

Room type.....	168
Buildings .....	169
Departments.....	170
Types of resource.....	170
Resources .....	171
General resources.....	173
Resource groups.....	174
Types of activities.....	175
<b>Settings – Agenda .....</b>	<b>179</b>
Reservations / bookings .....	179
Lock-out times.....	180
Booking restrictions.....	180
Room blocking.....	181
Aktivity lists.....	182
<b>WebUntis Agenda in practice .....</b>	<b>183</b>
Worklist .....	183
Lock booking.....	184
Room conflicts.....	184
<b>8 Student module.....</b>	<b>186</b>
<b>Course templates .....</b>	<b>186</b>
<b>Creating courses .....</b>	<b>188</b>
<b>Editing courses .....</b>	<b>190</b>
<b>Course selection categories .....</b>	<b>193</b>
<b>Registering for courses .....</b>	<b>193</b>
<b>Registrations/withdrawal period .....</b>	<b>194</b>
<b>Transferring data to Untis .....</b>	<b>195</b>
Course settings.....	195
<b>9 User tips.....</b>	<b>197</b>
Warning .....	197
School year .....	197
Quick launch .....	199
Data export .....	199
Class change .....	200
Withdrawing from a lesson .....	202
Limited change of lessons .....	203
Several schools .....	206
Maintenance functions .....	208
WebServices .....	209
<b>VIII Students .....</b>	<b>209</b>
<b>1 Class register for students.....</b>	<b>209</b>
My absences .....	209
Time absent .....	210
Class register entries .....	211
Notenanzeige .....	211
Homework .....	211
Student exemptions .....	212
<b>2 Student module for students.....</b>	<b>212</b>
<b>IX Untis users .....</b>	<b>214</b>
<b>1 Data transfer.....</b>	<b>214</b>

2	Changing the timetable.....	217
3	Workflow for examinations.....	217
4	Importing bookings.....	217
5	Office hours in Untis.....	218
6	Student groups in Untis.....	219
	Combining lessons .....	221
	Team teaching .....	221
	Student numbers .....	222
7	Do not import elements.....	222
	<b>Index</b>	<b>224</b>

# 1 Welcome to WebUntis

Life in a school centres on the school timetable. Students, teachers and parents must be kept informed about the timetable and changes that are made to it each and every day. Until fairly recently school timetables were published exclusively in paper form. As the World Wide Web becomes more prevalent, this type of publication is increasingly being replaced by electronic publishing.

WebUntis not only continues electronic publishing, it opens up whole new possibilities because it represents a tool that is not confined to just a few individuals in the school management, it can also be used to advantage by all teachers, students, parents and everybody involved.

## **WEBUNTIS AGENDA**

The Agenda module allows teachers to access information at any time about free rooms and resources and where necessary to book these resources on the spot. This relieves central administration and makes it easier for individual teachers to obtain the resources that they require for their lessons.

Moreover, additional lessons that are not scheduled centrally such as irregular remedial teaching can also be entered. These types of lessons augment the timetable.

## **WEBUNTIS CLASS REGISTER**

Keeping a class register is usually an inconvenient task that is made more difficult as a result of the paper-based class register not always being available where it is required. For class teachers (form teachers) the class register entails additional work because if the information in the class register is not just collected for its own sake, it also has to be processed once more at the end of the school term or year so that information required can be extracted from it.

The Class Register module makes this administrative task easier and it also makes required reports available at all times at the push of a button. Since the electronic class register is not just available during lessons in the classroom because it can be accessed at any time via the internet and/or intranet, the teaching content does not need to be entered during the lesson, meaning that there is more time available for teaching. The teaching content can be accessed at any time and so individual teachers can benefit from what they have entered.

## **WEBUNTIS STUDENT**

Some school systems allow students to select (optional) courses in addition to normal compulsory courses. In general, administering these course choices with forms is very time-consuming. The WebUntis Student module enables students to choose their desired courses online. A number of additional functions are available to assist this such as maximum registration time frames, course size and waiting lists. Individual course selections are then transferred to the Untis timetable system at the press of a button.

## 1.1 Structure of the manual

This manual comprises several sections, with individual sections intended for the different users working with WebUntis (teachers, head office, headmaster, etc. ...)

### **WebUntis Info**

The first section deals with all the points included in the [WebUntis Info](#) module such as user profile, timetable display and the messaging system including SMS (text message) function.

### **Teachers**

This section deals with all [functions for teachers](#) such as lessons and the creation of student groups. A large chapter is dedicated to each of the modules, Class Register and Agenda .

### **Class teacher / Form teacher**

This is where those functions are described that a [class teacher](#) performs in addition to those of a teacher.

### **Headmaster / School secretary**

Separate chapters are also dedicated to the user groups [headmaster](#) and [school secretary](#) .

### **Administration**

In addition to the aforementioned sections, this chapter describes all the functions that are relevant for the [WebUntis administrator](#) . If you are starting to set up WebUntis, you will find an outline for this with the most important points in chapter [First steps](#) .

### **Untis users**

In order to ensure that you can work efficiently and easily with WebUntis it is necessary to import data cleanly from Untis. This is why we have dedicated an entire chapter to [Untis users](#) (Scheduling and cover planning).

### **Students**

[Students](#) can log in to WebUntis with corresponding rights, too. The final section provides information on functions for students.

## **2 WebUntis Info**

You can also use WebUntis without the Agenda, Class Register or Student modules in order to provide timetable information. It is a dynamic, up-to-date timetable information system with user rights that can be set individually.

**Timetable 2b**

Class: 2b, Week of: 4/13/2015

1a 1b 1c 2a 2b 3a 3b 4a 4b 4c ASINT

	Mon Apr 13, 2015	Tue Apr 14, 2015	Wed Apr 15, 2015	Thu Apr 16, 2015	Fri Apr 17, 2015
8:00 AM	remedial teaching morgen unit	remedial teaching morgen unit	morgen unit	morgen unit	remedial teaching morgen unit
8:30 AM	biology	biology	maths	maths	german
9:15 AM		english	maths	history	
10:15 AM	history	sports	german	physics	art
11:05 AM	german	sports	english	inf.+e-learning	maths
11:55 AM	physics	religion catholic	geography	english	maths
12:45 PM	geography		inf.+ecd	music education	sports
2:00 PM	natural science and technical pra		physical education	natural science and technical pra	
2:45 PM			technically elementary school		
3:30 PM					AUF

Status: Jun 1, 2015, 2:41:53 PM


The ICS calendar interface is of course available in this way to you and all system users.

**Note: Activate dynamic calendar via user profile**


For the integration of the timetable in your calendar system including dynamic actualisation, please read the chapter [iCal calendar subscription](#).

## 2.1 User login

In order to launch WebUntis please call the appropriate URL in your browser and enter the name of your school, your user name and password. Your WebUntis administrator will provide you with these details.



As harbinger of a general revision of the user interface, the Home Screen of the WebUntis 2016 version has already been given a new design. Depending on the respective user rights, he/she can view timetables and office hours, as well as the 'Messages of the day'.



### Reset password automatically

If you forgot your user password you now can automatically reset it. Just click on the respective button below the password input field.

**Note: Your e-mail address must be in your user profile**

For resetting your password you need to have entered an e-mail address in your user profile. If this is not the case, please contact your WebUntis administrator at your school.

## 2.2 User profile

After logging in you will see the menu items that are available to you based on the user rights assigned to you.

You can modify your user profile by clicking on your user name at the top right.

General tab

The screenshot shows the WebUntis user profile interface. At the top, there are navigation links: 'My messages', 'Contact details', 'mk (Profile)', and 'Logout'. The main content area is titled 'Profile mk' and has several tabs: 'General', 'Start page', 'Data access', and 'Security'. The 'General' tab is selected and contains the following fields:

- Class:** An empty text input field.
- User group:** A dropdown menu showing 'admin'.
- Department:** An empty text input field.
- Max. number of open bookings:** A text input field with '0'.
- Unattended bookings:** A text input field with '1'.
- Language:** A dropdown menu showing 'English'.
- e-mail address:** An empty text input field.

Below these fields, there is a checkbox for 'Forward all messages to the e-mail address' and a 'Change password' button. At the bottom of the form are 'Save' and 'Cancel' buttons. Red annotations highlight that the 'Class', 'User group', 'Department', 'Max. number of open bookings', and 'Unattended bookings' fields are for information only, while the 'e-mail address' field is the only one that can be edited.

First, change the password that was assigned to you by clicking on the <Password button.


The user group assigned to you, your Untis teacher name, department and the 'maximum permitted number of open bookings' can only be changed by an administrator. The data is displayed for information purposes only.

Now select the language, in which you wish to use WebUntis and enter your e-mail address. The e-mail address is required for you to receive notifications via WebUntis. Fields 'Max. open bookings' and 'Open bookings' are only available with the Agenda module.

You can combine the messaging system with your e-mail application by forwarding messages you receive to your e-mail address. The prerequisite is that a mail server is in general available for the system.


### 2.2.1 Home page

You can also influence the layout of your home page.



You can, for example, specify whether your own lessons for the day or those of the class you are currently teaching should be displayed.

You can also select whether all lessons of the day should be displayed or only upcoming lessons.



## 2.2.2 Data access

With this tab you can administer your data access.

The description and the advantages of publishing the calendar is explained in the chapter [iCal calendar subscription](#).

For a more detailed description regarding data access via smartphone apps please go to the chapter [Activate data access via apps](#).

## 2.2.3 Security

If you want to have more protection for your user access, you can use Google Authenticator. Google Authenticator is a program you can install on your smart phone which creates a code which you need to enter when you are logging in addition to your password.

Activate this addition security measure via <Profile> | <Security> | <Activate Google Authenticator>. Then you only need to follow the installation steps.

The image illustrates the four-step process of activating Google Authenticator:

- Step 1:** In the 'Profile mk' window, under the 'Security' tab, click the 'Activate Google Authenticator' button.
- Step 2:** On the 'Google Authenticator - activation (1/3)' screen, click the 'Next' button.
- Step 3:** On the 'Google Authenticator - activation (2/3)' screen, scan the QR code or enter the key manually (Key: KN3430OYFUZE4PH), then click the 'Next' button.
- Step 4:** On the 'Google Authenticator - activation (3/3)' screen, enter the confirmation code from your phone into the 'Confirmation code' field and click the 'Activate' button.

**Note: For this security mechanism you need a smart phone which is supported by Google Authenticator.**

Make sure that your smart phone support Google Authentication. For Windows Phone there are also apps you can download from the internet.

### 2.2.4 Contact details

For entering your contact details please go to your<Profile> and choose the tab <Contact details>.

The screenshot shows a form titled "Own address" with several input fields. The fields are arranged as follows: "Name" (single line), "e-mail address" (single line), "Mobile number" (single line), "Telephone number" and "Fax number" (two side-by-side lines), "Street" (single line), and "Postal code" and "City" (two side-by-side lines). The form is presented on a page with a torn paper effect on the right side.

Here you can enter and save different pieces of personal information.

The necessary right in order to read this information is called <Contact details> and can be found under <Administration> | <User groups> | <Rights>.

### 2.3 Calendar

Use the calendar below the navigation menu to select the currently viewed day, and thus the current week.

The screenshot shows a calendar for March 2015, with the date "Mon 30 March 2015" displayed at the top. The calendar grid shows days from 1 to 31, with the 30th highlighted. To the right of the calendar is a dropdown menu titled "Timetable Cl" with the label "Class" and the text "Please select". Below the dropdown, the text "1a 1b 1c 2a" is visible, and "Select an ele" is partially visible at the bottom.

**Note: Selection of calendar in date-sensitive pages**


If the display of a page is date-sensitive (e.g. timetables or booking lists), the data for the week selected in the calendar will generally be displayed.

## 2.4 Timetable display

The menu item <Timetable> allows you to display the timetables for individual elements.

To do this, select the corresponding element type (class, room, teacher, subject) from the navigation menu and then select the desired element using the selection field in the main window.

You can change the displayed week with the [calendar](#).



You can see in the figure that the elements involved in the lessons as well as the start and end times of the lessons are shown. Furthermore, the cells are automatically split when more than one lesson is taking place at the same time. these settings can be changed in the [timetable formats](#).

You can also change the [colour settings](#) and can adjust the [timetable settings](#).

The daily overview can comfortably be subscribed or [imported](#) to other electronic calendaring systems (for more information please go to the chapter '[iCal calendar subscription](#)').

### 2.4.1 Timetable overview

Overview timetables are available for classes, teachers and rooms which can be accessed via menu item <Timetable>.

Teacher selection for teacher overview

The grid shows lesson assignments for teachers Ah through Rp from Monday (4/13/15) to Friday (4/17/15). The columns represent time slots from 08:00 AM to 03:00 PM. Orange cells indicate lessons, while other colors represent different activity types as defined in the legend below.

Legend: Free period (white), Lessons (orange), Not confirmed (light orange), Activity (yellow), Booked period (light blue), Holidays (blue), Holidays (not bookable) (light blue), Examination (yellow), Substitution (purple).

### Daily overview: classes

Via the menu item <Timetable> | <Daily overview: classes > you can access an overview class timetable for the current day. You can also access daily overviews for teachers and rooms by going to the respective menu item.

**Timetable Class Mar 5, 2015**

Current day: 3/5/2015

	1a	1b	1c	2a	2b	3a
8:00 AM	1a, 1b, 1c BX remedial TX2... 1a BY morning 1a ...	1a, 1b, 1c BX remedial TX2... 1b HN morning 1b ...	1a, 1b, 1c BX remedial TX2... 1c RI morning 1ci ...	2a BR morning 2a ...	2b BI morning 2bR...	3a.. SI frenGR...
8:30 AM	8:30 AM-10:00 ...	8:30 ... 1b BP musMEF 8:30 ... 1b MM teamtea 32W...	8:30 AM-10:00 ...	8:30 AM-10:00 ...	8:30 ... 2b SE... mat2bR 8:30 ... 2b BJJ mat2bR	8:30 AM-9:30 ... 3a maths
9:15 AM	1a LA, BY english 1a	9:15 AM-10:00 ... 1b HN, SE maths 1b	1c LJ eng 1ci 1c RI eng 1ci	2a BI, BR english 2a	9:15 AM-10:00 ... 2b BJJ, BX history 2bR	9:15 AM-10:00 ... 3a KC german
10:15 AM	10:15... 1a SP inf.+ 1a 10:15... 1a BS inf.+e-le	10:15 AM-11:0... 1b HN inf.+e-le EDV3	10:15 AM-11:0... 1c LJ music edFESTSAV	10:15 AM-11:0... 2a KL, BX german 2a	10:15 AM-11:0... 2b BJJ, BY physics PHYS	10:15 AM-11:0... 3a history
11:05 AM-11:5...	11:05 AM-11:5...	11:05 AM-11:5...	11:05 AM-11:5...	11:05 AM-11:5...	11:05 AM-11:5...	11:05 A

The daily overviews for classes and teachers can be activated and deactivated by a special authorisation.

Tagesübersicht Klasse	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Tagesübersicht Lehrer	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Tagesübersicht Raum	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	

### 2.4.2 iCal calendar subscription

iCal is a standard used to exchange calendar information. WebUntis supports this standard by allowing every teacher and every student to activate his/her own private iCal link that can then be integrated with his/her own personal calendar application.

To this end, the iCal link must be activated in the teacher's/students' <Profile> using the <Publish the calendar> button under <Data access>.



Once the <Publish the calendar> button is activated, the iCal button will be displayed that you can then use to access the URL of your private calendar. You can subscribe to the timetable by adding this link to your calendar application (Outlook, Google Calendar etc.).

The advantage of this method, subscription as opposed to import, is that the calendar does not need to be re-imported after every timetable modification. The calendar is always up-to-date.

**Note: Only for teachers and students**  
 The calendar application is only possible with the teacher and student user roles, since only they have a timetable stored in WebUntis. A timetable cannot be subscribed to for users such as an administrator or school secretary. This is why the <Publish the calendar> does not appear in their user profiles.


**Warning: Subscriptions for students**  
 Using this function for students, which has to be explicitly ordered, increases server traffic considerably. For this reason we reserve the right to increase hosting charges. Please contact your Untis partner: <http://www.grupet.at/en/kontakt/partner/europa.php>.

### 2.4.3 ICS calendar download

As an alternative to a dynamic [subscription](#) you can choose to export timetable data statically in ICS (iCal) calendar format.

You have two basic options for this:

1. From the timetable perspective of the teacher. In this case, calendar entries are exported for a week.



2. via <Lessons> | <My Lessons>, by calling up reports.

This view allows you to set the time range to be used for exporting the calendar entries.

The screenshot shows the 'Lessons BJJ (BJJ)' interface. At the top, there are filters for Teachers (BJJ (BJJ)), Type of activity (<Selection>), and Period (4/13/2015 to 4/19/2015, Current week). Below this is a table of lessons with columns for L-No., Type, Class, Subject, Teacher, Per, Fr., To, Appointments, Students, Student groups, and Reports. A red circle '1' highlights the Reports column for lesson 8100.

A modal window titled 'Reports of the lesson' is open, showing details for Class 2b, Teacher BI (BI), BJJ (BJJ), BY (BY), and Subject E. It has filters for Period (4/13/2015 to 4/17/2015, Current week). A list of report types is shown, each with a PDF icon and a 'CSU' icon. A red box highlights the 'ICS Calendar' option, with a red circle '2' next to it. A 'Back' button is at the bottom.

Some calendar applications allow data to be imported into a separate calendar. This is the recommended approach since you will not have any synchronisation problems if you import modified timetable data a second time.


#### **Warning: Static import**

Timetable changes that appear in WebUntis after the calendar import will not automatically be communicated to the user. You must use the [calendar\\_subscription](#) method via the user profile if you wish to have data synchronised automatically.

### **2.4.4 Activate data access via apps**

In order to be able to use the official Gruber&Petters smart phone applications for Android or iOS you need to activate the data access via apps just once.

Go to the <Profile> of the user via the tab <Data access> and click on the button <Activate data access via apps>.



After this once-only activation of the access you have two options to register for the first time for the smart phone app:

- You can manually enter the necessary login data: school, URL, user name and key or
- you automatically scan the QR code (Quick Response Code) via your smart phone camera

**Tip: Use the QR code**  
For your first login to the smart phone app use the QR code in order to avoid any flaws when typing in the login data.

## 2.5 Substitution lists

The WebUntis basic package (WebUntis Info) allows you to show substitution lists.

This function needs to be activated in every browser first, i.e. the WebUntis administrator needs to register in the respective browser. Under <Administration> | <Monitor views> | <Substitutions> the administrator can create new substitution lists. Click on <Show in this browser> in order to activate this list.



In general it is now possible to show or hide all existing columns individually in the substitution lists.

Another new feature is the option to also show the break supervisions in the substitutions.

#### New substitution list

Name	Aula	
Active columns	<input checked="" type="checkbox"/> Period	<input checked="" type="checkbox"/> Time
	<input checked="" type="checkbox"/> Classes	<input checked="" type="checkbox"/> Subject
	<input checked="" type="checkbox"/> Rooms	<input checked="" type="checkbox"/> Teacher
	<input checked="" type="checkbox"/> Info	<input checked="" type="checkbox"/> Substitution text
Combine blocks	<input checked="" type="checkbox"/>	
Strike-through cancellations	<input checked="" type="checkbox"/>	
Only show future substitutions	<input checked="" type="checkbox"/>	
Show break supervisions	<input checked="" type="checkbox"/>	
Do not show cancellations if substitutions exist	<input checked="" type="checkbox"/>	
Shift relative to the current date [days]	0	
Interval for paging [sec]	5	
Interval for data retrieval from server [sec]	600	
Number of days	2	
Font size	16	
Height of the display [pixel]	0	
Group by	<Selection>	
Do not show absent elements (teachers/classes)	<input type="checkbox"/>	
Department selection by	<Selection>	
Department	<div style="display: flex; align-items: center;"> <div style="border: 1px solid #ccc; width: 150px; height: 40px; margin-right: 5px;"></div> <div style="border: 1px solid #ccc; width: 150px; height: 40px; margin-right: 5px;"></div> <div style="margin: 0 5px;"> <input type="button" value="←"/>  <input type="button" value="→"/> </div> </div>	

#### Header

Caption	Today's Sick List (Standard: 'Substitutions')	
Show messages of the day	<input checked="" type="checkbox"/>	
Show blocked rooms	<input checked="" type="checkbox"/>	
Show absent elements	<input checked="" type="checkbox"/> Class	<input checked="" type="checkbox"/> Teacher
Show affected elements	<input checked="" type="checkbox"/> Class	<input checked="" type="checkbox"/> Teacher

#### Ticker

Show news ticker	<input checked="" type="checkbox"/>
Font size	16

Save Save & New Cancel

Moreover - as you are used to with Untis substitution lists - you now can activate a header in which absent or affected classes and teachers are shown. You also have the option to show the 'Messages of the day'.

Daily texts originating in Untis are imported to WebUntis as [Messages of the day](#) . For every individual message of the day you can specify if it should be shown in the respective substitution list or not.

The following illustration shows an example for typical substitution lists which can be displayed at different school monitors.

**Substitutions: Wednesday, February 15, 2017**  
Status: Jul 7, 2015 5:19:05 PM

Today...  
is a beautiful day!

Teachers: Bach, Buck, Colu, Curie, Foss, Nobel, Pas, Shak, Stan  
Abs. teachers: Ander, Colu, Foss, Mich, Pas, Shak, Stan

Period	Time	Classes	Subject	Room	Teacher	Info	Substitution text
Bach	4 10:45 AM-11:30 AM	13	bio1	r13	Bach (Foss)		
Buck	1 8:00 AM-8:45 AM	12	E2		Buck (Shak)		
Colu	5 11:40 AM-12:25 PM	12	m2	r12	Colu	Cancellation	
Curie	2 8:55 AM-9:40 AM	12	ru1		Curie (Pas)		
Foss	2 8:55 AM-9:40 AM	12	bio2	r12	Nobel (Foss)		
Foss	4 10:45 AM-11:30 AM	13	bio1	r13	Bach (Foss)		
Foss	9 3:20 PM-4:05 PM	12	bio1		Foss	Cancellation	
Nobel	2 8:55 AM-9:40 AM	12	bio2	r12	Nobel (Foss)		
Pas	2 8:55 AM-9:40 AM	12	ru1		Curie (Pas)		
Pas	9 3:20 PM-4:05 PM	13	m1	r13	Pas	Cancellation	
Shak	1 8:00 AM-8:45 AM	12	E2		Buck (Shak)		
Shak	6 12:35 PM-1:20 PM	12	E4	r12	Shak	Cancellation	
Stan	5 11:40 AM-12:25 PM	13	E4	r13	Stan	Cancellation	
Stan	10 4:15 PM-5:00 PM	13	goot	r13	Stan	Cancellation	

**Substitutions: Wednesday, February 15, 2017**  
Status: Jul 7, 2015 5:19:06 PM

Tomorrow...  
will be even more beautiful!

Teachers: Bach, Buck, Colu, Curie, Foss, Nobel, Pas, Shak, Stan  
Abs. teachers: Ander, Colu, Foss, Mich, Pas, Shak, Stan

Period	Time	Classes	Subject	Room	Teacher	Info	Substitution text
Bach	4 10:45 AM-11:30 AM	13	bio1	r13	Bach (Foss)		
Buck	1 8:00 AM-8:45 AM	12	E2		Buck (Shak)		
Colu	5 11:40 AM-12:25 PM	12	m2	r12	Colu	Cancellation	
Curie	2 8:55 AM-9:40 AM	12	ru1		Curie (Pas)		
Foss	2 8:55 AM-9:40 AM	12	bio2	r12	Nobel (Foss)		
Foss	4 10:45 AM-11:30 AM	13	bio1	r13	Bach (Foss)		

In the following you will see how you can control the substitution lists manually by URL manipulation:

.../WebUntis/substmonitor.do?school=<SCHOOL>&<FURTHER PARAMETERS> ,

<SCHOOL> is the name of the school of the WebUntis login.

<FURTHER PARAMETERS> are further parameters which can be stated.

An example of such URL: .../WebUntis/substmonitor.do?school=myschool&fontSize=10

Examples for further parameters:

*height*

The height of the table in pixel; 0: entire free space; default: 0

*fontSize*

The font size of the table contents in pixel (the size of the headlines, etc. is automatically adjusted); default: 16

*scrollInt*


The interval for scrolling to the next page in seconds; default: 30

*dateOffset*

The offset of the query time frame relative to the chosen date, e.g. dateOffset=1 to show the data of the next day; default: 0

## 2.6 Messages

WebUntis has its own internal messaging system. In order to access this click in the top right corner on 'My messages'. You view messages in one of three folders: Inbox, Sent or Drafts



You can choose if you want to see all messages or only the unread messages. Furthermore you have a selection list where you can select a specific sender.

Click on <New> if you wish to create a new message. Click on the button 'Statistics of unread messages' in order to generate a report on unread messages.

### **Create a message**

After writing the message and entering the subject, select one or more recipients.

If you wish to add a recipient, click on the user in question in the centre section, who will then be displayed in the recipient section (left). If you wish to remove a recipient, click on the user in the left section.

You can restrict the users displayed in the centre section with the help of a number of filters such as departments, class, user group or person role and then add all users to the recipients if necessary.

X
New message

<p>Recipient (3) <span style="color: red;">✖</span></p> <p><i>Distribution list</i> ▼</p> <ul style="list-style-type: none"> <li>✓ KG (KG)</li> <li>✓ SE (SE)</li> <li>✓ RI (RI)</li> </ul>	<p>Users</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border-bottom: 1px solid #ccc; padding: 2px;">Search</td> <td style="border-bottom: 1px solid #ccc; padding: 2px;">Department ▼</td> </tr> <tr> <td style="padding: 2px;"> <ul style="list-style-type: none"> <li>AH (Ah)</li> <li>Ah (Super)</li> <li>Alexander (test)</li> <li>BC (BC)</li> <li>BE (BE)</li> <li>BI (BI)</li> <li>BI (hhklassenlehrer)</li> <li>BJJ Bernd (BJ)</li> <li>BJJ Bernd (BJJ)</li> <li>BJJ Bernd (hblehrer)</li> </ul> </td> <td style="padding: 2px;">                 Class ▼                  User group ▼                  Person role ▼             </td> </tr> <tr> <td style="text-align: right; padding: 2px;"> <input type="button" value="Select all"/> <input type="button" value="Reset"/> </td> <td></td> </tr> </table>	Search	Department ▼	<ul style="list-style-type: none"> <li>AH (Ah)</li> <li>Ah (Super)</li> <li>Alexander (test)</li> <li>BC (BC)</li> <li>BE (BE)</li> <li>BI (BI)</li> <li>BI (hhklassenlehrer)</li> <li>BJJ Bernd (BJ)</li> <li>BJJ Bernd (BJJ)</li> <li>BJJ Bernd (hblehrer)</li> </ul>	Class ▼ User group ▼ Person role ▼	<input type="button" value="Select all"/> <input type="button" value="Reset"/>	
Search	Department ▼						
<ul style="list-style-type: none"> <li>AH (Ah)</li> <li>Ah (Super)</li> <li>Alexander (test)</li> <li>BC (BC)</li> <li>BE (BE)</li> <li>BI (BI)</li> <li>BI (hhklassenlehrer)</li> <li>BJJ Bernd (BJ)</li> <li>BJJ Bernd (BJJ)</li> <li>BJJ Bernd (hblehrer)</li> </ul>	Class ▼ User group ▼ Person role ▼						
<input type="button" value="Select all"/> <input type="button" value="Reset"/>							

Subject

Message

<span style="margin: 0 5px;"> </span>
Font Times New Roman ▼    Size small ▼

please send me the list of the competitors from the this years MO.  
Thanks.


Further remaining characters:

💡 Tipp: you can also drag a file on the button.

If you regularly send messages to a particular group of users, we recommend that you create [distribution lists](#) .


### File attachments to messages

You can also attach files to your messages. Just click on the button <Attach file> and select the file you want to attach.




## Formatting internal messages

You can now edit your messages by using the many options provided for formatting such as changing the font, colour or insert links.




## New message

You will be informed of new incoming messages in the [start screen](#) immediately after logging in. If you click on this notification, your inbox will open where you can open the message in question by clicking on the <Edit> button.



### Status of sent messages

As soon as a message sent by you has been read by the recipient, a '+' appears in front of the recipient's name (otherwise you will see a '-' for unread). This makes it very easy to see if a message has already reached the recipient or not.



### Reply-to addresses

If a user has an e-mail address in his/her profile, internal WebUntis messages can be forwarded to this e-mail address.

As of the 2016 version the entered e-mail address is used as reply-to address.

If there is no e-mail address added to the profile, but the respective user is a person (e.g. a teacher), the e-mail address entered in the master data is used.


The entry of a reply-to address can be deactivated under <Administration> | <Settings>. You can globally enter a sender e-mail address, which usually will be a 'do-not-reply@schule.eu' address .

**Note**

As of the WebUntis 2016 version file attachments can also be forwarded by e-mail.

### 2.6.1 Distribution lists

In order to edit a distribution list click on the <Distribution list> button under <My messages>.



If you wish to create a new distribution list, click on <New>. You can easily select the recipients for your distribution list using numerous filter functions in the window that then opens.

The screenshot shows a 'New distribution list' dialog box. At the top, there's a title bar with a close button. Below it, the 'Name' field contains 'Teacher of 2a'. There's a 'Public' checkbox which is unchecked. The 'Type' dropdown is set to 'User-defined'. The main area is divided into two parts: 'Users' and 'Add user'. The 'Users' part has a 'Distribution list' dropdown and a list area that currently says 'No element selected.'. The 'Add user' part has a search list with users like 'BC (BC)', 'BE (BE)', 'BI (BI)', 'BJJ Bernd (BJ)', 'BJJ Bernd (hhlehrer)', 'BP (BP)', 'BR (BR)', 'BS (BS)', 'BX (BU)', and 'BY (BM)'. To the right of the search list are two dropdowns: 'Department' set to '2a' and 'Person role' set to 'Teacher'. There are 'Select all' and 'Reset' buttons below the search list. At the bottom of the dialog are 'Save', 'Save & New', and 'Cancel' buttons.

For example, if you require a list with all teachers of class 2a, set the filter to class '2a' and the user group to 'teachers'. Clicking on <Select all> adds the users and clicking on <Save> creates the distribution list.

## 2.7 SMS (text message)

With WebUntis SMS you can send text messages (SMS) to mobile end devices.

You have many options for entering recipients:

- Use the dynamic search
- Use Individual distribution lists
- Use filters for department, class, user group or person role

With WebUntis you can send text messages (SMS) to students but also to responsible persons such as:

- Parent or legal guardian of the student
- Persons entitled to receive information
- Companies (e.g. at vocational schools)

**Note: Mobile phone numbers must be entered prior to sending any text message**

The mobile phone numbers of the respective persons need to be entered via <Master data> | <Student> |


<Address> | <New Address> including the country code in order to be able to send text messages to different persons.

you have 140 characters for the text message.


WebUntis provides you with several options to get to the window in which you can send text messages (SMS). In the following chapters we will introduce some scenarios.

### 2.7.1 Sending via 'My messages'

If you want to send a text message spontaneously, just click on <My messages> and go to the <SMS> tab.



Here you see all sent text messages including their sending status.



Sending via 'My messages'

## 2.7.2 Sending via class register

After activating SMS functionality you will not only see absent students in the class register, but also the new additional button showing a mobile phone.


**Students in the lesson (21) , Exemptions: 1**

**Absent students (1)**

Selection	Student	Fr.	Start time	To	End time	Reason of absence	Status	Text
<input type="checkbox"/>	Andreas	Apr 8, 2015	11:05 AM	Apr 8, 2015	12:40 PM	Ill	Open	




[chapter SMS \(text message\)](#) . The only difference is is that in this case all student of the respective class are already listed as recipients.



### 2.7.4 Sending via 'Absences'

Another possibility to send a text message is to access <Class register> | <Absences>, provided that you have the respective rights.

As a class/form teacher you can send a text message to the students or the partents who do not have sent an excuse for their absence yet.



Sending via 'Absences'

### 3 Teachers

Teachers are the group which is likely to make the most entries in WebUntis. This is why such a long section is devoted to them.

Besides the basic informational functions that were described in chapter [WebUntis Info](#) , teachers also have the possibility of viewing [lessons](#) , and in many cases they need to define, e.g. in the case of split lessons, which students will participate in which lesson. This is effected via [student groups](#) .

In addition, there is also a large chapter dealing with the [Class register](#) describing, among other things, how to enter [absences](#) and [teaching content](#) . The chapter on the [Agenda](#) module describes how to perform a [room change](#) , how to book [rooms](#) and [resources](#) and a whole lot more.

#### 3.1 Lessons

##### My lessons

You can display Information on your own lessons using menu item <Lessons> | <My lessons>. You can specify here which students actually take part in a particular lesson in the event of split lessons.

The buttons under <Appointments> provide an overview of each individual lesson period.

### Lessons BJJ (BJJ)

Teachers			Type of activity		Period								
BJJ (BJJ)			<Selection>		4/13/2015			4/19/2015			Current week		
L-No.	Type	Class	Subject	Teacher	Per	Fr.	To	Appointments	Students	Student groups	Reports		
7894		2b	AUF	BJJ	2	Apr 13, 2015	Apr 19, 2015						
55500		2b	BIO	BI, BJJ	2	Sep 1, 2014	Jul 5, 2015						
8100		2b	E	BI, BJJ, BY	4	Sep 1, 2014	Jul 5, 2015						
41100		2b	G	BJJ, PX	4	Sep 1, 2014	Jul 5, 2015						
7800		2b	GEO	BJJ, KL	2	Sep 1, 2014	Jul 5, 2015						
8600		2b	HIS	BJJ, BX	2	Sep 1, 2014	Jul 5, 2015						
40703		2b	INF-EL	BJJ	1	Sep 1, 2014	Jul 5, 2015						
54001		2b	M	BJJ	1	Sep 1, 2014	Jul 5, 2015						
54202		2b	M	BJJ	1	Sep 1, 2014	Jul 5, 2015						

Go to <My lessons> in order to send a message to the students attendign your lessons.

### Lessons HN (HN)

Teachers			Type of activity		Period								
HN (HN)			<Selection>		4/13/2015			4/19/2015			Current week		
L-No.	Type	Class	Subject	Teacher	Per	Fr.	To	Appointments	Students	Student groups	Reports		
37100		1a, 1b, 1c	FOOTB	HN	1	Sep 1, 2014	Jul 5, 2015						

Students in the lesson

Teacher: HN (HN), SE (SE), Subject: M, Class: 1b

	Surname	First name	Sex	Class	Entry date	Exit date	Grades
1	Adi		1b				★
2	Alessandro		1b				★
3	Antonio		1b				★
4	Benjamin		1b				★
5	Carola		1b				★
6	Darco		1b				★
7	Fabian		1b				★
8	Fabian		1b				★
9	Jan		1b				★
10	Jan		1b				★
11	Jasmin		1b				★
12	Katharina		1b				★
13	Lea		1b				★
14	Lea		1b				★
15	Manuel		1b				★
16	Marcel		1b				★
17	Marcel Philipp		1b				★
18	Marcus		1b				★
19	Mathias		1b				★
20	Oliver		1b				★
21	Raphael		1b				★
22	Tobias		1b				★
23	Yusuf		1b				★

e-mail addresses

Enter grades Final grade Grading schemes for the lessons Reports **Send message** Back

New message

Recipient (80)

Distribution list

- ✓ Alexander (test)
- ✓ AH (Ah)
- ✓ Ah (Super)
- ✓ BC (BC)
- ✓ BE (BE)
- ✓ BI (BI)
- ✓ BI (hhklassenlehrer)
- ✓ BJJ Bemd (BJJ)
- ✓ BJJ Bemd (BJJ)
- ✓ BJJ Bemd (hhlehrer)

Search

No available elements

Department

Class

User group

Person role

Select all Reset

Subject

Tomorrow's textile work-1

Message

Font Times New Roman Size small

Dear students.

please don't forget your knitting needles tomorrow.

Further remaining characters: 4907

Attach file..... Tip: you can also drag a file on the button.

Send Save Cancel

### Today's lessons

You can display the lessons for a teacher or for a class for the selected day in the calendar via <Today's lessons: Teachers> and <Today's lessons: Classes>. Provided you have the appropriate rights, you can e.g. open the [class register](#), create new exams, shift lessons or cancel them, create additional periods, make room changes, etc. via the list of displayed lessons.

Lessons BJJ (BJJ)

Teachers: BJJ (BJJ) | Type of activity: <Selection> | Period: 4/27/2015 to 4/27/2015 | Current day

L-No.	Type	Class	Subject	Teacher	Per	Fr.	To	Appointments	Students	Student groups	Reports						
55500		2b	BIO	BI, BJJ	2	Sep 1, 2014	Jul 5, 2015										
8100		2b	E	BI, BJJ, BY	4	Sep 1, 2014	Jul 5, 2015										
41100		2b	G	BJJ, PX	4	Sep 1, 2014	Jul 5, 2015										
7800		2b	GEO	BJJ, KL	2	Sep 1, 2014	Jul 5, 2015										
8600		2b	HIS	BJJ, BX	2	Sep 1, 2014	Jul 5, 2015										
40703		2b	INF-EL	BJJ	1	Sep 1, 2014	Jul 5, 2015										
54001		2b	M	BJJ	1	Sep 1, 2014	Jul 5, 2015										
54202		2b	M	BJJ	1	Sep 1, 2014	Jul 5, 2015										
65700		2b	M	BJJ	1	Sep 1, 2014	Jul 5, 2015										
57200		2b	MU	BJJ	1	Sep 1, 2014	Jul 5, 2015										
57300		2b	MU	BJJ	1	Sep 1, 2014	Jul 5, 2015										
8300		2b	PH	BJJ, BY	2	Sep 1, 2014	Jul 5, 2015										
62600		2b	TT	BJJ	1	Sep 1, 2014	Jul 5, 2015										
39800		ASINT	ESINT	BJJ	2	Sep 1, 2014	Jul 5, 2015										
48500		ASINT	GLZ	BJJ	1	Sep 1, 2014	Jul 5, 2015										

Report LuxReportAll New lesson My grading schemes

### 3.2 Student groups

All students of a class participate in many lessons together. There are lessons, however, in which only part of a class or parts of various classes participate.

**Warning: All students in a class**  
 If all the students in the class participate in the same lessons, it is not necessary to create student groups.

WebUntis must now be informed of which students take which lessons with which teachers in order for the timetables to be output correctly for each individual student and for the class register to be used properly.

This assignment is effected via student groups for these split lessons. The basic principle of student groups is as follows:

- A unique student group is assigned to each lesson in which not all students of a class participate. For example, student group Boys\_PE\_5A is assigned to the PE lesson for the boys in class 5A.
- Individual students are then assigned to this student group, for example all male students in class 5A.
- A student group can only be assigned to a single lesson.

There are one or two tasks involved in this: [creating the student group](#) and [assigning students](#) to the student group.

**Note: Student groups in Untis**

These student groups should already have been [entered in Untis](#) by the timetable scheduler.

**3.2.1 Creating a student group**

Each teacher must check at the start of the school year whether the students taking part in his/her lessons have actually been assigned to them. To do this, we recommend that you select the <My Lessons> list from the lessons menu.

If you only see a symbol with three heads (student groups in the lesson) in column 'Student groups', this means that no student group has yet been created.

Click on the button and subsequently on the <New> button in order to create a student group.

Lessons BJJ (BJJ)

Teachers: BJJ (BJJ) | Type of activity: <Selection> | Period: 4/20/2015 - 4/26/2015 | Current week

L-No.	Type	Class	Subject	Teacher	Per	Fr.	To	Appointments	Students	Student groups	Reports
55500		2b	BIO	BI, BJJ	2	Sep 1, 2014	Jul 5, 2015				
8100		2b	E	BI, BJJ, BY	4	Sep 1, 2014	Jul 5, 2015				
41100		2b	G	BJJ, PX	4	Sep 1, 2014	Jul 5, 2015				
7800		2b	GEO	BJJ, KL	2	Sep 1, 2014	Jul 5, 2015				
8600		2b	HIS	BJJ, BX	2	Sep 1, 2014	Jul 5, 2015				
40703		2b	INF-EL	BJJ	1	Sep 1, 2014	Jul 5, 2015				
54001		2b	M	BJJ	1	Sep 1, 2014	Jul 5, 2015				
54202		2b	M	BJJ	1	Sep 1, 2014	Jul 5, 2015				
65700		2b	M	BJJ	1	Sep 1, 2014	Jul 5, 2015				

Student group of the lesson INF-EL 2b

Teacher: BJJ (BJJ), Subject: INF-EL, Class: 2b

Nothing to display

The newly created student group can now be [assign](#) ed students taking part in the lessons.

It sometimes happens that a lesson exists in WebUntis, but not in the student administration (e.g. religious education supervision groups). In the student group you can activate the option *Do not export student group* in order to avoid the export of student groups from WebUntis to the student administration system (e.g. SOKRATES).

Student group INF-EL\_2b

Name  
INF-EL\_2b

Fr. 9/1/2014 To 7/5/2015

Subject  
INF-EL

Classes  
2b

Possible classes  
1a  
1b  
1c  
2a  
3a  
3b  
4a  
4b

User  
BJ

Possible users  
abtl  
ad  
admin  
Ah  
BC  
BE  
BI  
BJJ

Do not export student group

Booked on from mk  
Changed on Jul 24, 2015 9:33:58 AM from mk

Save Delete Back

### 3.2.2 Assigning students

If a student group has already been assigned to a lesson, you will also see a symbol with only one head next to the three heads in the 'Student groups' column. Clicking on this single head allows you to assign students to the student group or to change the assignment.

Lessons BJJ (BJJ)

Teachers: BJJ (BJJ) | Type of activity: <Selection> | Period: 4/20/2015 - 4/26/2015 | Current week

L-No.	Type	Class	Subject	Teacher	Per	Fr.	To	Appointments	Students	Student groups	Reports
55500		2b	BIO	BI, BJJ	2	Sep 1, 2014	Jul 5, 2015				
8100		2b	E	BI, BJJ, BY	4	Sep 1, 2014	Jul 5, 2015				
41100		2b	G	BJJ, PX	4	Sep 1, 2014	Jul 5, 2015				
7800		2b	GEO	BJJ, KL	2	Sep 1, 2014	Jul 5, 2015				
8600		2b	HIS	BJJ, BX	2	Sep 1, 2014	Jul 5, 2015				
40703		2b	INF-EL	BJJ	1	Sep 1, 2014	Jul 5, 2015				
54001		2b	M	BJJ	1	Sep 1, 2014	Jul 5, 2015				
54202		2b	M	BJJ	1	Sep 1, 2014	Jul 5, 2015				
65700		2b	M	BJJ	1	Sep 1, 2014	Jul 5, 2015				
57200		2b									
57300		2b									
8300		2b									

Students in the lesson group INF-EL\_2b

Class: 2b  
Number of students: 17

Selection	Surname	First name	Sex	Class	Catalogue number	Fr.	To	Text
<input type="checkbox"/>	1	Amila		2a	0			
<input checked="" type="checkbox"/>	2	Andreas		2b	0			
<input type="checkbox"/>	3	Aylin		2b	0			
<input type="checkbox"/>	4	Behice		2b	0			
<input checked="" type="checkbox"/>	5	Daniel		2b	0			
<input checked="" type="checkbox"/>	6	David		2b	0			
<input checked="" type="checkbox"/>	7	Dennis		2b	0			
<input type="checkbox"/>	8	Edna		2b	0			
<input checked="" type="checkbox"/>	9	Elisabeth		2b	0			
<input checked="" type="checkbox"/>	10	Fabian		2b	0			
<input type="checkbox"/>	11	Ingo		2b	0			

A list will be displayed containing the students who can take part in the selected lesson. Check all those student names in the selection list who are to take part in the lesson in question and then click on <Save>.

In the fields 'Fr.' and 'To' you can define the time range for which the respective students should be integrated in this student group. If a student is outside of this range, WebUntis will automatically take him/her out of the respective student group.

### Selection functions

Various selection functions are available to help teachers select student groups as easily as possible. The following selection functions are available to you:


- Selects all students
- Deactivates all selected students
-  Restores the initial status
-  Inversion: all deactivated elements are activated and vice versa
-  Deactivates all male students
-  Deactivates all female students
-  Copies the selected students to an (internal) clipboard
-  Restores the selected students from the internal clipboard

**Tip: Copy and paste**


It is not possible to assign student group to several lessons. You can, however, copy the student assignment to the clipboard and then paste it into another student group. This allows you to quickly make identical student assignments to several lessons.

### 3.3 Class register

The most important functions of the electronic class register are entering student absences and entering teaching content. You can open the class register for a particular period via the today's lessons or the timetable.



The class register page shows you which students (with or without photo) are supposed to be taking part in the lesson. You can mark any student who is missing as absent with a few mouse clicks.



You can also enter the teaching content for the lesson in the section at the bottom of the register.

The following chapters describe these functions and provide information on additional possibilities such as class register entries, class services, homework and student groups.

### 3.3.1 Accessing the class register

#### Home page

Your home page will display the day's messages and, below this, a list of lessons for the current day.

You can also access this list by selecting the menu item <Today's lessons: Teachers> from the <Lessons> menu.

Lessons for teacher BJJ (BJJ) on Apr 8, 2015

Teachers:

#### My next lesson

Selection	Type	Prd.	Fr.	To	Class	Teacher	Subject	Room	Class register	Teaching content	Homework
<input type="checkbox"/>	📅	2	8:30 AM	9:15 AM	2b	BJJ	TT	EDV3	🔍 ? 🗑️ 🔄 📄 📅	📄 📅	🏠
<input type="checkbox"/>	📅	3	9:15 AM	10:00 AM	2b	BJJ	M	EDV3	🔍 ? 🗑️ 🔄 📄 📅	📄 📅	🏠
<input type="checkbox"/>	📅	4	10:15 AM	11:00 AM	2b	BJJ, PX	G	2bR	🔍 ? 🗑️ 🔄 📄 📅	📄 📅	🏠
<input type="checkbox"/>	📅	5	11:05 AM	11:50 AM	2b	BI, BJJ, BY	E	2bR	🔍 ? 🗑️ 🔄 📄 📅	📄 📅	🏠
<input type="checkbox"/>	📅	5	11:05 AM	11:50 AM	2b	BI, BJJ, BY	E	2bR	🔍 ? 🗑️ 🔄 📄 📅	📄 📅	🏠
<input type="checkbox"/>	📅	6	11:55 AM	12:40 PM	2b	BJJ, KL	GEO	2bR	🔍 ? 🗑️ 🔄 📄 📅	📄 📅	🏠
<input type="checkbox"/>	📅	7	12:45 PM	1:30 PM		BJJ		INE2	🔍 ? 🗑️ 🔄 📄 📅	📄 📅	🏠

Click on the <Class register> button to open the class register.

#### From the timetable

If you click on a period in the timetable, details on that period will be displayed. You will also find the <Class register> button here allowing you to open it, too

The screenshot shows the 'Timetable BJJ' interface. At the top, there are dropdown menus for 'Teacher' (BJJ) and 'Week of' (4/22/2015). The main area is a grid showing lessons for Monday, Tuesday, and Wednesday, April 20-22, 2015. A lesson on Tuesday, April 21, 2015, from 8:30 AM to 10:00 AM is highlighted in orange and labeled with a red circle '1'. A mouse cursor is pointing at the 'Class register' button in the bottom right corner of this lesson's cell. Below the timetable, a pop-up window titled 'Tue Apr 21, 2015, 8:30 AM - 10:00 AM' is open, showing details for the selected lesson. It lists two lessons: L-No. 39800, Type ESINT, Subject 'afternoon supervision and elementary school interface', Class BJJ, Student group BJJ, Teacher BJJ, Room 8:30 AM, Remark 9:15 AM, and Type of activity 'Unterricht'. A red circle '2' is placed over the 'Class register' button in the bottom right corner of this pop-up window.

### 3.3.2 Class register page

The open class register page contains various section that you can display and hide by clicking on the small arrows.

The screenshot shows the WebUntis interface for a class register. At the top, it displays the lesson details: "Class register for the lesson Apr 22, 2015 9:30 AM - 9:15 AM". Below this, there are several expandable sections:

- Lessons:** Shows class details like "Class 2b (B1), B2 (B2)", "Teacher S.J. (B-1)", and "Subject TT".
- Students in the lesson (23):** A grid of student names with checkboxes. Some are checked, indicating they are present. A "TestTest" button is visible below the grid.
- Absent students (1):** A table listing absent students. One entry is visible: Elizabeth, Apr 22, 2015, 8:30 AM, Apr 22, 2015, 9:15 AM, Reason of absence: Open.
- Teaching content:** A section for entering teaching content.
- Classregister entries (0):** A section for class register entries, currently empty.
- Homework:** A section for homework records, currently empty.
- Class services (2):** A section for class services, showing two entries: K5 Amia and K5 Str. Andreas.

You will see the following sections (from top to bottom):

- [Lessons](#)
- [Examinations](#)
- [Students in the lesson](#)
- [Absent students](#)
- [Teaching content](#)
- [Homework](#)
- [Class register entries](#)
- [Class services](#)

### 3.3.3 Student absences

Student absences can be entered in the school register either [centrally in the school secretary](#) or [direct by the relevant teacher](#).

Students can even [enter/report their own absences](#) provided they have appropriate rights.

#### 3.3.3.1 Entering new absences

If you wish to enter a new absence for a student, check the box to the left of the relevant student's name and click on the <absent> button.

You can now enter the details of the absence. You will generally not change the preset start and end times of the period. If there is a suitable reason of absence, enter it. You can leave the field empty if you do not know why the student is absent. You also have the possibility to enter an explanatory text.

**Absent students (2)**

Selection	Student	Fr.	Start time	To	End time	Reason of absence	Status	Text
<input type="checkbox"/>	Edna	Apr 22, 2015	8:30 AM	Apr 22, 2015	9:15 AM	Ill	Open	Call from father. Edna is in hospital.
<input type="checkbox"/>	Elisabeth	Apr 22, 2015	8:30 AM	Apr 22, 2015	9:15 AM	Ill	Open	

Extend

The students entered will now also be displayed in the list of absent students.

Furthermore you have the possibility in WebUntis to mark in the editing mode if the absence of a student has been reported to a parent or legal guardian or not. Just click on the editing symbol under <Absent students> and then choose the option <Notified to>.

Alternatively, you can enter an absence for a single student by simply checking the box to the left of the student's name.

**Note: Absences need to be checked**

If no students are absent or all absent students have been entered click on the <Absences checked> button. The system notes that the lesson has been edited and it is no longer displayed in the '[Open lessons](#)' list.

### 3.3.3.2 Students arriving late

If a student arrives late for the period you can reduce the length of the absence entered. Press the <Reduce absence> button in the field <Absent student>. This reduces the end time of the absence to the current system time. No further input is required.




Alternatively, you can click on the <Edit> button and change the time manually.

### 3.3.3.3 Extending absences

Student absences do not have to be entered again for each new period. If the teacher of e.g. the first period has already entered a student absence, it only needs to be extended in the second period.

In this case, click on the <Extend absence> button in the <Absent students> section. The absence will then be prolonged accordingly. This is both faster and also means that the entry does not need to be repeated for double periods or blocks of periods.




Alternatively, you can click on the <Edit> button and change the time manually.

### 3.3.3.4 Interrupting absences

Student absences can be interrupted. This may make sense, for example, if a student has reported in ill but still comes into school – just for the one period – to write an important class test.

To do this, go to the <Absent students> area and click on the editing button next to the respective student. Then click on <New interruption of the absence> and make the necessary changes such as start and end time in the window that is then displayed.



Interruptions of absences can also be deleted (or generally edited) directly in the absence.

### 3.3.3.5 Deleting absences

Absences of students who are marked as absent in the class register window can be deleted using the <Edit> button.

Absence x

Student  
Elisabeth

Fr. 4/8/2015 To 4/8/2015

Start time 11:55 AM End time 12:40 PM

**Interruptions** 

  Apr 8, 2015 12:20 PM - 12:35 PM Elli comes to the test and goes back home after.

Reason of absence  
Illness

Text  
Anruf von Vater. Elli liegt im KH.

Notified to  Legal guardian

Booked on Apr 7, 2015 2:10:45 PM from hhlehrer  
Changed on Apr 7, 2015 2:10:45 PM from hhlehrer

**Warning: Deleting only possible for a limited time**  
An absence can only be deleted for up to one hour after it was entered for security reasons. This time period can be changed by your WebUntis administrator in the class register settings.

### 3.3.3.6 Higher-priority school events

If a student participates in a higher-priority school event (e.g. an event from Untis) he/she may be marked absent for a less important school event taking place at the same time.

Example

A number of student in class 2b participate in a school event between 8am and 6pm:

**Lessons**

Class 2b (BI (BI), BJJ (BJJ))  
 Teacher BI (BI) / BJJ (BJJ)  
 Subject BIO

Activity 8:00 AM - 6:00 PM 2b MM

**Students in the lesson (21)**

	<input type="checkbox"/> Andreas	
	<input checked="" type="checkbox"/> Edna	
	<input type="checkbox"/> Lukas	

These students now appear crossed out from the normal lesson taking place in parallel for class 2b and are marked with a symbol which means will probably not participate in this lesson and therefore does not need to be marked as absent.

### 3.3.4 Entering teaching content

Entering teaching content There are several ways of entering teaching content.

#### Quick input

Click direct in the 'Teaching content' section and enter the teaching content.

#### Input in dedicated window

Click on the <Enter teaching content> button at the bottom of the page or on the <Edit> button in the 'Teaching content' section. A window will open in which you can enter the teaching content.

Teaching content

The alps

Class 2b  
Teacher BJJ (BJJ),BY (BY)  
Subject PH  
Date Feb 16, 2015 11:55 AM - 12:40 PM

Teaching content  
The alps

Here you can carry over the reaching content of the lesson before

Feb 12, 2015	Thu	Mount Everest	
Feb 9, 2015	Mon	Mountains in South Africa	
Jan 29, 2015	Thu		
Jan 26, 2015	Mon		
Jan 22, 2015	Thu		

Teaching method: <Selection> Number: 2 Renumber

Remark:


Save Apply Close

In addition to entering teaching content, you can also view the teaching content of preceding lessons and if necessary copy this, you can select the teaching method used, e.g. 'Teamwork', assign the lesson a number and add a remark.

### 3.3.5 Enter grades

#### Assessing participation

If you, for instance, want to participate individual students during a lesson you just need to access the class register and click on the button <Enter grades>.



The window for entering grades opens up.

The "Entry of grades" dialog box is shown for the student "Andreas". It features a dropdown menu with "WH" selected, a text field labeled "Remark", and three buttons: "Plus", "Welle", and "Minus".

In this window you can define the type of examination, the grading scheme and the grade per student. Additionally you can write a remark and put down a time regarding this grade entry.

## Assessing a test

Generally test or any other written exams need to be entered into WebUntis as examinations.

Timetable 2b

Class: 2b Week of: 4/15/2015

1a 1b 1c 2a 2b 3a 3b 4a 4b 4c ASINT

	MonApr 13, 2015	TueApr 14, 2015	WedApr 15, 2015
8:00 AM	2a, 2b remedial teaching 2b morning unit	2a, 2b BR remedial tea FESTSAAL... 2a, 2b morning unit	2a, 2b BI czech 2b morning unit
8:30 AM	8:30 AM-10:00 AM 2b BI, BJJ biology 2bR	8:30 AM-10:00 AM 2b BI, BJJ english 2bR	8:30 AM-10:00 AM 2b BI, BJJ teamteachin EDV3
9:15 AM	8:30 AM-9:15 AM 2b BI, BJJ biology 2bR	8:30 AM-10:00 AM 2b BI, BJJ english 2bR	8:30 AM-9:15 AM 2b BI, BJJ teamteachin EDV3
10:15 AM	10:15 AM-11:00 AM 2b BJJ, BX history 2bR	10:15 AM-11:50 AM 2a, 2b BS sports AAB	10:15 AM-11:00 AM 2b BJJ, PX german 2bR
11:05 AM	11:05 AM-11:50 AM 2b BJJ, PX german	11:05 AM-11:50 AM 2a, 2b BS sports AAB	11:05 AM-11:50 AM 2b BI, BJJ, BY english

Vie <Details of the period> (just click on the respective period in the timetable) and the button <Edit examination> you get to the details of an exam.

## Schularbeit E

Apr 15, 2015 11:05 AM - 11:50 AM E, 2b  
BI (BI), BJJ (BJJ), BY (BY)

Supervision teachers

11:05 AM - 11:50 AM BI (BI)

Rooms  
2bR

Name

Text

Person in charge

Return on

Returned by

Grading scheme:

SchemaSA

Average grade: 0


Booked on Apr 10, 2015 11:15:02 AM from hhlehrer

Changed on Jul 28, 2015 9:58:07 AM from BJJ

Report:   

Here you can up-date the following information: Name of the exam, text, the responsible teacher, date of return, the responsible teacher for the returns and the grading scheme.

The button <Enter grade> opens the list of participants.



The screenshot shows a window titled "Entry of grades - E (Schularbeit)". It contains a table with three columns: "Student", "Grade", and "Remark". The "Student" column lists names: Andreas, Aylin, Behice, Daniel, David, Dennis, Edna, Elisabeth, Fabian, Ingo, Kimi, and Lukas. The "Grade" column contains a dropdown menu with the text "Please select". The "Remark" column contains an empty text input field. The table is styled with alternating light blue and white rows.

Student	Grade	Remark
Andreas	Please select	
Aylin	Please select	
Behice	Please select	
Daniel	Please select	
David	Please select	
Dennis	Please select	
Edna	Please select	
Elisabeth	Please select	
Fabian	Please select	
Ingo	Please select	
Kimi	Please select	
Lukas	Please select	

You can enter here the individual grades per student (you can also add a remark, if necessary) and save it.

After saving go to the button <Grades statistics> which gives you access to a statistics of grade plus a calculation of the average grades.

### 3.3.6 Reports on lessons

You will find a list of all your lessons under menu item <Lessons> | <My lessons>. If you click on the <Reports> button, you will be able to display and print various reports for the chosen lesson. Most reports can be output as pdf file, csv file or as Excel file.

## Reports of the lesson

Class 2b

Teacher BJJ (BJJ)

Subject AUF

Period

4/13/2015 4/17/2015 Current week

- Work report   
- Work report with teaching method 
- Work report with homework 
- Work report with absences 
- Daily overview teacher     Without page breaks
- Absence time per lesson per student   
- Absence time per lesson per period   
- Matrix of absence periods     Free
- Students in the lesson   
- Students in the lesson with picture 
- Grades per student     Notennamen verwenden
- ICS Calendar 

[Back](#)

### ExampleWork report

Demo  
Demonstr  
School

## Work report for the lesson

Sep 1, 2014 - Aug 7, 2015,

---

**Class: 1a,1b,1c, Subject: religion isl.**  
**Periods of the lesson 40 30:00**

Date	Day	Prd.	Teacher	Topic
Sep 2, 2014	Tue	10	AH	
Sep 9, 2014	Tue	10	AH	
<del>Sep 16, 2014</del>	<del>Tue</del>	<del>10</del>	AH	Cancelled
Sep 24, 2014	Wed	10	AH	1) Wegen Krankheit des Lehrers entfallen
Oct 1, 2014	Wed	10	AH	Opferfest
Oct 8, 2014	Wed	10	AH	Pilgerfahrt nach Mekka, Hac

Example

## Matrix of absence periods

The latter report generates a table showing all students and periods. This report can be used to record missing students if there is no PC available in each classroom.

Matrix of absence periods																
Subject REL-I, Teacher AH (AH), Class 1a,1b,1c, Student group																
Student	4/3 3:30 PM	11/3 3:30 PM	18/3 3:30 PM	25/3 3:30 PM	8/4 3:30 PM	15/4 3:30 PM	22/4 3:30 PM	29/4 3:30 PM	13/5 3:30 PM	20/5 3:30 PM	27/5 3:30 PM	3/6 3:30 PM	10/6 3:30 PM	17/6 3:30 PM	24/6 3:30 PM	1/7 3:30 PM
Adi				X												
Alessandro																
Alexander	-	-	-	-												
Alexander																
Anna																
Antonio																
Bashkim																
Benjamin																

## Example report students in the lesson



Test school DEMO

School year : 2014/2015

## Students in the lesson

Class: 2b, Subject: AUF, Teacher: BJJ (BJJ),

	Surname	First name	Sex	Class	Entry	Exit
1	Andreas		m	2b	Oct 5, 2014	
2	Aylin		f	2b	Sep 22, 2014	
3	Behice		f	2b		
4	Daniel		m	2b		
5	David		m	2b		
6	Dennis		m	2b		
7	Edna		f	2b		
8	Elisabeth		f	2b		
9	Fabian		m	2b		
10	Ingo		m	2b		
11	Kimi		m	2b		
12	Lukas		m	2b		
13	Marcus		m	2b		
14	Marie-Theres		f	2b		
15	Markus		m	2b		
16	Nicole		f	2b		
17	Oliver		m	2b		
18	Patrick		m	2b		
19	Samra		f	2b		
20	Sarah		f	2b		
21	Simon		m	2b		
22	Test	Test		2b		

Number of students: 22, of which female: 8, of which male: 13

### Example absence time per lesson

School year: 2014/2015

### Absence time per lesson

Mar 1, 2015 - Aug 7, 2015.

---

Class: 1a,1b,1c, Subject: REL-I, Student group: , Teacher: AH (AH)      Periods of the lesson    16    12:00

Student	Date	Per of	Time	Reason of absence	ENr.	Done
Benjamin	17/6	1	3:30 PM-4:15 PM	Enfermo		
Adi	25/3	1	3:30 PM-4:15 PM	Enfermo		
Joel	4/3	1	3:30 PM-4:15 PM	Enfermo		
<b>Total</b>	3	2:15		<b>Total (integrating)</b>	3	2:15
Of those	3	2:15		Of those unexcused.	3	2:15

### 3.3.7 Class register entries

As the name says, class register entries are 'official' entries in the class register. They can include, for example, notes on breaches of discipline during lessons. Accordingly, it is possible to make such entries for the entire class or for individual students.

The window for class register entries opens after you click on the <Class register entries> icon in the class register window or after clicking on the symbol in the field <class register entries>.

Class-register entry

Teacher BJJ (BJJ)

Date: 4/8/2015 Time: 10:08 AM

Student: Andreas, Aylin, Behice, Daniel, David, Dennis, Edna, Elisabeth, Fabian, Ingo

Class: 1a, 1b, 1c, 2a, 2b, 3a, 3b, 4a, 4b, 4c

Group for remark categories: Behavior

Remark category: Please select

Class-register entry

Further remaining characters: 1000

Save Close

In this window you can select individual students (using <CTRL>+click) or the entire class. Select a suitable remark category and enter your remarks in the field intended for that purpose. Please do not forget to <Save> your input.

The entry categories are determined by your class register administrator and cannot be changed by individual teachers

### 3.3.8 Homework

Clicking on the <Homework> button will display the homework that was to be completed for this lesson (i.e. this entry was made in one of the preceding lessons) as well as allow you to enter what the homework is for the next lessons.

Homework x

Class 2b  
 Teacher BI (BI), BJJ (BJJ), BY (BY)  
 Subject E  
 Date Apr 8, 2015 11:05 AM - 11:50 AM

Teaching content

Eng-book A - page 23 - questions 1 to 4

Previous prd's

Mar 26, 2015	Thu	
Mar 25, 2015	Wed	
Mar 24, 2015	Tue	
Mar 24, 2015	Tue	
Mar 19, 2015	Thu	

Teaching method Number

<Selection> 1 Renumber

Remark

Save Apply Close

The homework section shows you what the students had to complete by the current lesson. Click on the <Homework> button in order to set new homework. In the window that is then displayed, first select the period by which the homework has to be completed, and then enter the content of the homework before confirming with <Save>. If you subsequently open the class register for the he period in question , you will find your entry in the homework section.

The homework can also be displayed for students provided they have the appropriate rights.

**Note: Coyping of homework**  
 If you want to copy a homework text, select the respective target date by clicking on the 'Edit' button. Now you see the homework for this data. In order to copy a homework in here you only need to click on the <Apply> button in the left column

### 3.3.9 Open periods

You will find periods that still require entries to be made listed under menu item "Open period: Teachers. This list displays periods for which no teaching content has been entered and lessons for which student absences have not been checked.

You can use the 'Entry' selection field to limit the list to only those lessons where teaching content is missing or where absences are missing.

Once teaching content has been entered for a lesson it will no longer be displayed in this list.

### Open periods for teacher BJJ (BJJ)

Fr. 9/1/2014 - Apr 15, 2015 Open periods: 681, Periods of the lesson: 689

Teachers BJJ (BJJ) Entry - All - Report

Selection	Class	Subject	Date	Fr.	To	Type	Room	Class register
<input type="checkbox"/>	2b	MU	Mon Sep 1, 2014	8:15 AM	8:30 AM		2bR	
<input type="checkbox"/>	2b	BIO	Mon Sep 1, 2014	9:15 AM	10:00 AM		2bR	
<input type="checkbox"/>	2b	HIS	Mon Sep 1, 2014	10:15 AM	11:00 AM		2bR	
<input type="checkbox"/>	2b	HIS	Mon Sep 1, 2014	10:15 AM	11:00 AM		2bR	
<input type="checkbox"/>	2b	G	Mon Sep 1, 2014	11:05 AM	11:50 AM		2bR	

The list will indicate optically whether absences or teaching content have been entered.

Click on the class register icon with a warning triangle in order to enter absences and on the book icon with a warning triangle in order to enter teaching content.

## 3.3.10 Examinations

You can [enter](#) and edit examinations in WebUntis. An [Examination overview](#) provides a summary of how exams are distributed over the various classes.

Your WebUntis administrator can define a parameter for exams, for exam types (quizzes, test etc.), grading schemes, weighting facts or the number of exams a student can be expected to take in a certain period of time.

### 3.3.10.1 Entering examinations

Start entering exams by clicking on the first period in the timetable when an exam is to be scheduled.

Then click on the button with the question mark icon and the tooltip <New exam> and follow the predefined steps using the <Next> button.

Timetable 2b

The screenshot shows the WebUntis interface for class 2b. At the top, there are dropdowns for 'Class' (set to 2b) and 'Week of' (set to 4/21/2015). Below this is a timetable for 'MonApr 20, 2015'. The 8:30 AM slot is highlighted in orange and contains '2b biology' and 'BI, BJJ BIBLIO (2bR)'. A red arrow points from this slot to the 'New examination' form below.

The 'New examination' form has the following fields:
 

- Class: 2b
- Exam for the lesson in the period: Apr 20, 2015 8:30 AM - 9:15 AM
- Type of examination: <Please select>
- Date: 4/20/2015
- Start time: 8:30 AM, End time: 9:15 AM
- Subject: BIO
- Classes: 2b
- Buttons: Next, Cancel

A red arrow points from the 'Next' button to a 'New examination : Students' window. This window shows a table of students for the exam:
 

Selection	Surname	First name	Sex	Class
<input type="checkbox"/>	Andreas		♂	2b
<input checked="" type="checkbox"/>	Aylin		♀	2b
<input checked="" type="checkbox"/>	Behice		♀	2b
<input checked="" type="checkbox"/>	Daniel		♂	2b
<input checked="" type="checkbox"/>	David		♂	2b
<input checked="" type="checkbox"/>	Dennis		♂	2b
<input checked="" type="checkbox"/>	Edna		♀	2b
<input checked="" type="checkbox"/>	Elisabeth		♀	2b
<input checked="" type="checkbox"/>	Fabian		♂	2b
<input checked="" type="checkbox"/>	Ingo		♂	2b
<input checked="" type="checkbox"/>	Kimi		♀	2b
<input checked="" type="checkbox"/>	Lukas		♂	2b
<input checked="" type="checkbox"/>	Marcus		♂	2b

Another red arrow points from the 'Students' window to the 'New examination' form, which now has the following updated fields:
 

- Wiederholung Apr 20, 2015 8:30 AM - 9:15 AM BIO, 2b BI (BI), BJJ (BJJ)
- Denomination: Last test
- Text: (empty)
- Supervision teachers: 8:30 AM, BI (BI), Add a supervision teacher
- Rooms: Ait, AU, BAD, Besprechung, BIBLIO
- Buttons: Back, Save, Cancel

**Warning: Using the correct subject**  
 It is important for an examination to be entered for the 'right' lesson with regard to subject but not

necessarily at the right time. The time (and date) can be changed as desired, but the connection to the lesson (subject) cannot.

As of WebUntis 2016 it is possible to assign several supervision teachers for a time range at one exam.

### New examination

Schularbeit Feb 13, 2015 11:05 AM - 11:50 AM M, 2b  
BJJ (BJJ)

Denomination

4. MA-TE

Text

4. Maths test

Supervision teachers

		11:05 AM	BJJ (BJJ)	BX (BX)	RI (RI)	Add a supervision teacher
		11:27 AM	BJJ (BJJ)	Ah (Ah)	SB (SB)	Add a supervision teacher

Rooms

TX1  
TX2  
VSB  
WEST  
WR

Back

Save

Cancel

Prerequisite is the following right: *May change the supervision teacher*.

#### 3.3.10.2 Examination lists

You can access a complete list of all defined examinations via <Lessons> | <Examinations>.

Examinations

Type:  Class:  Teacher:  Subject:  Period:

Show deleted records

Selection	Type	Name	Class	Date	Fr.	To	Subject	Teacher	Room	Booked on	Return on	Text
<input type="checkbox"/>	SA	Test Nr 3	2b	Nov 21, 2014	11:05 AM	11:50 AM	M	BJJ		Nov 28, 2014 3:22 PM		
<input type="checkbox"/>	WH	Mapmaking	2b	Nov 26, 2014	11:55 AM	12:10 PM	GEO	BJJ.KL	2bR	Nov 22, 2014 4:54 PM		P. 34-36
<input type="checkbox"/>	Test	Autumn Test	2b	Nov 28, 2014	11:05 AM	11:50 AM	M	BJJ		Nov 28, 2014 3:20 PM		Test
<input type="checkbox"/>	WH	Mailserver	2b	Jan 22, 2015	11:05 AM	11:50 AM	INF-EL	BJJ		Jan 21, 2015 6:25 PM		Wiederholung Mailserver
<input type="checkbox"/>	LZK	E	2b	Jan 22, 2015	11:55 AM	12:40 PM	E	BI,BJJ	2bR	Jan 21, 2015 12:02 PM		
<input type="checkbox"/>	SA	4. MA-TE	2b	Feb 13, 2015	11:05 AM	11:50 AM	M	BJJ	WEST	Jul 27, 2015 10:51 AM		4. Maths test
<input type="checkbox"/>	SA	D	2b	Mar 25, 2015	10:15 AM	11:00 AM	G	BJJ,PX	2bR	Mar 31, 2015 2:18 PM	Apr 9, 2015	
<input type="checkbox"/>	SA	E	2b	Apr 8, 2015	11:05 AM	11:50 AM	E	BI,BJJ,BY	2bR	Mar 31, 2015 3:05 PM		
<input type="checkbox"/>	WH	Last Test	2b	Apr 13, 2015	8:30 AM	9:15 AM	BIO	BI,BJJ	2bR	Apr 7, 2015 3:34 PM		
<input type="checkbox"/>	SA	Bla	2b	Apr 15, 2015	11:05 AM	11:50 AM	E	BI,BJJ,BY	2bR	Apr 10, 2015 11:15 AM		

10 Elements found, showing all Elements. 1

Do not show empty records

Hint: you can always enter an exam for a lesson directly via the link [?](#)

You can use the selection fields above the list to filter according to individual elements and by date.

**Note: Entering exams**  
 Examinations can be entered either directly by [clicking on the affected period](#) in the timetable or via <Lessons> | <Today's lessons: Teachers>, <Lessons> | <My lessons> or directly in the class register via the field <Examinations>.

**Exam calendar**

The exam calendar shows all examinations of a class listed by subject.

Exam calendar for the class 1a in school year 2014/2015  
 Status: Jul 27, 2015

Du kannst englischsprachige Sachtexte und Lektüren verstehen.

Subject	Teacher	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul
G	KG,BY											3/7

Lernzielkontrolle

Subject	Teacher	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul
RT	BR					21/1						

Prüfung

Subject	Teacher	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul
M	HC,SE					21/1						

Schularbeit

Subject	Teacher	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul
E	LA				4/12							
G	BY		22/10(2)		17/12							
M	HC			11/11		13/1						

Written Test

Subject	Teacher	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul
M	HC,SE							18/3				

## Examination overview

The examination overview is a frequently used report that summarises all exams of all classes on one calendar sheet.

School year : 2014/2015

Exam calendar

Class	1a	1b	1c	2a	2b	3a	3b	4a	4b	4c	ASINT
1/10											
2/10											
3/10											
6/10											
7/10				M							
8/10					M						
9/10											
10/10											
13/10											
14/10											
15/10				G		M	M				
16/10											
17/10		G	G		G						
20/10											
21/10					E						
22/10	G										
23/10				E							
24/10								M	M	M	M
27											

**3.3.10.3 Return**

You can enter when and by whom an exam was returned. Click on <Edit> for the appropriate examination.

The fields *Return on* and *Returned by* can be edited here which means that the return of an exam can be administered.

**Schularbeit 1. G-Test**

Mar 25, 2015 10:15 AM - 11:00 AM G, 2b  
BJJ (BJJ), PX (PX)

Supervision teachers

10:15 AM - 11:00 AM BJJ (BJJ)

Rooms  
2bR

Name  
1. G-Test

Text

Person in charge  
hh

Return on  
4/9/2015

Returned by  
BC

### 3.4 Agenda

The WebUntis Agenda module assists you with room and resource administration. Your WebUntis specifies which rooms and resources you can book and which ones you can reserve. Reservations must still be confirmed by the room administrator.

#### Room / resource list

A [room or resource list](#) provides information on the rooms and resources available. Various parameters can be entered here such as room capacity.

There are various functions depending on the problem to be solved:

#### Change room

Use [Room change](#) if you need a different room for an existing lesson.

#### Book room

If you require a room at a specific point in time, use [Book room](#) to solve the problem. A room booking actually creates an [activity](#) with the room, i.e. an additional lesson is created.

#### Book resource

Use [Book resource](#) when you require a resource at a particular point in time. This function actually only books the resource and does not constitute an activity.

#### New activity

If you wish to schedule an activity at a particular point in time but do not wish to base it on a room, then

create a [New activity](#) . A date is set here, too.

### New lesson

A [new lesson](#) assists with planning [activities](#) , but you do not need to specify a date and time when you create it.

### Additional periods

You can schedule [Additional periods](#) for all lessons imported from Untis and which have been newly created.

### Appointments

You can arrange an [appointment](#) which other teachers or perhaps even classes attend.

### Bookings list

The [Bookings list](#) shows you all the above-mentioned activities.

## 3.4.1 List of rooms/resources

The list of rooms or list of resources can be accessed via menu item <Book>. It allows you to look for rooms or resources according to equipment and features without the allocation plan restricting the search results.

It is, in principle, a list to which various filters can be applied.

### Room list

You can access the <List of rooms> in the <Book> menu of the navigation menu.

#### Room list: selection criteria

Type of resource	Room type	Department
<input type="text" value="Projektoren"/>	<input type="text" value="&lt;Selection&gt;"/>	<input type="text" value="&lt;Selection&gt;"/>
	Room-group	Building
	<input type="text" value="&lt;Selection&gt;"/>	<input type="text" value="&lt;Selection&gt;"/>
	Capacity	
	min.	max.
	<input type="text" value="0"/>	<input type="text" value="0"/>
<input type="button" value="Search"/>		

### List of resources

The list of resources (<Book> | <List of resources>) displays a list of the mobile resources available at your school. You can activate various filters, as with the list of rooms.

## List of resources: Selection criteria

Type of resource

Instrumente  
Landkarten

Department  
<Selection> ▼

Room  
<Selection> ▼

Building  
<Selection> ▼

Person in charge  
<Selection> ▼

with current occupancy

When the option 'with current occupancy' is checked, it will show the central administrator in which period of the current day a resource was last booked or in which period of the following day (on which bookings are possible) the resource is booked.

## Resources

Resource	Full name	Feb 10, 2015	Feb 11, 2015
<a href="#">InstrumentXY</a>	InstrumentXY		
<a href="#">Landkarte</a>	LandkarteXY		
<a href="#">LandkarteXY</a>	LandkarteXY		

### 3.4.2 Change of room for a lesson

Proceed as follows if you wish to change the room for an existing lesson:

1. Click on the lesson for which you wish to change the room.

**Timetable 2b**

Class:  Week of:

1a 1b 1c 2a **2b** 3a 3b 4a 4b 4c ASINT

**Mon Mar 9, 2015**

8:00 AM	2a, 2b remedial teaching	BX FESTSAAL	2a reme
	2b morning unit	BJJ 2bR	
8:30 AM	8:30 AM-10:00 AM		
9:15 AM	2b biology	BI, BJJ 2bR	
	Unt.L		
10:15 AM-11:00 AM			

The details of the period will be displayed.

2. Click on the <Change room> button in this window.



The change of rooms window will be displayed.

3. Now select a free room from this window – all the filters that you know from 'normal' bookings are of course available to you here.

**Change of rooms**

Monday Mar 9, 2015

Single period 8:30 AM - 9:15 AM  
 Period block 8:30 AM - 10:00 AM

**Free rooms**

Selection	Book	Room	Capacity	Full name	Text
<input type="radio"/>		1bi	0	1bi	
<input type="radio"/>		2a	0	2a	
<input type="radio"/>		2b	0	2b	
<input type="radio"/>		2ci	0	2. Klasse ci	
<input type="radio"/>		3b	0	3b	
<input type="radio"/>		3bi	0	3bi	
<input type="radio"/>		3ci	0	3ci	
<input type="radio"/>		4bi	0	4. Klasse bi	
<input type="radio"/>		Besprechung	0	Besprechungsraum	
<input type="radio"/>		BIBLIO	0	Bibliothek	
<input type="radio"/>		EDV1	0	1ci	
<input type="radio"/>		EDV2	0	EDV2	
<input type="radio"/>		EDV3	0	EDV3	
<input type="radio"/>		FESTSAAL	0	Festsaal	
<input type="radio"/>		GA1	0	Gangbereich 1.Stock	
<input type="radio"/>		GA2	0	Gangbereich 2. Stock	
<input type="radio"/>		GA3	0	Gangbereich 3. Stock	
<input type="radio"/>		GA4	0	Gangbereich 4.Stock	
<input type="radio"/>		Y	0	Y	
<input type="radio"/>		R4c	0	Klasse 4c	
<input type="radio"/>		TW	0	Technischer Werkraum	
<input type="radio"/>		TW1	0	Techn. Werkraum 1	
<input type="radio"/>		TW2	0	Techn. Werkraum 2	
<input type="radio"/>		TX1	0	Textiler Werkraum 1	
<input type="radio"/>		TX2	0	Textiler Werkraum 2	

**Lesson rooms**

2bR

**Selection criteria**

Room type: <Selection>

Type of resource: Projektoren

Capacity: min. 0 max. 0

Department: AbteilungA

Building: <Selection>

Room-group: <Selection>


End date: 3/9/2015

Apply

Book Without room Back

**Note: End date**  
 If you change the end date, you can also perform this room change for a longer period of time. If you, for instance, change the room for the subject BU on Monday then all Monday lessons of the subject BU will also be changed until the end date.

The room change will be displayed in the timetable and in the bookings list.



**Note: Room change via 'Today's lessons: Teachers'**  
 You can also perform a room change via <Lessons> | <Today's lessons: Teachers>, again using the <Search for free room> button.

### 3.4.3 Booking rooms

There are various ways of booking rooms depending on requirements.

If you have specific demands on the room but are flexible as to time, it is best to book via menu item [<Timetable>](#) | [<Room list>](#) .

If you, however, know the exact time, we recommend that you use menu item [<Book>](#) | [<Book room>](#) .

#### Time range

once (nonrecurring)

daily

weekly

every other week

monthly

continuous

Fr.  To  Time range

Start time  End time

Mon Tue Wed Thu Fri Sat Sun

In both cases you can restrict the rooms available using the following selection criteria:

#### Selection criteria

Type of resource

Room type

Department

Capacity

min.  max.

Building

Room-group

Maximum allocation [ % ]

The types of resource are the ones that your WebUntis administrator has defined for your school.

### 3.4.3.1 Room list

If you are flexible with regard to date when making a booking, the easiest method is to book rooms using the room list (<Book> | <Room list>).

First select one, several (using <CTRL>+Click) or all rooms (with the button of that name). You can filter the display of rooms by department, building, room group or and/or resource type using the options on the right of the window.

#### Room selection for room overview

Overview format

Rooms	Department
R1c	<Selection>
R1ci	
R2a	Building
R2b	<Selection>
R2bi	
R2ci	Room-group
R3a	<Selection>
R3b	
R3bi	Room type
R3c	<Selection>
R3ci	
R4a	Capacity
R4b	min. max.
R4c	<input type="text" value="0"/> <input type="text" value="0"/>
TW	Type of resource
TW1	Projektoren
TW2	
TW Kreativ	
TW WEST	
TX	
TX1	
TX2	
VSB	
VS Wondrak	
WEST	
WR	

**Warning: Click on apply**

Please click on the <Apply> button to ensure that your selection criteria are effective.

### Advanced search

By default the room list displays a complete week. It may be desirable to limit the range displayed. You can use the <Advanced search> button to define a filter in order to display individual days or times.

#### Period

Fr.  To

Day of the week  
 Mon  Tue  Wed  Thu  Fri  Sat  Sun

Start time  End time

Show periods in condensed way

After making the desired settings, you will see a an overview of rooms indicating their allocation for the current week or for the selected time range. Normal lessons, reservations, bookings and rejected bookings are displayed in different colours.

**Note: Navigating with the calendar**  
 You can change the week displayed using the calendar in the navigation menu. The start and end dates of the selected week are displayed in the header.

#### Room selection for room overview

	Mon 9/3	Tue 10/3	Wed 11/3	Thu 12/3	Fri 13/3	Sat 14/3 Ferien	Sun 15/3 Ferien	Mon 16/3	Tue 17/3	Wed 18/3	Thu 19/3	Fri 20/3	Sat 21/3 Ferien	Sun 22/3 Ferien	Mon 23/3	Tue 24/3	Wed 25/3	Thu 26/3	Fri 27/3	Sat 28/3 Ferien	Sun 29/3 Ferien
	08 AM	08 AM	08 AM	08 AM	08 AM	08 AM	08 AM	08 AM	08 AM	08 AM	08 AM	08 AM	08 AM	08 AM	08 AM	08 AM					
1a	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free
1b	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free
1bi	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free
1ci	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free
3a	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free
3b	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free
3bi	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free
3ci	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free
3 St	Blocked	Blocked	Blocked	Blocked	Blocked	Free	Free	Blocked	Blocked	Blocked	Blocked	Blocked	Free	Free	Blocked	Blocked	Blocked	Blocked	Blocked	Free	Free
4a	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free
4b	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free
4bi	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free
4ci	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free	Occupied	Occupied	Occupied	Occupied	Occupied	Free	Free
EDV1	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free
EDV2	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free
EDV3	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free
EG	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free
EHS	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free	Free

Legend  Free period  Lessons  Not confirmed  Activity  Blocked period  Holidays  Holidays (not bookable)  Examination  Substitution

Clicking on an occupied period will display the details for that period. Rooms which you are not allowed

to book (due to missing rights assigned by the administrator) are marked completely grey.

### Book

Clicking on a free period shows a window in which you can book the room in question. Besides the start time and duration of the booking, you can also enter additional details for the booking, such as the teacher in charge, remarks or type of booking (e.g. lesson, office hour, stand-by).

Booking
x

Booking of room 3b on the Mar 9, 2015 8:00 AM - 8:30 AM

<p>Teacher</p> <div style="border: 1px solid #ccc; padding: 2px; margin-bottom: 5px;">Please select ▼ ...</div> <div style="border: 1px solid #ccc; padding: 2px; margin-bottom: 5px;"> <span style="color: green;">✔</span> BJJ (BJJ)         </div>	<p>Class</p> <div style="border: 1px solid #ccc; padding: 2px; margin-bottom: 5px;">Please select ▼ ...</div>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------

■ The highlighted elements are allready busy at this time.  
■ Confirmed bookings are not possible for highlighted rooms.

<p>Subject</p> <div style="border: 1px solid #ccc; padding: 2px; margin-bottom: 5px;">&lt;Selection&gt; ▼</div> <p>Department</p> <div style="border: 1px solid #ccc; padding: 2px; margin-bottom: 5px;">&lt;Selection&gt; ▼</div> <p>Amount</p> <div style="border: 1px solid #ccc; padding: 2px; margin-bottom: 5px; width: 50px;">0</div> <p>Type</p> <div style="border: 1px solid #ccc; padding: 2px; margin-bottom: 5px;">&lt;Selection&gt; ▼</div> <p>Participant</p> <div style="border: 1px solid #ccc; padding: 2px; margin-bottom: 5px; width: 50px;">0</div> <p>Remark</p> <div style="border: 1px solid #ccc; padding: 2px; margin-bottom: 5px; height: 20px;"></div> <p>Remark</p> <div style="border: 1px solid #ccc; padding: 2px; margin-bottom: 5px; height: 20px;"></div> <p>e-mail address</p> <div style="border: 1px solid #ccc; padding: 2px; margin-bottom: 5px; width: 80%;"></div>	<p>Person in charge</p> <div style="border: 1px solid #ccc; padding: 2px; margin-bottom: 5px;">           BJJ Bernd (BJJ) x ▼ ⌵         </div> <p>Cost centre</p> <div style="border: 1px solid #ccc; padding: 2px; margin-bottom: 5px; width: 80%;"></div>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

An e-mail will be sent as soon as the booking status is changed.

Save
Back

Please note that when classes are displayed, elements involved in lessons at the time in question will be displayed on a red background. The booking can also be confirmed immediately if you have the appropriate rights. The <Book> button is used to complete the booking. The input window closes automatically and the room list is updated.

### 3.4.3.2 Search for free rooms

If you know the exact time and date of your booking, the best way of finding a suitable room is via menu item <Book> | <Book room>.

You can enter the desired date and time at the top of the page.

## Booking: Search for free rooms

### Time range

<input type="radio"/> once (nonrecurring) <input type="radio"/> daily <input type="radio"/> weekly <input checked="" type="radio"/> every other week <input type="radio"/> monthly <input type="radio"/> continuous	Fr.	To	Time range
	9/1/2014	7/5/2015	Current school year
	Start time	End time	Whole day
	11:55 AM	2:45 PM	
Mon Tue Wed Thu Fri Sat Sun <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			

### Selection criteria

Type of resource Projektoren	Room type <Selection>	Department <Selection>
	Capacity min. max. 0 0	Building <Selection>
Maximum allocation [ % ] 0		Room-group <Selection>
<input type="button" value="Search"/> <input type="button" value="Cancel"/>		

You can filter the list of free rooms using the selection criteria for certain resource types, departments etc.

If a booking is to be made more than once use the periodicity in the <time range>.

## Periodicity

Here you cannot just book a room for a single event, but for e.g. every second Tuesday between 11:20 and 12:10 in the period from 18 September – 21 December, as shown in the example.

**Time range**

once (nonrecurring)

daily

weekly

every other week

monthly

continuous

Fr.  To  Time range

Start time  End time

Mon Tue Wed Thu Fri Sat Sun

The list of free rooms found will be displayed when you click on the <Search> button.

3.4.3.2.1 Free rooms

After launching the search a list will be displayed with the rooms that are free at the defined times and the dates. The selection criteria will be shown once more above the list.

**Booking: Free rooms**

Selection criteria  
 Sep 1, 2014 - Jul 5, 2015, Tue, Fri, 8:00 AM - 8:30 AM  
 The booking shall be made every 2th week.

Selection	Room	Full name	Capacity	2/9
<input type="checkbox"/>	R1a	Klasse 1a	0	<input type="checkbox"/> Vacant <input type="checkbox"/> V
<input type="checkbox"/>	R1b	Klasse 1b	0	<input type="checkbox"/> Vacant <input type="checkbox"/> V
<input type="checkbox"/>	R2a	Klasse 2a	0	<input type="checkbox"/> Vacant <input type="checkbox"/> V
<input type="checkbox"/>	R2b	Klasse 2b	0	<input type="checkbox"/> Vacant <input type="checkbox"/> V
<input type="checkbox"/>	R3a	Klasse 3a	0	<input type="checkbox"/> Vacant <input type="checkbox"/> Va
<input type="checkbox"/>	R3b	Klasse 3b	0	<input type="checkbox"/> Vacant <input type="checkbox"/> Va
<input type="checkbox"/>	R4a	Klasse 4a	0	<input type="checkbox"/> Vacant <input type="checkbox"/> Va

Select a room and click on <Next>. You can now select additional parameters for the booking such as class or subject.

### Booking

Teacher

Please select
▼
...

✔
BJJ (BJJ)

Class

Please select
▼
...

■ The highlighted elements are already busy at this time.

■ Confirmed bookings are not possible for highlighted rooms.

Subject

<Selection>
▼

Department

<Selection>
▼

Amount

0

Type

<Selection>
▼

Participant

0

Remark

Remark

e-mail address

Add the teachers' e-mail addresses

Person in charge

BJJ Bernd (BJJ)
x
▼
🔍

Cost centre

An e-mail will be sent as soon as the booking status is changed.

confirm immediately: R1a

Save

Back

Clicking on <Book> concluded the booking It will appear in the booking list and in the corresponding timetables.

### Periodicity

WebUntis Agenda will normally show only rooms which are free at the selected time. However, the periodicity search might show a room occupied at certain times but not at others.

The field <Maximum allocation> in the advanced search mask allows you to specify in percent on how many days a room may be occupied and still be displayed in the search results. This makes sense e.g. when it was not possible using an initial search to find a suitable room free at all times.

You can thus display rooms that are not available at all desired times and select a different room for each individual occasion.

**Booking: Free rooms**

Selection criteria  
 Feb 1, 2015 - Feb 28, 2015, Tue, Fri, 8:00 AM - 8:30 AM  
 The booking shall be made every 2th week.

<input type="checkbox"/>	K4c	Klasse 4c	0	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant
<input type="checkbox"/>	KÜ2	Küche2	0	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant
<input type="checkbox"/>	GA3	Gangbereich 3. Stock	0	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant
<input type="checkbox"/>	R3ci	Klasse 3ci	0	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant
<input type="checkbox"/>	1a	1a	0	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Book.	<input type="checkbox"/> Book.
<input type="checkbox"/>	1bi	1bi	0	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant
<input type="checkbox"/>	2a	2a	0	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Book.	<input type="checkbox"/> Book.
<input type="checkbox"/>	2b	2b	0	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant
<input type="checkbox"/>	2ci	2. Klasse ci	0	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant
<input type="checkbox"/>	3a	3a	0	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Book.	<input type="checkbox"/> Book.
<input type="checkbox"/>	3b	3b	0	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant
<input type="checkbox"/>	4a	4a	0	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Book.	<input type="checkbox"/> Book.
<input type="checkbox"/>	4bi	4. Klasse bi	0	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant
<input type="checkbox"/>	4ci	4ci	0	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Book.	<input type="checkbox"/> Book.
<input type="checkbox"/>	BIBLIO	Bibliothek	0	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant
<input type="checkbox"/>	GA4	Gangbereich 4.Stock	0	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant
<input type="checkbox"/>	KÜ	KÜ	0	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant
<input type="checkbox"/>	TW	Technischer Werkraum	0	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant	<input type="checkbox"/> Vacant

### 3.4.4 Booking resources

Resources can either be assigned permanently to a room (e.g. an Internet connection) or can be held completely independently of the rooms (e.g. video projector).

Booking resources works in a similar way to booking rooms. Selecting menu item <Book> | <Book resource> gives you access to a search mask which you can use to search for free resources.

**Booking: Search for free resources**

**Time range**

once (nonrecurring)  
 daily  
 weekly  
 every other week  
 monthly  
 continuous

Date: 3/10/2015  
Start time: 8:00 AM End time: 8:30 AM Whole day

**Selection criteria**

Type of resource: Instrumente  
Department: <Selection>  
Room: <Selection>  
Building: <Selection>

Maximum allocation [%]: 0

Search Cancel

All available resources will be displayed after defining your search criteria and clicking on <Search>.

**Booking: Search for free resources**

Selection criteria  
Mar 10, 2015, , 8:00 AM - 8:30 AM

Selection	Resource	Text	Person in charge	10/3
<input type="checkbox"/>	InstrumentXY			<input type="checkbox"/> Vacant

Back Next Cancel

Activate the resource that you wish to book and click on <Next>.

## Book resource

Rooms

The highlighted elements are already busy at this time.  
 Confirmed bookings are not possible for highlighted rooms.

Department

Amount

Person in charge  
   

Remark

Remark

e-mail address

An e-mail will be sent as soon as the booking status is changed.  
 confirm immediately: InstrumentXY

You complete the booking by clicking on the <Book> button. As with a room booking, it will now be displayed in the ' [My bookings](#) ' list.

### 3.4.4.1 Resource overview

As with teachers, there is a resource overview available listing which resources have been allocated. You can access this list under <Timetable> | <Resource overview>. The <Advanced search> button allows you to define a time range.

All resource types are listed in the right of the mask, allowing you to limit the list of displayed resources to a particular type.

### Resource selection for resource overview

Overview format  
default ▾

**Period**

Fr.  ▾ To  ▾

Day of the week  
 Mon  Tue  Wed  Thu  Fri  Sat  Sun

Start time  ▾ End time  ▾

Show periods in condensed way

Resources	Type of resource
InstrumentXY	Instrumente
LandkarteXY	Landkarten
LandkarteXY	

Department  
<Selection> ▾

Room  
<Selection> ▾

Building  
<Selection> ▾

Click on <Apply> to activate the filter criteria. Clicking on <Next> returns you to the resource overview .

Resource selection for resource overview

	Mon 9/3	Tue 10/3	Wed 11/3	Thu 12/3	Fri 13/3
	08 AM 00				
<a href="#">Landkarte</a>					
<a href="#">LandkarteXY</a>					

Legend Free period Lessons Not confirmed Activity Blocked period Holidays Holidays (not bookable) Examination Substitution

[Back](#)

### 3.4.5 New activities

School events that are not entered via the timetable in Untis can be entered as activities in WebUntis. To do this, access menu item <Book> | <New activity>.

The special feature of the activity is that it does not have to be assigned a class, a subject or even a room. This makes it possible, for example, to include extra-curricular activities or special tuition in the timetable.

A new activity is based around a time and date, i.e. you must first specify when the activity is to take place and then define which class, teacher, subject and room are involved.

**New activity**

Teacher  
Please select [dropdown] [button ...]  
✔ BJJ (BJJ) [input]

Class  
Please select [dropdown] [button ...]

Rooms  
Please select [dropdown] [button ...]

■ The highlighted elements are already busy at this time.  
■ Confirmed bookings are not possible for highlighted rooms.

Subject  
<Selection> [dropdown]

Department  
<Selection> [dropdown]

Amount  
0 [input]

Person in charge  
BJJ Bernd (BJJ) [input] [button X] [button ...] [button 🔊]

Type  
<Selection> [dropdown]

Participant  
0 [input]

Cost centre  
[input]

Remark  
[input]

Remark  
[input]

e-mail address  
[input] [button Add the teachers' e-mail addresses]

An e-mail will be sent as soon as the booking status is changed.

[button Save] [button Back]

The new activity will be displayed in the timetables and under <Book> | <My bookings>.

### 3.4.5.1 New lessons

It is also possible to create a new lesson WebUntis and then schedule periods using the <Additional periods>.

Open menu item <Lessons> | <New lesson> and specify teacher, subject and class for the lesson.

## New lesson

Teacher  
  

Subject

Fr. - To  
    

Periods/week

Department  
 

Person in charge  
  

Type  
 

Remark

Remark

e-mail address


An e-mail will be sent as soon as the booking status is

You will find the new lesson under <Lessons> | <My lessons> or under <Book> | <My bookings>, where you can schedule additional periods, as described in the next chapter.

### 3.4.6 Additional periods


Additional periods can be entered very quickly at the click of a button for existing lessons (i.e. transferred from Untis) or generally for existing activities. You will find the appropriate button under <Lessons> | <My lessons>, <Lessons> | <Daily lessons: Teachers> and under <Book> | <My bookings> | <Edit> | <Additional periods> .

You need the 'change timetable' right for this.



Clicking on the <Additional period> button allows you to specify the time for the new period, with teacher and/or class conflicts being possible.

Selecting a room can further restrict the times available. Click on the desired start time for the additional period.



Confirm the booking for the additional period. It will be displayed in all the relevant timetables as well as in the [<My bookings>](#)list.

### 3.4.7 Appointments

Appointments allow shared appointments to be made for several teachers, classes and rooms when all elements involved are available. Appointments can be access via menu item [<Book> | Appointments>](#).

For example, if Albrecht Dürer and Albert Einstein wish to arrange a project with class 1a in the library, simply choose the corresponding elements and click on [<Search>](#). Free time slots will now be shown in green in the time grid below.

Clicking on a green area in the time grid will display a window prompting additional information to be entered for the appointment.

**Note: Length of appointment**  
 The default duration of appointments and the time range in which appointments can be created is set using administrator rights under 'Administration | Booking restrictions'.

#### Search for possible appointments

Duration (in mins.)   Select the class teachers with class selection

**Teachers**

- GAGAGGA (GA)
- HN (HN)
- HC (HC)
- HM (HM)
- IK (IK)
- KE (KE)
- KW (KW)
- KG (KG)
- LA (LA)
- KL (KL)
- MM (MM)
- LJ (LJ)
- NM (NM)
- PX (PX)
- RI (RI)

**Classes**

- 1a
- 1b
- 1c
- 2a
- 2b
- 3a
- 3b
- 4a
- 4b
- 4c
- ASINT

**Rooms**

- R1a
- R1b
- R2a
- R2b
- R3a
- R3b
- R4a
- R4b
- INF2
- INF1
- TW1
- TW2
- R1c
- R3c
- GA2

Day of the week	Date	8:00 AM	9:00 AM	10:00 AM	11:00 AM	12:00 PM	1:00 PM
Monday	9/3						
Tuesday	10/3						
Wednesday	11/3						
Thursday	12/3						
Friday	13/3						
Saturday	14/3						
Sunday	15/3						

Event on the Mar 13, 2015

Class  
 Teacher IK (IK), KE (KE), KG (KG)  
 Room

Start time      Duration (in mins.)  
 1:30 PM      30

Subject  
 <Selection>

Department      Person in charge  
 <Selection>      BJJ

Type  
 <Selection>

Remark

Optional text

e-mail address


An e-mail will be sent as soon as the booking status is changed.  
 Confirm booking immediately

Clicking on [<Book>](#) completes the input. The appointment will now appear in all affected class, teacher and room timetables. You will also find it in the bookings list.

**Note: Display of holidays**  
 As of WebUntis 2015 this window will also highlight holidays in a different colour.

### 3.4.8 My bookings

The <My bookings> list in the <Book> menu of the navigation menu displays your bookings in the selected week.



Use the <Edit> button to change the details of a booking, cancel the entire booking or create additional periods.

Here you also have the option to add students to student groups for your bookings.

### 3.4.9 Tasks

In WebUntis tasks are considered to be general tasks distributed to the teaching staff. The range of tasks can for example include checking the contents of the first-aid kit or creating an invitation list for the school social.

Enter the task under menu item <Book> | <Tasks> with title, text, due date and task type. The task types are defined by your administrator. The task may be assigned to several users.

Pending tasks will appear in the opening screen of the user concerned.

Today: Jul 27, 2015

Last login: Monday, Jul 27, 2015 1:53:17 PM

Your licence will expire in 5 days

Messages

No messages for today

My tasks

	Status	Task	Title	Text	Date due	From user
	Open	Allgemein	First aid	Inspection of the expires and ...	Apr 15, 2015	BJJ

You can set the task to ' Pending' or 'Completed' by clicking on the <Edit> button. It will then no longer be displayed, and the user who created the task will be informed immediately by a message that the task has been completed.

### 3.4.10 Reports on bookings

Under <Book> | <Reports> you see the reports on bookings; especially resource bookings, room occupations and booking statistics.

Reports

Time range

Fr. 7/27/2015	To 7/27/2015	Time range Time range	Department <Selection>	Rooms <Selection>	User group <Selection>
Start time 8:00 AM	End time 8:00 PM	Whole day	Room-groups <Selection>	Buildings <Selection>	Users <Selection>
Mon Tue Wed Thu Fri Sat Sun <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			Types of activities <Selection>		

**Bookings**  
Statistics

**Resource bookings**  
Resource Usage

**Rooms**  
Booking statistics   
Room occupation

Here you can filter not only the time range, but also departments, rooms, user groups, types of activities, etc. .

## 4 Form teacher/class teacher

Form teaches (class teachers) by nature require functions that go beyond those of 'normal' teachers. These additional functions can be accessed via menu item <Class register>.

Today	Timetable	Lessons	Book	<b>Class register</b>	Courses	Master data	Administration
-------	-----------	---------	------	-----------------------	---------	-------------	----------------

**Class-register entries**

Class:  Student:

Nothing to display

- Open periods: Teacher
- Open periods: Class
- Absences
- My absences
- Time absent
- Class-register entries
- Homework
- Class services
- Exemptions
- Reports
- Settings

The following menu items are available in addition to < [Open periods: Teacher](#) > described above:

- [Open periods: Class](#)
- [Absences](#)
- [Time absent](#)
- [Class register entries](#)
- [Class services](#)

- [Exemptions](#)
- [Reports](#)

## 4.1 Open class register periods

In addition to his/her [own open lessons](#) (absences and/or teaching content not entered), a class teacher can also view and where necessary edit all open lessons of his/her class.

### Open periods in class 2a

Fr.  - Apr 13, 2015      Open periods: 1279, Periods of the lesson: 1279

Classes  Teachers  Entry

Selection	Teacher	Class	Subject	Date	Fr.	To	Type	Room	Class register
<input type="checkbox"/>	BX	2a, 2b	RT	Mon Sep 1, 2014	8:00 AM	8:15 AM		FESTSAAL	
<input type="checkbox"/>	BR	2a	MU	Mon Sep 1, 2014	8:15 AM	8:30 AM		2a	
<input type="checkbox"/>	BY	2a	PH	Mon Sep 1, 2014	8:30 AM	9:15 AM		PHYS	
<input type="checkbox"/>	BY	2a	PH	Mon Sep 1, 2014	9:15 AM	10:00 AM		PHYS	
<input type="checkbox"/>	Bl, BR	2a	E	Mon Sep 1, 2014	10:15 AM	11:00 AM		2a	
<input type="checkbox"/>	BR	2a	E	Mon Sep 1, 2014	10:15 AM	11:00 AM		2a	

Here you can also send a message to all teachers who still have open periods by clicking on 'Send message'.

## 4.2 Editing absences

The class teacher can display a list of all the absences of students in his/her class via menu item <Class register> | <Absences>. This can be customised using various filters and the individual absences can be edited with a click on the <Edit> button.

### Absences

Class  Student  Search  Period

Activate class filter      Reason of absence  Status  Sorting

Show deleted records

Selection	Type	User	Student	Class	Cl-Tea	Fr.	Start	To	End	Reason	Status	Text
<input type="checkbox"/>		hhklassenlehrer	Aylin	2b	Bl, BJJ	Apr 15, 2015	9:15 AM	Apr 15, 2015	12:40 PM	Erkrankung		
<input type="checkbox"/>		hh	Lukas	2b	Bl, BJJ	Apr 15, 2015	8:30 AM	Apr 15, 2015	9:15 AM	Erkrankung		
<input type="checkbox"/>		hh	Markus	2b	Bl, BJJ	Apr 15, 2015	8:30 AM	Apr 15, 2015	9:15 AM	Erkrankung		
<input type="checkbox"/>		hh	Maximilian	4b	BC	Apr 15, 2015	11:55 AM	Apr 15, 2015	12:40 PM	Erkrankung		
<input type="checkbox"/>		abtI	Lukas	4c	LA, KE	Apr 14, 2015	2:45 PM	Apr 14, 2015	4:15 PM	Erkrankung		

5 Elements found, showing all Elements. 1

### Combine

You can use the <Combine> button to merge two or more absences of the same student to form a single absence. All absences in the selected area will be combined if this is possible. If the student was marked absent in the first, second and fourth periods but his/absence was not checked in the third period, these absences will be combined to form a single absence. Absences with different reasons or

different Status are not combined.

### Excuses


Use the <Excuse> button to excuse several absences in one operation.

### Status

The status of an excuse can have various states such as *open*, *excused* etc. The class teacher can thus excuse absences. The different statuses are defined by your WebUntis administrator.

If you wish to change the status, either click on the entry in the 'Status' column (a question mark in the case of open absences) or on the <Excuse> button.

You can also enter a reason of absence in this dialogue.



### Excuse letters

WebUntis can print letters of excuse forms for your students' times of absence. For this, select <Reports> | <Letter of excuse>.

The letters of excuse forms can be handed out to your students, completed, signed and collected.

### Class filter

Under 'Absences' there is the option *Activate class filter* . This function will be described in the following examples:



Absence times

Class: - All - Student: - All - Status: - All - Period: 4/13/2015 4/13/2015 Current day

Absence times  Latenesses

Student	Class	Date	Time	Subject	Teacher	Per of Abs	Min of Abs	counts	Reason of absence	Status	Text
Fabian	1b	Mon Apr 13, 2015	10:15 AM - 11:00 AM	G	KW (KW)	1	45	<input checked="" type="checkbox"/>	III	?	
Fabian	1b	Mon Apr 13, 2015	11:05 AM - 11:50 AM	INF-EL	HN (HN)	1	45	<input checked="" type="checkbox"/>	III	?	
Fabian	1b	Mon Apr 13, 2015	8:30 AM - 9:15 AM	M	SE (SE)	1	45	<input checked="" type="checkbox"/>	III	?	
Fabian	1b	Mon Apr 13, 2015	9:15 AM - 10:00 AM	M	SE (SE)	1	45	<input checked="" type="checkbox"/>	III	?	
Fabian	1b	Mon Apr 13, 2015	8:15 AM - 8:30 AM	MU	HN (HN)	0	0	<input type="checkbox"/>	III	?	
Fabian	1b	Mon Apr 13, 2015	8:00 AM - 8:15 AM	RT	BP (BP)	1	15	<input checked="" type="checkbox"/>	III	?	
Fabian	1b	Mon Apr 13, 2015	11:55 AM - 12:40 PM	SW	HN (HN)	0	0	<input type="checkbox"/>	III	?	
Fabian	1b	Mon Apr 13, 2015	12:45 PM - 1:30 PM	SW	HN (HN)	0	0	<input type="checkbox"/>	III	?	
Fabian	1b	Mon Apr 13, 2015	11:55 AM - 12:40 PM	SW	SE (SE)	0	0	<input type="checkbox"/>	III	?	
Fabian	1b	Mon Apr 13, 2015	12:45 PM - 1:30 PM	SW	SE (SE)	1	45	<input checked="" type="checkbox"/>	III	?	
Fabian	1b	Mon Apr 13, 2015	11:55 AM - 12:40 PM	TT	BP (BP)	1	45	<input checked="" type="checkbox"/>	III	?	

You can find the time absent per student (for any desired period) under menu item <Class register> | <Reports>.

### 4.4 Class register entries

Form teachers can view a summary of entries for the school year under <Class register> | <Class register entries>. Classes, individual students and/or the entry category can be selected, and the review period can be set.

Class-register entries

Class: - All - Student: - All - Remark category: - All - Group for remark categories: - All - Period: 4/13/2015 4/17/2015 Current week

Show deleted records

Selection	Type	Name	Class	Day	Date	Time	Subject	User	Remark category	Group for categories	Text
<input type="checkbox"/>		2b		Mon	Apr 13, 2015	10:29 AM		mk			Best Class ever
<input type="checkbox"/>		Emma	3b	Mon	Apr 13, 2015	10:27 AM		mk			emma eats and sleeps constantly
<input type="checkbox"/>		Daniel	2a	Mon	Apr 13, 2015	10:30 AM		mk			Today Daniel was especially well-behaved
<input type="checkbox"/>		Kimi	2b	Mon	Apr 13, 2015	10:28 AM		mk			constant gum consumption
<input type="checkbox"/>		Alessandro	1b	Mon	Apr 13, 2015	10:31 AM		mk			Alessandro is always disturbing the lesson

5 Elements found, showing all Elements.1

You will also find the reports *Class register entries per student* and *Class register entries per class* as pdf, csv or xls document using the <Reports> button.

### 4.5 Class services

As form teacher you can enter the class services for your class. Class services include, for example, class representative and deputy class representative as well as class prefect.

**Note: Class services**  
It is up to the class register administrator to determine which class services can be assigned at your school.

Menu item <Class register> | <Class services> provides an overview of all class services defined for the classes for which you are class teacher.

Class services: 12 | Monitor

Service:  Period:    [Switch to the list](#)

	19. 9.	26. 9.	3. 10.	10. 10.	17. 10.	24. 10.	31. 10.	7. 11.	14. 11.	21. 11.	28. 11.	5. 12.	12. 12.	19. 12.	26. 12.	2. 1.	9. 1.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>															
Aberfeldy	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Aberlour	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ardbeg	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Arran	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Auchentoshan	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Balblair	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Blednoch	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Bowmore	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Brackla	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Bruic haddich	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Bunnahabain	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ceollie	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cardhu	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Clynesh	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Coleburn	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>


You can assign students to class service by ticking the checkbox next to their name in the respective week. You can also select lines (students) or columns (weeks) and activate or delete all checks of these columns by ticking the functions  .

Alternatively you can also click the button <Automatic student allocation>.

Bladnoc	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Bowmore	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Brackla	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Bruichladdich	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Bunnahabain	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Caolla	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cardhu	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Clynelish	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Coleburn	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cragganmore	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
DallasDhu	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Dalmore	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Dalwhinnie	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Deanston	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Dumbarton	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	1	0	0	0

Save Automatic student allocation Reports

Just enter the number of students needed every week for class service and the duration of the class service. It is important that entries which have been done manually are not deleted but taken into account during the automatic allocation. Students can also be exempted from class service.




The dialog box titled "Automatic student allocation" contains the following fields and controls:

- Period: Two date pickers, the first showing 7/20/2015 and the second showing 7/5/2015.
- Students required: A numeric input field with the value 1 and up/down arrows.
- Duration (weeks): A numeric input field with the value 1 and up/down arrows.
- Allocation by: A dropdown menu with "Surname" selected.
- Sorting: A dropdown menu with "Ascending" selected.
- Start with student: A dropdown menu with "Alexander" selected.
- Exceptions: A list box containing the names Alexander, Bashkim, Benjamin, BÜsra, Cihangir Kaan, and Domenic Leon.
- Buttons: "Schedule" and "Cancel" buttons at the bottom.

## 4.6 Exemptions


If a student is exempted from a lesson it can be entered under <Class register> | <Exemptions>.



The dialog box titled "New exemption" contains the following fields and controls:

- Class: A dropdown menu with "Please select" as the placeholder.
- Student: A dropdown menu with "Please select" as the placeholder.
- Period: Two date pickers, both showing 8/6/2015.
- Day of the week: A dropdown menu with "every day" selected.
- Subject: A dropdown menu with "<Selection>" as the placeholder.
- Subject group: A dropdown menu with "<Selection>" as the placeholder.
- Start time: A dropdown menu with "12:00 AM" selected.
- End time: A dropdown menu with "12:00 AM" selected.
- Reason of exemption: A dropdown menu with "<Selection>" as the placeholder.
- Text: A text input field.
- Buttons: "Save" and "Cancel" buttons at the bottom.

The exemption will be displayed in the class register with a plaster and crutches icon for the student in question. If you click on the blue 'i' icon, you will see the details of the exemption. If you now mark an exempted student as absent, the period will be added to absence time, but in the 'non-counting' category, i.e. non-relevant absence time.



Exemptions can be entered that apply to all lesson periods at particular times.

New exemption
✕

Class

Student

Daniel

Period

Day of the week

Subject

Subject group

Start time

End time

Reason of exemption

Text

Reasons of exemption can be entered in master data by the WebUntis administrator.

## 4.7 Reports

You can create a large number of reports via menu item <Class register> | <Reports>.

You can access reports on absences, class register entries, work reports, examinations and teaching methods. For many reports you can select either the entire class or individual students in the class.

## Reports

Class:  Student:  Period:

**Absences**  Absence times  Latenesses  Only counting absences  All students

Absence time per student    Without page breaks

Absence time per class    Sorted by students  Separate absence days and times  Activate class filter

Absence time per subject

Absence time per subject group

Absence days per class  Whole days

Exceedance of absence

Absence overview

Presences

Absences

Absences without excuse

Letter of excuse   Grouped by weeks  Show excused periods

Emergency list

**Class-register entries**

Class register entries per student

Class register entries per class   Sorted by students

**Work report**

Work report per day

Daily overview class   Without page breaks

Weekly overview class   With absences

**Examinations**

Examinations

**Class register**

Class register bookcover

**Teaching methods**

Teaching methods

Statistic of the teaching method

**Grades**

Notennamen verwenden

Grades per student

Grade overview

You can limit a report to a certain period using the date fields. The filters <class> and <student> give you the option to better filter the content of the reports.

For some reports you have additional filter options stated in the respective line of the report. An example: for the report <Absence time per class> you have the filter option <Sorted by students>.

The following options are available for most reports:



<PDF output>: generates the report in PDF format. den Bericht im pdf-Format.



<CSV output>: saves data in CSV (comma separated values) format.



<Excel output >: creates a Microsoft Excel file.

You will find [further reports](#) under <Lessons> | <My lessons> when you click on the <Report> button for a particular lesson.

### 4.7.1 Examples of reports

There are numerous reports available to evaluate data in the class register, for example:

### Absence time per student

**Student** Alexander  
**Text**  
**Class** 1a

Date	Periods of		Subject	Teacher	Reason of absence	ENr.	Done	Status
	Periods	Prd.						
Mon 3/23/15	1	0:45	BIO	BR	ears illness	2440	7/7/15	excu.
Mon 3/23/15	1	0:45	BIO	BR	ears illness	2440	7/7/15	excu.
Total	2	1:30						
Of those unexcused	0	0:00						
Total	2	1:30						
Of those unexcuse	0	0:00						

### Absence time per class

**Absence time per class**  
 Jul 6, 2014 - Jul 31, 2015,

Class: 1a

Date	Student	Periods of Periods	Prd.	Subject	Teacher	Reason of absence	ENr.	Done
9/8/14	Mo Benjamin	0	0:00	MU	BY			
9/8/14	Mo Benjamin	1	0:15	TT	SE			
9/25/14	Th Kamil	1	0:15	MU	BY			
9/29/14	Mo Karoline	0	0:00	MU	BY			
9/29/14	Mo Karoline	1	0:15	TT	SE			
9/30/14	Tu Karoline	1	0:45	G	KG,BY			
9/30/14	Tu Maximilian	1	0:45	G	KG,BY			
10/1/14	We Büsra	1	0:45	REL-I	AH			
10/1/14	We Cihangir Kaan	1	0:45	REL-I	AH			
10/6/14	Mo Valentina	0	0:00	MU	BY			
10/6/14	Mo Valentina	1	0:15	TT	SE			
10/7/14	Tu Bashkim	1	0:45	G	KG,BY			
10/10/14	Fri Domenic Leon	1	0:15	MU	SI	illness		
10/10/14	Fri Nikolas	1	0:15	MU	SI	illness		

### Class register bookcover

## Class register

1b

Start Sep 1, 2014  
End Jul 5, 2015

Class teacher	HN (HN)	
<b>Subjects</b>	<b>Teachers</b>	
art	A	BX (BX)
biology	BIO	BR (BR)
english	E	BI (BI), LJ (LJ)
football	FOOTB	HN (HN)
german	G	KG (KG), KW (KW)
geography	GEO	KW (KW)
inf.+e-learning	INF-EL	HN (HN)
maths	M	SE (SE), HN (HN)
music education	ME	BP (BP)
morning unit	MU	MM (MM), SE (SE), HN (HN)
performing arts	PEAR	BC (BC)
religion catholic	RE-C	MM (MM)
religion isl.	REL-I	AH (AH)
remedial teaching	RT	BX (BX), BP (BP), BR (BR)
sports	SP	SE (SE), HN (HN)
swimming	SW	SE (SE), HN (HN)
teaching	TT	MM (MM), PX (PX), BY (BY), BP (BP), RI (RI), SE (SE), HN (HN)
work	W	PX (PX), NM (NM)
Class representative	Katharina, Darco, Manuel, Lea, Antonio, Benjamin, Lea, Carola, Jan, Fabian, Adi, Alessandro, Fabian, Jan, Jasmin	
Deputy class representative	Oliver	

## 5 Headmaster

WebUntis Register's hierarchical system of user rights allows 'normal' teachers to edit their own lessons, class teachers (form teachers) to also edit their 'own' classes and the headmaster to access all this information.

The headmaster should now have access to all this data, but is not usually necessary for the headmaster to change this data.

Besides use of the internal messaging system, our [rights template](#) for the headmaster allows the following items to be viewed:

- [All timetables](#)
- [Class services](#)
- [Examinations](#)
- [Exemptions](#)
- [Teaching content](#)
- [Homework](#)

[Absences](#)

[Class register entries](#)

[Open periods](#)

[Reports for the class register](#)

## 5.1 Printing the class register

If it is necessary to print out the class register at the end of the school year for archiving purposes, there are a range of options for this under <Class register> | <Reports>.

Most schools use the work report 'Daily overview class' report for printing the class register.

**Reports**

Class: - All - Student: - All - Period: 4/8/2015 4/10/2015 Current week

**Absences**  Absence times  Latenesses  Only counting absences  All students

Absence time per student    Per period  - All -  Without page breaks

Absence time per class    Per period  - All -  Sorted by students  Separate absence days and times  Activate class filter

Absence time per subject    General overview  - All -

Absence time per subject group    General overview  - All -

Absence days per class    Whole days

Exceedance of absence    more than 16 Periods of absence 4 Weeks

Absence overview

Presences

Absences

Absences without excuse    longer than 3 Days

Letter of excuse    Per period  Grouped by weeks  Show excused periods

Emergency list

**Class-register entries**

Class register entries per student    - All -

Class register entries per class    - All -  Sorted by students

**Work report**

Work report per day

Daily overview class     Without page breaks

Weekly overview class     With absences

**Examinations**

Examinations

**Class register**

Class register bookcover

**Teaching methods**

Teaching methods    - All -

Statistic of the teaching method

**Grades**

Notennamen verwenden

Grades per student

Grade overview

In many cases, the 'Class register bookcover' is also printed out.

## 6 School secretary

The head office as well as the headmaster should have access to all [timetables](#) . The school secretary could also [centrally enter student absences](#) and [bookings for teachers](#) . The creation of the [emergency list](#) is also probably something that the head office is responsible for.

### 6.1 Entering absences in the school office

Entering absences in the school office Student absences can be entered centrally, for example by the school secretary.

In this case, absences are not entered via the class register but via menu item <Class register> | <Absences>.

### Absences

Class: - All - Student: - All - Search: [ ] Period: 4/8/2015 - 4/10/2015 Time range: [ ]

Activate class filter  
 Show deleted records

Reason of absence: - All - Status: - All - Sorting: Class, Student, Date

Selection:

Type	User	Student	Class	CI-Tea	Fr.	Start	To	End	Reason	Status	Text
<input type="checkbox"/>	BJJ	Andreas	2b	BI, BJJ	Apr 8, 2015	11:05 AM	Apr 8, 2015	12:40 PM	Ill	?	
<input type="checkbox"/>	hh	Nicole	2b	BI, BJJ	Apr 8, 2015	9:15 AM	Apr 8, 2015	9:35 AM	Ill	nicht akzep. / 2439	

2 Elements found, showing all Elements. 1

Create a report of the absences

New Delete Combine Excuse

A new absence can be entered by clicking on the <New> button at the end of the list of absences. First select the class and then the student of the class before entering the time range for the absence and the reason of absence (if these are known).

**New absence** [X]

Class:  Student:

Dennis (4c)

Fr.:  To:

Start time:  End time:

Reason of absence:

Text:

Save Close

The student in question will now be displayed on the class register page as 'absent'.

**Note: Several absent students**

You can also set several students to absent at the same time.

New absence
✕

Class

- Edna (2b)
- Elias (2a)
- Marcel (2a)

Student (2a)

Fr.

To

Start time

End time

Reason of absence

Text

**Warning: Student absence authorisation**  
 Entering absences is valid for all students at the school and is coupled with the user right 'Student absences'.

## 6.2 Bookings for other users/teachers

At some schools it is customary for the head office to make bookings. These bookings can be performed explicitly for other teachers with the appropriate right (not included in the template for the head office).

Enable booking for other teachers	<input checked="" type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
Booking for other users	<input checked="" type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		

## Booking 87 - Activity

Status: Confirmed

	Date	Time	EDV1
 	Apr 24, 2015	3:30 PM - 4:15 PM	Reserv

 Additional periods

Booked on Apr 24, 2015 11:16:26 AM from test  
 Changed on Jul 27, 2015 11:43:58 AM from BJJ  
 Confirmed on Jul 27, 2015 11:41:12 AM from BJJ

Teacher

*Please select*    
 BJJ (BJJ)

Class

*Please select*    
 2b

Subject

AUF 

Department

Department A 

Amount

0

Type

Lesson 

Participant

0

Remark

Remark

e-mail address

Add the teachers' e-mail addresses

An e-mail will be sent as soon as the booking status is changed.

Has been exported to Untis

Report

Save

Cancel reservation

Back


This user booked...

...for teacher BJJ.

Person in charge for this booking.


## Booking for other teachers possible

A user with this right can also enter other teachers in the booking. The advantage is that the entered teachers are then displayed in the appropriate timetables.



### Booking for other users

A user with this right can also make a booking for another user. The booking will then be displayed for the user entered as the responsible user under <Book> | <My bookings>.



## 6.3 Emergency list

Emergency list In an emergency, for example when the school building has to be evacuated, it may be important to have an exact overview of who is currently in the school building and who is not. The emergency list, which you can call under <Class register> | <Reports> via <Emergency list> displays absent students (and their last period) for the current day.

Klasse: 2b		Schüler: 21				
Letzte Stunde: BJJ - M - EDV3 / SE,SB - M - 2bR						
Schüler	abwesend			Letzte Fehlstunde		
	Von	Bis	Grund	Stunde	Fach	Lehrer
Andreas						
Aylin	11:55	12:40	Kr	6 / 12:40	GW	BJJ, KL
Behice						
Daniel						
David						
Dennis						
Edna						
Elisabeth	11:55	12:40	Kr	6 / 12:40	GW	BJJ, KL
Fabian						
Ingo						
Kimi						
Lukas						
Marcus						
Marie-Therese						

**Note: Off site data**

Since all data is stored outside the school, they will also be available in an emergency. You only require an internet-enabled device such as a smartphone or a tablet to be able to access all the information in the class register.

## 7 Administration

The following section deals with the administration of WebUntis.

If you are working with WebUntis for the very first time you will find a checklist in chapter 'Getting started'.

This is followed by chapters on [Basic settings](#) , [Importing student data](#) , [User administration](#) and the [Timetable](#) before modules [Class register](#) , [Agenda](#) and [Student](#) are explained.

The section concludes with [User tips](#) to assist you in using WebUntis.

### 7.1 Getting started

This section is a to-do list intended to help you perform the required steps for getting started with WebUntis in the right order.

#### Logging in

Gruber & Petters will provide you with the URL of the web server, school name, user name and password. You can use this information to log in immediately.

**Warning: Changing your password**

Your first step should be to modify the password of user admin. To do this, click on <Profile> and then on <Change password>.

## Data transfer

First, Untis data (master data, lessons, timetable) must be transferred to WebUntis. Please refer to chapter [Data transfer](#) in the section [Untis users](#) for more information on this.

## Importing students

You now need the students in your system. Please read chapter [Importing student data](#) for information on importing students.

## Basic settings

You can now specify [basic settings](#) for WebUntis.

## User groups - Users

You must create [user groups](#) and [users](#) and assign [rights](#) in [user administration](#) in order to enable other people to work with WebUntis.

## Student groups

must be created for e.g. split lessons in order for all students to be assigned to the correct lessons. The teachers taking these lessons generally perform this task. This is why chapter [Student groups](#) is located within chapter [Teachers](#)

**Note: Rights: student allocation – master data student-group**

Any teacher wishing to assign rights to his/her lessons independently requires student allocation rights. The master data student-group right is generally not required. It authorises a user to change the name of a student group or of a class from which students can theoretically be assigned. Any teacher wishing to assign students to his/her lessons independently requires student allocation rights. The master data student-group right is generally not required. It entitles a user change the name of the student group or class from which students can be assigned.

## Class register administration

There are additional [settings](#) and [master data](#) that require editing if you use the class register module (see chapter [Class register administration](#) ).

## Agenda administration

The agenda module also has its own [settings](#) and [master data](#) that require editing (see chapter [Agenda administration](#) ).

## Student administration

In this chapter you learn more about how to manage courses in WebUntis.

### 7.1.1 Allocation functions

In several windows it is possible to assign various attributes to an object from a list. The example below shows how various rooms are being assigned to the object 'Room group - RG1'.

Follow the procedure described below:

Select the desired rooms (with <CTRL>+click) and then click on the button with the left arrow. Removing a room from the 'Assigned rooms' list (right arrow) deletes its assignment to this room group.

#### Room-group Roomgroup 1 (RG1)

Short name

Name

Assigned rooms		All rooms
R3b	◀	PC
R3c	▶	R1c
		R1ci
		R2a
		R2b
		R2bi
		R2ci
		R3a
		R3bi
		R3ci

### 7.1.2 Handling lists

Master data elements as well as users, user groups, lock-out times etc. are initially displayed in a list.

**Teachers**

Search

Selection		Teacher	Surname	First name	Title	Text	Active
<input type="checkbox"/>	 	Ah	Ah				<input checked="" type="checkbox"/>
<input type="checkbox"/>	 	AH	AH				<input checked="" type="checkbox"/>
<input type="checkbox"/>	 	BC	BC				<input checked="" type="checkbox"/>
<input type="checkbox"/>	 	BJJ	BJJ	Bernd	Jabjulani		<input checked="" type="checkbox"/>
<input type="checkbox"/>	 	BE	BE				<input checked="" type="checkbox"/>
<input type="checkbox"/>	 	BR	BR				<input checked="" type="checkbox"/>
<input type="checkbox"/>	 	BY	BY				<input checked="" type="checkbox"/>

Via the links (1,2,3,4,...) at the end of the list you can go from screen to screen. The number of lines that are to be displayed on one screen can be adjusted in under item <Administration| [Settings](#) >.

#### Edit

The details of each element will be displayed on their own page when you click on <Edit> in this list.

#### New

If you wish to add a new element, click on the <New> button. This displays a special page where you can enter the attributes for the new element. After confirming your input with <Save>, you will be returned automatically to the list view.

#### Delete

You can delete elements by checking them in the 'Selection' column and clicking on the <Delete> button.

#### Search

You can search for a specific element by entering its short (or long) name in the 'Search' field. It is sufficient to enter a part of the name in the 'Search' field. The system will list all results containing the value entered.

#### Sorting

Clicking on the header changes the sort order temporarily.

For a permanent sort order click on the <Sort> button and click the box 'User-defined sort order'. Then click on the column heading once more by which you wish to sort. When you confirm with <Save> the elements will be output in this sequence each time they are accessed in a screen, a report or a selection.

**Rooms Sorting**

User defined sorting

Sequence	Room	Full name	Person in charge	Room type	Department	Building	Capacity	Bookable
1	R1a	Class 1a			AbteilungA		0	<input checked="" type="checkbox"/>
2	R1b	Class 1b			AbteilungA		0	<input checked="" type="checkbox"/>
3	GROB	Group room old building			AbteilungA		0	<input type="checkbox"/>
4	PR	Physics room			AbteilungA		0	<input type="checkbox"/>
5	R2a	Class 2a			AbteilungA		0	<input checked="" type="checkbox"/>
6		Class 2b			AbteilungA		0	<input type="checkbox"/>

If a general sort order is defined, individual elements such as the assembly hall can still be displayed at the top of the list by rearranging the sort order using the 'Sort order' field .

## 7.2 Basic settings

Basic settings are made in the navigation menu under <Administration> | <Settings>. As a matter of principle, these basic settings apply to all users, but they can be adapted to match the special requirements of a group or user with in the [user group](#) (e.g. session timeout) or in the [user profile](#) (e.g. language).

## Settings

Country	Germany												
Language	English												
Time zone	<input type="text"/> Time: 12:28 PM												
Logo	<input type="button" value="Upload photo"/> <input type="button" value="Delete photo"/>												
Phone number of the school	<input type="text" value="01-234-5678"/>												
Number of login-failures before account is blocked	<input type="text" value="8"/>												
Duration the account is blocked [min]	<input type="text" value="0"/>												
Session Timeout [min]	<input type="text" value="60"/>												
Publish news of the day as RSS feed	<input checked="" type="checkbox"/>												
Main system for student- and teacher contact details	<input checked="" type="checkbox"/>												
General filter for departments	<input type="checkbox"/>												
Preselect the department of the user	<input type="checkbox"/>												
Students may send messages only to their class teachers	<input type="checkbox"/>												
Students may only see public news	<input checked="" type="checkbox"/>												
Block the users of inactive students only after the end of the school year	<input type="checkbox"/>												
Default date for the student import	<input checked="" type="radio"/> Beginning of the school year <input type="radio"/> Current date												
Cancel the activity if a single room is declined	<input type="checkbox"/>												
e-mail address administrator	<input type="text"/>												
e-mail address timetabler	<input type="text"/>												
Mail server	<input type="text"/> <input type="button" value="Testmail"/>												
e-mail address sender	<input type="text"/>												
Use the e-mail address of the user in the reply-to field	<input checked="" type="checkbox"/>												
SMTP User	<input type="text" value="hh"/>												
SMTP Password	<input type="text" value="*****"/>												
Use TLS for mail transmissions	<input type="checkbox"/>												
SMS provider	<input type="text" value="SMS Test"/>												
Available	<table border="0"> <tr> <td>Own address</td> <td>Legal guardians</td> <td>Persons entitled to receive information</td> <td>Companies</td> </tr> <tr> <td>Disposable <input checked="" type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Pre-selected <input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </table>	Own address	Legal guardians	Persons entitled to receive information	Companies	Disposable <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Pre-selected <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Own address	Legal guardians	Persons entitled to receive information	Companies										
Disposable <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>										
Pre-selected <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>										
SSO Provider	<input type="text"/>												
Line 1 of the Untis license	<input type="text"/>												

In the following several settings are explained:

### Session Timeout

The session timeout is the time after which inactive users will be automatically logged out of the system. The maximum time that can be set is one hour.

### Display names

You can choose the name for teachers, students and subjects which should be displayed in the reports, list and timetables.

### Messages of the day

There are several settings for the messages of the day such as publication as RSS feed or the designation as public message that come from Untis. Additionally you can specify if messages of the day originating in Untis should be displayed on the substitution monitor or not.

### e-mail address administrator

The 'e-mail address administrator' field is where you enter the e-mail address that WebUntis will use as the sender's address.

### e-mail address timetableler

In the field 'e-mail address timetableler' you enter the e-mail address of the person to be notified if an error occurs while transferring the data from Untis.

Data transfer from Untis to WebUntis runs in part asynchronously, which is why the mail function is important to ensure that you are notified of any import error messages.

### Mail server

You must enter the IP address or hostname of your SMTP mail server here – with authentication details where necessary – if you wish to send e-mail notifications when bookings are made and in order to integrate e-mail addresses with the internal messaging system.

If you do not enter anything then a Gruber&Petters mailserver will be used.

### SMS (text message)

When sending a text message you can choose which group of persons should receive the message, when there are students amongst them. In vocational schools, for instance, the group may include the instructors in the companies they are working in, with minor students it may include the parents.

Under <Administration> | <Settings> you can pre-select default settings:

Available	Own address	Legal guardians	Persons entitled to receive information	Companies
Disposable	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Pre-selected	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

### Upload image

Use this function to integrate your school logo into WebUntis. It will then always be displayed in the top left section of the screen after logging into Untis.

#### **Note: Clear browser cache**

Images are probably cached in your local browser. This could be the reason why your new image may not be displayed immediately when you upload it. For this reason, clear your browser's cache explicitly after an upload in order to see the current image.

## 7.2.1 Messages of the day

The messages of the day serve to display general messages to WebUntis users. It is displayed in the main windows after users log in.

The messages of the day can either be entered directly in WebUntis or can be transferred from Untis when they have been entered as a daily text in cover planning.

You can create this type of message via <Administration> | <Messages of the day> by clicking on <New> or administer them by clicking on the <Edit> button.

Messages of the day

All school years  Show only current messages

Selection		Subject	Fr.	To	Day of the week	Start page	Header	Ticker	Public
<input type="checkbox"/>		...some other text!	May 22, 2015	May 22, 2015	every day	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>		a text only for the monitorhead!	May 21, 2015	May 21, 2015	every day	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>		students action	Apr 14, 2015	Jun 30, 2015	Tuesday	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>		theatrical performance Sat night in the school	Jan 21, 2015	Jun 30, 2015	every day	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

When creating or editing the message you can enter both a subject line as well as the actual message. Furthermore you can confine their display to user groups and departments.

You can select individually for each message of the day where it should be shown (Display range). The options 'Monitor: Ticker' and 'Monitor: Header' refer to the [substitution lists](#) .

New message

Fr.  To  Day of the week  Sequence

Public  Show expanded

Display range

Start page  Monitor: Ticker  Monitor: Header

Show only

User group

Department

Subject

Today...

Font  Size

...is a beautiful day!

Further remaining characters:

**Time range**

Specify here when you wish the message to be displayed.

**Sequence**

If more than one message has been created for a day, you can use this option to determine the order of the messages.

**Public)**

You can specify here that a message should be public. In basic setting you can choose whether students are allowed to see all messages or only those marked as public.

**Show expanded**


This option will display both the subject line and the message. Otherwise the message will only be displayed when the user clicks on the subject.

For 'Messages of the day' originating in cover planning of Untis you can choose where they should be displayed. Just go to <Administration> | <Settings>.



## 7.2.2 General selection of departments

Under 'Administration | Settings' you can activate a global filter for departments.



This filter for departments was created especially for larger schools (of higher education).

## 7.3 Importing student data

A great deal of the data required is imported into WebUntis from Untis. However, if the student data is not maintained in Untis, it must be imported from a different source.

If you use Untis with the student timetable or course planning modules, the existing student and student course assignment data will certainly be transferred from Untis to WebUntis. Students in 'normal' classes are not usually maintained in Untis, meaning that these students must be imported from your student administration application.

You must have the 'Master data | Student' rights in order to import student data. You will find the <[Import](#)> button on the <Master data> | <Students> page.

### 7.3.1 Import

Importing students is simple, convenient and straightforward. Student data must exist in a text file or CSV file with individual data fields being separated by one of the usual separators (e.g. comma, semicolon or TAB)

Mandant	STUDENT_ID	Name	Longname	Forename	Class
7082	201	AlbrecMax	Albrecht	Max 2c	m
7082	101	ArnoldEmm	Arnold Emma	4a	w
7082	102	BauerCha	Bauer Charlotte	4c	w
7082	202	BauerDav	Bauer David	1a	m
7082	203	BaumanJul	Baumann Julian	2c	m
7082	103	BeckCar Beck	Carla 2c	w	0
7082	204	BeckerBen	Becker Benjamin	1a	m
7082	104	BeckerCar	Becker Carla	4b	w
7082	205	BergerOsk	Berger Oskar	2c	m
7082	206	BergmaEli	Bergmann	Elias 4a	m

#### **Warning: Test import**

If you are performing a student import for the first time, import only a small number of students initially (where possible with a special character in some of the names). These can then be easily deleted again if necessary. Take an import file with only a few rows.

Select the import function from the <Master data> | <Students> page.

**Students**

Class  Search    Calendar date is the reference date

Nothing to display

**Import School year:2014/2015**

Data source  
  File successfully uploaded: Students.txt

Character set

Call date for the class-assignment

**Data source**

Enter the file as data source that contains the student data.

**Character set**

The default is the Central European ISO-8859-1 character set. If your data exist, for example, in the Unicode utf-8 format you must change the character set accordingly in order to make a correct import of student master data possible.

**Begin date**

If class allocation data are also being imported with the students, they will apply from the date entered here. The default date is the beginning of the school year.

Now click on <Import> to create an import profile as described in the following chapters.

### 7.3.2 Import profile

When import is launched you can define in the import profile which entry in the text file with the students corresponds to which parameters in WebUntis.

You can now give this import profile a name and select the separator for your text file. In the example above the separator would be the tabulator.

In the section underneath you will see all the entries available for a student in the export file on the left. There may well be entries here that you do not require and so these will not be imported.

#### Assignment

The left section now shows the entries in the first row of the text file (i.e. the first student or the header row). Use the selection lists to identify the individual fields.

You know, for example, that the surname of the student displayed is 'Müller'. Click on the selection box next to this name and set the parameter to 'surname'.

## Import

Profile  Profil-Name

Delimiter

Field assignment

Alexander	<input type="text" value="First name"/>
Mueller	<input type="text" value="Surname"/>
M	<input type="text" value="Sex"/>
01.10.2011	<input type="text" value="Birthdate"/>
1a	<input type="text" value="Class"/>
1	<input type="text" value="Catalogue number"/>

use the class-alias

Ignore first line

Student identification

Make this assignment for all parameters that you wish to import into WebUntis.

Clicking on the <Save> button will save this import profile so that you do not have to perform assignment for a subsequent import. This does not yet import the student data.

### Note: Headings

If you use headings in the text file, please check the option 'Ignore first row'. This will prevent the headings from being imported as a student.

If the alias name of the class is used in the text file, you can also assign students to classes when the option is activated.

### Import

Clicking one final time on the <Import> button imports the student data.

### Note: Existing students

Existing students are synchronised with the import data. For this to happen, WebUntis must be able to uniquely identify a student. For this reason it is best to import a unique student ID. Every school administration system normally has such an ID.

You will now find the imported students under <Master data> | <Students>.


### 7.3.3 Importing student images

An image can be stored for each student. This can be effected for each student individually or automatically for all students.

#### Student images – manual assignment

One possibility of assigning an image direct in the master data sheet for the individual student:

Select <Master Data> | <Students> and click on the <Edit> button for one of the students. The student's master data sheet will open. Now click on the <Upload image> button.



The screenshot shows the 'Import photo' dialog box overlaid on the student data form. The dialog box has a title bar 'Import photo' and a close button 'x'. Inside, it has a 'Data source' section with an 'Attach file.....' button and a tip: 'Tipp: you can also drag a file on the button.' Below this are input fields for 'Maximum width' (200) and 'Maximum height' (200). At the bottom of the dialog are 'Import' and 'Close' buttons. A red arrow points from the 'Upload photo' button in the main form to the 'Attach file.....' button in the dialog. The main form shows the student's details: Surname (Andreas), First name (empty), Short name (AmenitAnd), and External Id (empty). There is also an 'Active' checkbox.

If necessary, enter the maximum width and height for the image and select the appropriate image file from the usual 'Open file' dialogue.

The student's picture will now be displayed in his/her master data sheet and if desired in the class register:



Upload photo

Delete photo

#### **Warning: Repeated import**

If you import new student images for students who already exist in the system and they are not displayed, your browser might have cached the old ones. In this case, please clear the cache of your browser.

#### Student images – adding automatically

The student list (<Master Data> | <Students> ) also provides the <Import photo > function:

Students

Class ASINT Search Start search  Calendar date is the reference date  
Nothing to display  
New Sort Delete Reports Import Sokrates **Import photo** Set exit date

If you click on the <Import photo> button, a page will be displayed in which you can enter the name of a zip file containing the image data. The names of the individual image files must conform to one of the following conventions:

- Foreign key
- Short name
- LastName\_FirstName
- LastName\_FirstName\_DateOfBirth
- LastName.FirstName

**Note: No path information**  
The zip file must not contain any path information to the image files (do not use folders).

You may also specify a maximum image height and width.

Import photo

Data source  
Attach file..... Tipp: you can also drag a file on the button.

Identification  
Foreign key

Maximum width  
200

Maximum height  
200

Import Close

### 7.4 User administration

All users must log in to WebUntis so that WebUntis knows what a user may and may not do. Rights are not assigned to individual users but to user groups. Each user must therefore belong to a user group.

Follow the sequence below in order to create all users with the appropriate rights:

- [Create user groups](#)
- [Assign user rights to the user groups](#)
- [Create users](#)

### 7.4.1 User rights

User rights are linked to a user group. To this end, open <Administration> | <User groups> in order to access the list of all user groups.

#### User groups

Search

Selection


			User group	Privilege	Security policy	Max. Booking	Rights
<input type="checkbox"/>	  		<a href="#">head of department</a>	normal		0	<a href="#">Rights</a>
<input type="checkbox"/>	  		<a href="#">admin</a>	normal		0	<a href="#">Rights</a>
<input type="checkbox"/>	  		<a href="#">Untis</a>	normal		0	<a href="#">Rights</a>
<input type="checkbox"/>	  		<a href="#">user</a>	normal		0	<a href="#">Rights</a>
<input type="checkbox"/>	  		<a href="#">Teacher</a>	normal		0	<a href="#">Rights</a>
<input type="checkbox"/>	  		<a href="#">Klassenlehrer</a>	normal		0	<a href="#">Rights</a>
<input type="checkbox"/>	  		<a href="#">Office</a>	normal		0	<a href="#">Rights</a>
<input type="checkbox"/>	  		<a href="#">Head office</a>	normal		0	<a href="#">Rights</a>
<input type="checkbox"/>	  		<a href="#">Student</a>	normal		0	<a href="#">Rights</a>

9 Elements found, showing all Elements.1

Now click on <Rights> for the desired group. Here you can assign rights by checking the appropriate boxes.

#### Rights templates

We have set up templates with rights for the most common user groups such as teachers, headmaster, students, head office, class teacher/form teacher that you can select from the combo box. These templates are at any rate a good starting point for assigning rights.



By checking the box <additive> you can link several rights templates and thus extend the rights, e.g. you can link the rights of the headmaster and the head office.

The following columns are available:

Yes The right is activated if the box is checked.

Rea Read

Wri Write

Cre Create

Del Delete

All

If 'All' is not activated users will only be authorised for their own data. Just what users' own data are depends on the context. A teacher, for example, only has access to his/her own timetable while a class teacher/form teacher only has access to the open periods of his/her class.

If 'All' is activated users will be authorised for all data.

Here are some examples:

Right Example

Yes/No A teacher selection list is provided in the lessons display (1)

Read The class master data may be read (viewed) (2)

Write Student master data may be written (modified) (3)

Create Student groups may be created (4)

Delete Student groups may be deleted (5)

All The master data of **all** classes may be read (6)

Right	Selection	Permitted access					All	
		Yes	Rea	Wri	Cre	Del		
Teacher selection for lessons	<input type="checkbox"/>	<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>	
Master data Class	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Master data Student	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Master data Student group	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Master data Teacher	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

## Duplicating rights

For some rights, the <+> button in the last column is active. This button can be used to duplicate the row in question. This allows users to assign different rights to 'all' elements than to their 'own' students. A teacher's own students are for example all students for whom a teacher has been defined as form teacher. Another example would be a teacher's lessons – these are classified as 'his/her' data.

Student assignment	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Student assignment	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

The two rows of student assignment can be interpreted as follows: for the teachers' own students, the members of the user group may read (view) student right assignments and write (modify) them – this is what the second line means. Student right assignments may be read (viewed) for all students.

The following groups of rights are explained in more detail:

- [Timetables](#)
- [Messages / Student assignment / Details of the period](#)
- [Bookings](#)
- [Class register](#)
- [Master data](#)
- [Administration rights](#)
- [Course registrations](#)

### 7.4.1.1 Timetables

You can assign read rights for each of the various types of timetable. By checking the 'All' box it is possible to extend available timetables to e.g. all teachers. Otherwise, only the timetable of the active teacher will be displayed.



Make reservation Room	<input checked="" type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="text" value="All"/> ▶
Book Room	<input checked="" type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="text" value="All"/> ▶
Make reservation Resource	<input checked="" type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="text" value="All"/> ▶
Book Resource	<input checked="" type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="text" value="All"/> ▶
Booking in the past	<input checked="" type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Change rooms in regular lessons	<input checked="" type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="text" value="All"/> ▶
Timetable modification for bookings	<input checked="" type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Timetable modification	<input checked="" type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Enable booking for other teachers	<input checked="" type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Booking for other users	<input checked="" type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Lock bookings	<input checked="" type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Administration of bookings	<input checked="" type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="text" value="All"/> ▶

[Bookings for other teachers/users](#) are described in chapter head office.

**7.4.1.4 Teacher selection for lesson**

By default teachers can only view their own lessons. However, this right allows teachers to view the lessons taken by other colleagues.

**7.4.1.5 Class register**

All teachers with the authorisation 'Yes' in the row 'Class register' can input student absences, class register entries and teaching content for their own lessons. This right is therefore sufficient for the day-to-day use of the class register among teachers.

Class register	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Class services	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Examinations	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Examinations	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Exam statistics	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Exam blocking	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Grade record	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Exemption	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Teaching content	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Homework	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Student absentees administration	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Notification of absence	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Entry of absence reason on one's own account	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Excuses	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Class-register entry	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Reports for the lessons	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Reports for the class register	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Open periods	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

You can use the other rights to extend the rights of the affected user groups, e.g.:

#### Teaching content

This right allows teachers to view the teaching content entries of other colleagues.

#### Administration of student absences

This right is intended for e.g. the head office and activates the menu item <Class register > | <Absences>. It allows [student absences](#) to be entered centrally for the entire school. Entering absences is not limited to a teacher's 'own' students – it extends to all students at the school.

#### 7.4.1.6 Master data

Class, teacher, room and subject master data are created when data is transferred from Untis. You can create other master data here when required.

Generating and editing master data is normally the task of the WebUntis administrator.



The user administration right allows you to create and edit [user groups](#) and [users](#) .

#### Timetable formats

This option allows you to create various timetable formats.

#### Messages of the day

The message of the day is prominently displayed for all users when they log in and is therefore a good way of communicating important information.

#### Backup

Gruber & Petters only perform backups for the operational area. You can use this right if you wish to archive backups.

#### Access via Untis

You must enter a user together with a password in Untis if you wish to transfer data from Untis to WebUntis. This user must be assigned this right.

### 7.4.1.8 Course registrations

The student module provides you with the following options to administer rights.

Course administration	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Course templates	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Course manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Course registration	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/>	

### 7.4.2 User groups

The following user groups are created when WebUntis is installed:

admin user group for system administrators, all rights for setting up and administering the system technically.

untis user group for users transferring data from Untis

user standard user group (for teachers).

#### Creating user groups

In order to create new user groups, open <Administration> | <User groups> and click on the <New> button.

## New user group

Name

Security policy

Privilege

Booking format

Max. number of open bookings

Booking possible until [days in advance]

Timetable until [date] in the past  
 ▾

Timetable until [date] into the future  
 ▾

Timetable until [weeks] in the past

Timetable until [weeks] into the future

Timetable until [days] in the past

Timetable until [days] into the future

May change the supervision teacher

May change the exam room

Shortened booking

Allow the specification of teachers in the Webservice query

Session Timeout [min]

Assigned users  
 ▾

Assigned types of activity

- Break supervision
- Evening Seminar
- Lesson
- Office hour
- Standby

All types of activity

You can set the following attributes:

### Default user group

This user group will be used when a new user is created. For this reason only one user group may be the default user group.

### Max. number of open bookings (only with WebUntis Agenda)

You can use this field to control the maximum number of open bookings for each member in a user

group. If, for example, only 5 open bookings are allowed, a 6th booking will only be possible after the earliest booking has expired.

Bookings possible until [days in advance] (only with WebUntis Agenda)

You can use this field to prevent users from making bookings on any date they like. An entry of 30, for example, only allows bookings in the next 30 days (from the current date).

Timetable until – time restrictions on the view

There are three different options to restrict the timetable views for this user group for the future as well as the past.

Timetable until [date] in the past <input type="text"/> ▼	Timetable until [date] into the future <input type="text"/> ▼
Timetable until [weeks] in the past <input type="text"/>	Timetable until [weeks] into the future <input type="text"/>
Timetable until [days] in the past <input type="text"/>	Timetable until [days] into the future <input type="text"/>

Session timeout [min]

The session timeout is the time after which inactive users will be automatically logged out of the system. While the timeout set in the general settings applies to all users, you can define different timeouts here for different groups of users.

The maximum time that can be set is one hour.

Exam

There are two options here, as well. The teacher supervising the exam or the exam room may be changed by the user.

#### **Allow the specification of teachers in the Webservice query**

Deaktivieren Sie diese Option, ist es zum Beispiel möglich in der Smartphone-Applikation die Lehrer-Namen zu verbergen.

You can assign Individual [users](#) with the [assign function](#) in the lower section of the page. Additionally you can assign different types of activities to user groups.

### **7.4.3 Creating users**

Every user needs a personal user access. Rights for individual users are derived from their rights as users belonging to a user group.

#### **Note: Teachers – master data – users**

Teacher master data are imported from Untis and are those data elements of the timetable which are used for working with. A user is a real person who works in WebUntis. If you wish to allow teachers to work with WebUntis, each teacher in the master data must be [assigned a user](#). The situation is the same for students.

Most users must also be assigned a role. The roles 'teacher', 'student', 'class' and 'unknown' are currently available. The teacher role specifies e.g. which teacher the user corresponds to. Rights are then derived from this role. A user assigned the role of teacher has for example more rights for 'his/her' lessons than for the lessons of another teacher.

Users can be created in the navigation menu under <Administration> | <Users>. Enter at least a user name and user group for each new user.

Users

User group: Untis Search  Start search

Selection

	User	Group	e-mail address	Person	Department	Active	Locked	Language	Max. Booking	Last login
<input type="checkbox"/>	Untis	Untis				<input checked="" type="checkbox"/>	<input type="checkbox"/>	de	0	May 19, 2011 12:22:00 PM

1 Element found. 1

New Sort Delete Reports User administration

(Incidentally, user attributes can also be imported from a CSV file (under <Administration> | <Users> | <User administration>)). However, before doing this the users per se must already exist.)

Reports

The reports under <Administration> | <Users> | <User administration> are also available as Excel tables.

History of changes

The history of changes is now accessible via the respective button under users and user groups.

Users

User group: - All - Search  Start search

Selection

	User	Group	e-mail address	Person	Department	Active	Locked	Language	Max. Booking	Last login
<input type="checkbox"/>	Ah	Teacher		AH		<input checked="" type="checkbox"/>	<input type="checkbox"/>	de	0	Oct 15, 2014 4:23:37 PM
<input type="checkbox"/>	BE	Teacher		BE		<input checked="" type="checkbox"/>	<input type="checkbox"/>	de	0	Oct 17, 2014 10:25:26 AM
<input type="checkbox"/>	BI	Teacher		BI		<input checked="" type="checkbox"/>	<input type="checkbox"/>	de	0	Oct 15, 2014 10:36:20 AM
<input type="checkbox"/>	BJ	Teacher	bjj@myschule.com	BJJ		<input checked="" type="checkbox"/>	<input type="checkbox"/>	de	0	Oct 17, 2014 11:00:28 AM
<input type="checkbox"/>	BP	Teacher	bp@myschule.com	BP		<input checked="" type="checkbox"/>	<input type="checkbox"/>	de	0	Oct 21, 2014 10:29:45 AM
<input type="checkbox"/>	BR	Teacher		BR		<input checked="" type="checkbox"/>	<input type="checkbox"/>	de	0	Jul 8, 2015 1:21:17 PM
<input type="checkbox"/>	FI	Teacher		FI		<input type="checkbox"/>	<input type="checkbox"/>	de	0	May 8, 2014 6:21:45 PM
<input type="checkbox"/>	GA	Teacher								---
<input type="checkbox"/>	HC	Teacher								Jul 7, 2015 11:02:17 AM
<input type="checkbox"/>	HM	Teacher								---
<input type="checkbox"/>	HN	Teacher								Oct 14, 2014 8:42:56 AM
<input type="checkbox"/>	IK	Teacher								---
<input type="checkbox"/>	JL	Teacher								Oct 21, 2014 8:07:06 AM
<input type="checkbox"/>	LA	Teacher								Oct 17, 2014 10:08:05 AM
<input type="checkbox"/>	LC	Teacher		KL		<input checked="" type="checkbox"/>	<input type="checkbox"/>	de	0	Oct 21, 2014 10:09:12 AM
<input type="checkbox"/>	mk	admin				<input checked="" type="checkbox"/>	<input type="checkbox"/>	en	0	Jul 27, 2015 3:49:18 PM
<input type="checkbox"/>	BJJ	admin		BJJ		<input checked="" type="checkbox"/>	<input type="checkbox"/>	de	0	Jul 27, 2015 2:24:04 PM
<input type="checkbox"/>	Andreas	admin		Andreas	AbtA	<input checked="" type="checkbox"/>	<input type="checkbox"/>	en	0	Jul 27, 2015 2:23:03 PM

73 Elements found, showing all Elements. 1

New Sort Delete Reports User administration

History of changes User

Field	Current Content	New Content	Date	User
UserGroup.languageCode	de	en	Jul 7, 2015 10:48:21 AM	HC

Close

### 7.4.3.1 User attributes

The following attributes can be set for a user:

**New user**

User	External user name
<input type="text"/>	<input type="text"/>
Person role	
<input type="text" value="Unknown"/>	
User group	Department
<input type="text"/>	<Selection>
<input checked="" type="checkbox"/> Activate user access	
<input type="checkbox"/> User access locked	
Max. number of open bookings	Unattended bookings
<input type="text"/> <input type="text"/>	<input type="text"/>
Language	e-mail address
<input type="text" value="English"/>	<input type="text"/>
Last login	
<input type="text" value="Jan 1, 1970 1:00:00 AM"/>	
Password	Retype password
<input type="text" value="*****"/>	<input type="text"/>
Google Authenticator key	<input type="button" value="Deactivate Google Authenticator"/>
<input type="text"/>	<input type="button" value="Activate data access via apps"/>

**User name**

The name used when logging in to WebUntis.

**External user name**

The field 'External user name' is exclusively used in connection with third systems (e.g. with Single Sign On via SAML) and is usually not needed.

**Person role**

## New user

User	External user name
<input type="text" value="Andreas"/>	<input type="text"/>
Person role	Class
<input type="text" value="Student"/>	<input type="text" value="2b"/>
	Student
	<input type="text" value="Andreas"/>

The user can be assigned to a teacher, a student or to an entire class. If you choose this option, additional fields will be displayed allowing selection.

If none of these options applies (head office, headmaster), select unknown.

### Person roll class

Some schools (of higher education and universities of applied sciences) do not set up an individual WebUntis user access for every student. In this case it is possible to set up one user for the entire class with the person roll class, in order to enable the students to access their timetable (via Untis Mobile).

### Password

Here you can modify the password when the user, e.g. has forgotten it.

### User group

The [user group](#) must always be defined. It is used to assign [user rights](#).

### Department

The user can also be assigned to a department.

### User account activated/locked

The user account will only be locked by the system if a user makes too many invalid login attempts. Here you can unlock the account.

You can, however, also activate/deactivate the account at any time.

### Max. number of open bookings / Open bookings

These fields are only activated for the Agenda module. Here you can define the maximum number of open bookings for a user. A booking is considered 'open' if it lies in the future. If the user has reached the maximum number of bookings, a new booking can only be made when an existing booking expires (or when a booking is cancelled).

An entry here overrides the value entered for a user group, which is displayed in a greyed out field to the right of the entry field. In addition, the user's current number of open bookings is displayed in the 'open bookings' field.

### Language

The language used for the display of WebUntis after the user logs in.

The user can change the language under < [Profile](#) >.

### E-mail address

E-mail messages are sent to this e-mail address. You can enter several e-mail addresses in the e-mail field separated by a comma (a maximum total of 255 characters). Messages will be sent to all these addresses.

### 7.4.3.2 Creating several users

WebUntis provides a function to Create users from the teacher or student list. You can find this function in the user administration view that you can access via the <User administration> button under <Administration> | <Users>.

#### User administration

The screenshot shows a vertical list of buttons in a light blue box. From top to bottom, the buttons are: 'Create user-accounts for the teachers.', 'Create users for the students', 'Lock the users of inactive or resigned persons.', 'Adopt the foreign key from person to user', and 'Copy the person's e-mail address to the user.'. At the bottom of the box are two smaller buttons: 'Import' and 'Back'.

#### Create users for teachers

The function goes through all teachers in WebUntis and creates a user for each teacher with the same short name as the teacher abbreviation. Users are assigned to the user group that you have selected. If an e-mail address was defined in the teacher master data, it will be copied for the user.

You can define, if the short name, first name, surname, date of birth or personnel number should be used. You can also generate user names with delimiter.

German umlauts can be converted by the respective option, e.g. 'ü' is then spelled 'ue'.

#### Create users for students

This application works in the same way as for teachers. You have the additional option here of only creating users for students to whom a class has been assigned.

#### Note: Creating several times

The <Create users> function can be selected as often as you wish. Existing users will not be affected.

#### Assign generated password

Optionally, the password field for the new users can remain empty, can be created according to the date of birth or you can generate a random password for each user. Newly created passwords are displayed on the screen and can be printed or saved to a file.

The passwords will also be sent to you via an internal message. You can also make the users change the generated password at their first login due to security reasons.

### **Lock the users of inactive or resigned persons**

Users of former teachers or students who are inactive or resigned can be locked via this function.

### **Adopt external key for user**

If an external key is assigned to a teacher or student, it can be adopted for the user, as well, with this function.

### **Copy the person's e-mail address to the user**

If an e-mail address is assigned to the teacher or student it can be copied to the user with this function.

#### **7.4.3.3 LDAP**

WebUntis supports the Lightweight Directory Access Protocol (LDAP).

#### **LDAP principle**

1. Authentication of user name and password against an LDAP system.
2. When a user provides valid authentication, WebUntis checks whether this user already exists in WebUntis. If so, the user can work in WebUntis as if he/she had specifically logged into a user account in WebUntis.
3. If the user does not yet exist in WebUntis, WebUntis will automatically create an account for the user. In the process, WebUntis will first try to determine whether the user is a teacher or a student and then who the person is. This identification process is important since the user needs to be assigned to the correct user group in order to be assigned to the appropriate timetable element (teacher or student). The password generated has a random value meaning that the user can only log in via LDAP and not directly via WebUntis.

##### 7.4.3.3.1 Settings

You can find the relevant LDAP settings under <Administration> | <LDAP settings>.

LDAP settings

Active	<input checked="" type="checkbox"/>		
LDAP server URL	ldap://10.0.0.108:389		
LDAP user	CN=ldap,CN=Users,DC=grupet,DC=local		
LDAP password	.....		
Referral	Standard		
PatternDn for user search			
Userfilter	(&(objectClass=user)(sAMAccountName={0}))		
BaseDn for user search	OU=SBSUsers,OU=Users,OU=MyBusiness		
LDAP mail attribute	mail		
LDAP user group attribute			
Transfer mail with every logon to LDAP	<input type="checkbox"/>		
Create local user after successful authentication	<input checked="" type="checkbox"/>		
Permit log-on of anonymous users	<input type="checkbox"/>		
Role identification	Distinguished name		
LDAP person role attribute	title		
Person role	Teacher	Student	Personnel
Person identification	Attribute for last name and first name	Single attribute with name fields	Office
LDAP ID attribute	sn givenName	sn givenName	
ID field			
Numeric comparison	<input type="checkbox"/>	<input type="checkbox"/>	
Ignore upper/lower case	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Default user group	Teacher	Student	Office

Save Test Cancel

Example settings for Active Directory

The individual fields are described below.

**Active** : activates LDAP support

**LDAP server URL** : URL for the connection to an LDAP server, e.g.

ldap://ldap.meineschule.at:389

If a BaseDN is specified in the URL, the following DN details relative to this BaseDN must be defined. In this case the test button cannot be used.

**LDAP user / password** : LDAP user: If a user has to be specified for the LDAP query, you can enter the user's details here

**a) Authentication of user name and password against LDAP system**

For the authentication the user name must be found in the LDAP directory structure. This can either be effected by specifying the Distinguished Name or via an LDAP search.

*Specifying the Distinguished Name*

The search mask is entered in the field 'SampleDN for user search', e.g. with uid={0},ou=teachers,ou=persons, whereby {0} is the placeholder for the user name being searched for. If the user name is e.g. Goethe, WebUntis will look for the user account with our sample data at uid=Goethe,ou=teachers,ou=persons,dc=myschool,dc=at. Several search masks can be entered separated by blanks. Please ensure that no blanks occur within a search mask.

-LDAP search

In this case, an LDAP search will be performed for the user account. The base structure for the search is defined in the field 'BaseDN for user search', e.g. the search filter is entered in the 'Userfilter' field using LDAP syntax, e.g. (&(objectClass=person)(sn={0})). WebUntis would again search for an entry for user Goethe where the objectClass property is person whose attribute sn is equal to Goethe.

The LDAP mail attribute specifies the name of the attribute which supplies the user's e-mail address.

### ***b) Identification and automatic creation of a user***

If you do not wish to have users created dynamically, you can deactivate the feature with the option 'Create unknown user after successful login'. In this case it is only possible for users to log in who already have an account in WebUntis.

The user role (teacher or student) can be determined either by comparison with a part of the user's Distinguished Name or by comparison with a user attribute.

#### *Comparison with a part of the Distinguished Name*

The part of the Distinguished Name that can identify the role must be entered in the role field (can be different for teachers and students). If the teacher has, for example, a Distinguished Name such as uid=Goethe,ou=teachers,ou=persons,dc=myschool,dc=at, then the data in this case would be ou=teachers. WebUntis searches for the DN for the entry in the role field, and if it is found, the role is determined.

#### *Comparison with an attribute*

In this case, the entry in the role field identifies the role, e.g. 'teacher'. The name of the attribute containing the role designation, e.g. 'role', must be entered in the field 'LDAP role attribute'. The user is thus identified as a teacher if the designation 'teacher' is found for a user in the attribute called role.

The identification of the role means that the default rights can be defined. For this to happen, user groups must be set up for teachers and students. When attributes are being compared, the user groups must have the same name as the entry in the field person role. When part-DNs are being compared, the user groups must have the same name as the value part of the entry. If ou=teacher, then also 'teacher'. If no matching user group is found in WebUntis, the user group defined as default user group will be allocated.

Additional details are required in order to identify the person. These details may be different for teachers and students. Identification means that the system searches for an appropriate timetable element (teacher or student) for the user.

There are three ways in which identification can be effected.

#### *-Individual attribute*

This method is usually the most effective since it does not have to use name comparison. However, it will not be possible in all cases.

This method compares a unique value from a WebUntis field of the user with a value in the personal

attributes in LDAP.

Possible fields in WebUntis are:

id	Internal ID in WebUntis
name	Short name
longName	Surname
text	Text field
externKey	External key

One of these fields is entered in the field 'Element data ID field'. The name of the attribute in LDAP is entered in the field 'LDAP ID attributes'.

Example: The Untis teacher short name is also stored in LDAP in an attribute called 'abbreviation'. 'abbreviation' is therefore entered in the field 'LDAP ID attributes' and 'name' is entered in the field 'Element data ID field'.

-Attribute for surname and first name

This method uses the name for identification. Surname and first name must exist in different attributes in the LDAP structure. Both attributes are entered in the field 'LDAP ID attributes' separated by a blank – first the attribute for surname and then for first name.

If the names are stored e.g. in the attributes 'sn' and 'givenName' you would enter 'sn givenName'. WebUntis then compares the contents of these fields with the corresponding user name entries.

#### *Individual attribute with name fields*

This method of identification can be used if the name components in the LDAP system are not stored in different attributes but in a single attribute. This method is the least secure and should only be used as a last resort.

In this case it must be possible for first name and surname to be differentiated using a mask entered in the field 'LDAP ID attributes'. The attribute name is first entered in the field 'LDAP ID attributes'. The identification mask follows a colon. The placeholders {s} for surname and {f} for first name must be used in the mask.

If for example attribute 'cn' holds the user name in the form 'Newton Isaac', the entry in the field 'LDAP ID attributes' would be 'cn: {s} {f}'

You can specify whether the comparison should be case sensitive or whether a numeric comparison should be made. The latter option can be important if the identifier is strictly speaking numeric but is stored in one system as a string with leading zeroes and as a number in another system.

#### 7.4.3.3.2 Transfer mail with every logon to LDAP

By checking this box LDAP can now be the leading system in e-mail addresses.

LDAP mail attribute: mail

LDAP user group attribute:

**Transfer mail with every logon to LDAP**

Create local user after successful authorisation:

Permit log-on of anonymous users:

Role identification: Distinguished name

LDAP person role attribute:

## 7.5 Timetable

The timetable can be customised in WebUntis to match your requirements. You can create different [timetable formats](#) and select in these what should be displayed. In addition, you can [publicly display](#) timetables and restrict the [time period](#) of the published timetables. You can also change [colour settings](#) and edit [ICS formats](#).

### 7.5.1 Colour settings

You can define various colour settings for the display of individual periods in the timetable using the function <Administration> | <Colour settings> in the navigation menu.

If you wish to change a colour setting, click on one of the coloured areas next to the foreground or background columns. You can then select a new colour in the dialogue that is then displayed.


The <Default colours> button allows the original colour selection to be restored.

### Settings for the displays

Type	Foreground	Background
Free period	#000000	#eceded
Lessons	#000000	#f49f25
Not confirmed	#000000	#d7dd7a
Activity	#000000	#b0bc00
Blocked period	#000000	#b1b3b4
Holidays	#000000	#53aedd
Holidays (not bookable)	#000000	#a2d8f4
Room clashes	#000000	#e53527
Substitution	#000000	#a781b5


### 7.5.2 Timetable formats

You can create various timetable formats under the menu item <Administration> | <Settings for displays> | <Timetables>. This option allows you to specify what should and should not be displayed in the timetable.



Click on one of the four arrows to enlarge or reduce the timetable cell. Clicking on one of the placeholder icons (class, teacher, subject, room) when enlarging the timetable cell opens another window in which you can select the type of displayed element and further display details.

Selecting 'Text' means that the Untis (row) text will be displayed in the timetable period.



You can, for example, specify whether the Untis time grid or a freely defined time grid should be used for each format, which days in the timetable should be displayed and a lot more.

Most setting options for the timetable format are self-explanatory. The following section contains a few additional remarks about individual options:

Available for public access	<input type="checkbox"/>
available for students	<input checked="" type="checkbox"/>
Show timetable for	<input checked="" type="checkbox"/> All days of the time grid <input type="checkbox"/> Mon <input type="checkbox"/> Tue <input type="checkbox"/> Wed <input type="checkbox"/> Thu <input type="checkbox"/> Fri <input type="checkbox"/> Sat <input type="checkbox"/> Sun
Show timetable (h:mm a)	Start time: 8:00 AM <input type="text"/> End time: 6:00 PM <input type="text"/>
Time grid	<input checked="" type="radio"/> Untis time grid <input type="radio"/> Time
Display start and end time of each period	<input type="radio"/> Above <input type="radio"/> Below <input type="radio"/> Above and below <input checked="" type="radio"/> Do not display
Show lesson text	<input type="radio"/> Above <input type="radio"/> Below <input checked="" type="radio"/> Do not display
Show user	<input type="radio"/> Above <input type="radio"/> Below <input checked="" type="radio"/> Do not display
Show shift-details	<input type="radio"/> Above <input type="radio"/> Below <input checked="" type="radio"/> Do not display
Show period information	<input type="radio"/> Above <input type="radio"/> Below <input checked="" type="radio"/> Do not display

#### Available for public access

Here you can specify if individual timetables should be displayed when no user is logged in. This makes it possible, for example, to make current timetables available to students and parents who have no user account of their own. It is only possible to make those timetable formats publicly available (i.e. without login) which have this option checked.

#### Display users

The user can also be displayed in the timetable where this makes sense, for example when booking resources.

Show lesson text if no subject is specified	<input type="checkbox"/>
Display elements which are to be substituted	<input type="checkbox"/>
Max. No. of activities in one cell next to each other (1-12)	<input type="text" value="5"/>
Combine activities in one cell (lists)	<input type="radio"/> Activities with the same start and end time <input checked="" type="radio"/> Only couplings <input type="radio"/> None
Combine equal consecutive periods	<input type="checkbox"/>
Show activity	<input checked="" type="checkbox"/> Unconfirmed bookings <input type="checkbox"/> Cancelled lessons <input type="checkbox"/> Foreign substitutions <input checked="" type="checkbox"/> Break supervisions <input checked="" type="checkbox"/> Room blockings <input checked="" type="checkbox"/> Standbys <input checked="" type="checkbox"/> Office hours
Period header	<input checked="" type="checkbox"/> Start time <input type="checkbox"/> End time <input type="checkbox"/> Period number <input type="checkbox"/> Period label
Period window	<input type="text" value="0"/> Min. height of the period [pixel] <input type="text" value="0"/> Min. width of the period [pixel]
Show horizontal lines	<input type="checkbox"/>
Link for the period details	<input checked="" type="checkbox"/>
Display the legend under the timetable	<input type="checkbox"/>
Deactivate custom-colours	<input type="checkbox"/>
Show the class teacher in the class timetables	<input type="text" value="&lt;No entry&gt;"/>
Hide details	<input type="checkbox"/>
Show unannounced exams	<input type="checkbox"/>
Representation of the timetable	<input type="text" value="New"/>

**Daily overview**

Hide empty columns	<input type="checkbox"/>
--------------------	--------------------------

**Display substitution elements**

If this option is activated, the timetable will not just display the substitute teacher but also the name of the colleague who would normally have taken the lesson.

**External substitution**

An external substitution is understood to be one where not only another (substitute) teacher is allocated but also a different subject. In contrast to a 'normal' substitution, the original lesson is cancelled.

**Link for the period details**

If this option is activated and text about a lesson displayed in the timetable exists, an icon will appear in

the top right corner of the lesson which can be used to access the text.

Show the class teacher in the class timetables

The class teacher/form teacher can be printed on the class timetables.

### Timetable 2b

Class 2b	Week of 4/6/2015	Class teacher: BI, BJJ
1a 1b 1c 2a <b>2b</b> 3a 3b 4a 4b 4c ASINT		
	MonApr 6, 2015	TueApr 7, 2015
8:00 AM		

Show the class teacher in the class timetables  Class teacher-Full name, ▼

### 7.5.3 Timetable settings

Use menu item <Administration> | <Timetable settings> to decide whether you wish to make timetables publicly accessible (without a password), whether an element list should assist timetable selection and whether the timetable display time period should be restricted.

#### Public timetables

Activating the 'public' field allows the timetable to be displayed in WebUntis without login being necessary. This makes sense, for example, when you wish to make the latest changes available to students and parents without having to create users for them. Please note that only those timetable formats can be displayed for which the option 'Available for public access' has been checked.

### Standard settings for the timetable

Element	Public	Timetable format		Overview format
Class	<input checked="" type="checkbox"/>	classes public	Per department	default
Teacher	<input type="checkbox"/>	teacher	Per department	default
Subject	<input type="checkbox"/>	classes public	Per department	default
Room	<input type="checkbox"/>	classes public	Per department	default
Student	<input type="checkbox"/>	classes public	Per department	default
Resource	<input type="checkbox"/>	classes public	Per department	default

Department selection

Show details for public timetables

You can also set whether details about the lesson in question should be displayed in 'public' timetables or not.

### Element list on timetable page

The element list on the timetable page and 'Display' allow you to set whether and how quick links should be displayed above the timetables. The setting in the 'Display' column also applies for the element selection fields.

### Restricting to specified time periods

Timetable display can be restricted to specified periods of time:

Show timetable  from [date]  
 to [date]  
 weeks into the past  
 weekst into the future  
 days into the past  
 days into the future

These settings are used to prevent teachers or students accessing timetables for periods of time that are not yet completely scheduled.

#### 7.5.4 List of office hours

Via <Timetable> | <Office hours> you can access the office hours of the selected week as a list.

Under <Administration> | <Settings for displays> | <Office hours> you can check the box 'Public list of office hours' for making this list public.

##### General

Public list of office hours

##### Display:

Period number

Rooms

For rooms show the

For teachers show the

Teacher phone numbers

Teacher email addresses

Save

#### 7.5.5 ICS formats

You can define personal ICS formats under <Administration> | <Settings for display> | <ICal> and assign WebUntis master data to particular ICS properties.

You can also specify here that consecutive periods of the same type should be combined to form a block and you can check the box 'Mark exams'.

## New iCal Format

Short name

Element	Properties	iCal property
Class	Short name ▼	- ▼
Teacher	Short name ▼	- ▼
Subject	Short name ▼	Summary ▼
Room	Short name ▼	Location ▼
Resource	Short name ▼	Description ▼

Combine equal consecutive periods

Mark exams

Set BUSYSTATUS for MS Office 365

## 7.6 Administration - Class register

As class register administrator you are responsible for creating and maintaining a large quantity of [master data](#) and you are also responsible for specifying numerous [settings](#).

### 7.6.1 Master data – Class register

As a general rule, the class register administrator is responsible for maintaining the following master data elements:

- [Classes](#)
- [Students](#)
- [Subjects](#)
- [Reasons of absence](#)
- [Exemptions](#)
- [Excuse status](#)
- [Entry category](#)
- [Type of examination](#)
- [Teaching methods](#)

### Inactive master data

All master data can now be set continuously *inactive* , e.g. teaching methods.

### Teaching methods

Search

Selection		Teaching method	Full name	Active
<input type="checkbox"/>		reading matter	reading matter	<input checked="" type="checkbox"/>
<input type="checkbox"/>		individually	ndividually work	<input checked="" type="checkbox"/>
<input type="checkbox"/>		partner	partner work	<input checked="" type="checkbox"/>
<input type="checkbox"/>		team	teamwork	<input checked="" type="checkbox"/>
<input type="checkbox"/>		discussion		
<input type="checkbox"/>		play		
<input type="checkbox"/>		presentat		
<input type="checkbox"/>		projectcla		
<input type="checkbox"/>		project co		
<input type="checkbox"/>		project sc		
<input type="checkbox"/>		teamteach		
<input type="checkbox"/>		external	external experts	<input checked="" type="checkbox"/>
<input type="checkbox"/>		excursion	excursion	<input checked="" type="checkbox"/>
<input type="checkbox"/>		frontal	frontal teaching	<input checked="" type="checkbox"/>

14 Elements found, showing all Elements.1

**Teaching method reading matter (reading matter)**

Short name   Active

Full name

As described in the chapter 'User administration' there is a comfortable function to define users as inactive, if the assigned teachers or students left the school. For this function go to <Administration> | <User> | <User administration>:

## User administration

Create user-accounts for the teachers.

Create users for the students

Lock the users of inactive or resigned persons.

Adopt the foreign key from person to user

Copy the person's e-mail address to the user.

Import

Back

### 7.6.1.1 Classes

This is where you will find information on classes where you can also enter [class services](#) as well as access the class register bookcover for classes via <Report>.

## Class 2b (2b)

Short name 2b	School year 2014/2015	Fr. 9/1/2014	To 7/5/2015	<input checked="" type="checkbox"/> Active
Full name 2b	Alias name	External Id	Department <Selection>	
Class level	Number of male students 9	Number of female students 12		
Text <input type="text"/>				
Class teacher BI (BI)	Class teacher BJJ (BJJ)	Room 2bR		
Foreground colour	#000000	x	v	
Background colour	#000000	x	v	
<input checked="" type="checkbox"/> Absence-check				
<input checked="" type="checkbox"/> Teaching content is compulsory				

---

Class services	Apr 6, 2015 - Apr 10, 2015
Class representative	Amila
Deputy class representative	Andreas
Class officer	
Service	

---

## Absence check

Specify whether [student absences](#) should be checked in this class.

## Required teaching content entry

You can also define whether this class required a [teaching content entry](#).

## Class services

By clicking this button you can assign student of the selected class to services, e.g. class representative, etc.

## Seat map

By clicking this button you can administer the seat map of the class. The distribution of the students is done graphically via drag and drop.

The print out of the seat map looks the following as of WebUntis 2016:

Test school  
Test

Seat map

Class 12

			
Aberfeldy	Bladnoch	Auchentoshan	Bunnahabain
			
Caollia	Brackla	Fettercairn	Balblair
			
Edradour	Dalwhinnie	Cragganmore	Dumbarton
			
Aberlour	Clynelish	DallasDhu	Glengoyne

WebUntis 2016

Gruber & Petters Software (www.grupet.at)

Page 1 of 2

### 7.6.1.2 Students

You will find a list of students in student master data. The class register administrator is responsible for the actual 'maintenance' of this data, i.e. entering details (e.g. starting and leaving dates).

Under <Master data> | <Students> you can also launch [student import](#) and the import of [student photos](#).

Additionally it is possible to generate reports on the students via the selection box <Reports>. You can download information on name, date of entry and exit date, address or telephone number of the students of a respective class as PDF, CSV or Excel table.

The edit window of the individual student looks the following:

### Student Aylin,

Surname  
Aylin  Active

First name

Short name  
SayginAyl

External Id



[Upload photo](#) [Delete photo](#)

Birthdate  Sex  
 Female  
 Male

Entry date 9/22/2014  Exit date

Class  
2b [Change class](#)

Text

Medical certificate required   
 Compulsory schooling  
 Of age

Catalogue number

Foreground colour #000000  Background colour #000000

[Address](#) [Lessons](#)  
[Save](#) [Delete](#) [Cancel](#)

#### Exit date

If a student leaves the school you can set a date here to mark that this person will no longer attend your school from this date on.

**Note: An exit date can also be set for temporary absence.**

If a student attends, e.g. a partner school in another country for some months, then you can set an exit date here. When he or she returns, you just delete this date. Thus no absences occur during his or her time of inactivity.

#### Medical certificate required

If you activate this checkbox then a stethoscope icon will be shown next to the student's name in the class register. When you click on the blue 'i' for information, you will see the date on which the medical certificate is required. While you are entering and editing the absence of a student you can also set a date when the medical certificate is required.

#### Change class

### Change of class for Alexander

New class

Start date  
 

Class	Start date	End date
1b	Apr 2, 2015	Jul 5, 2015

Here you can make a change of class for a student. Set a start date for the new class and then select the necessary student groups in the following step.

#### Note: Overwriting class affiliation

If you want to overwrite the class affiliation in the aforementioned example, e.g. 1b with 1c, just use the drop down list, select 1c and change the class of this student by setting a start date.

#### Address

The screenshot shows a web form titled "Address" with a close button (x) in the top right corner. On the left side, there are two tabs: "Own address" (selected) and "New address". The form contains the following fields:

- Name:** Alexander
- e-mail address:** alexander@alex.at
- Mobile number:** +436991121345678
- Telephone number:** (empty)
- Fax number:** (empty)
- Street:** Wittmannstraße 2/2/2/1
- Postal code:** 02029
- City:** (empty)

By clicking the <Address> button you can enter contact details of the student such as e-mail address, telephone number and street. You can also add information on parents, legal guardians, persons entitled to receive information or companies by clicking on the <New address> tab.

This screenshot shows the same "Address" form, but with the "New address" tab selected. The "Type" field is a dropdown menu that is currently open, showing the following options:

- Selection - (highlighted)
- Person entitled to receive information
- Legal guardian
- Company

### 7.6.1.3 Teacher

The master data on teachers import the <Teacher status> and the <Target/week> from Untis by default.

**Teacher Aristotle,**

Short name  
Arist  Active

Surname Aristotle First name External Id Title

Personnel number External Id

Text Birthdate Sex  
 Female  
 Male

Entry date Exit date

Teacher status	Fr.	To	Target/week	Fr.	To
1LL1			19.995		

Allocated departments Departments

In the settings you can define if the colours assigned to the teachers in Untis should also be imported to WebUntis.

When editing a teacher you can also assign departments and teaching qualifications to this person.

#### 7.6.1.4 Subjects

You can define in subject master data whether a specific subject requires an *absence check* and/or a *teaching content entry*.

## Subject art (A)

Short name   Active

Full name  Alias name  External Id

Text

Codes

Assigned teaching qualifications  Teaching qualifications

Allocated departments  Departments

Assigned subject groups  All subject groups

Foreground colour  X

Background colour  X

Absence-check  
 Teaching content is compulsory

Furthermore you can assign teaching qualifications, departments and subject groups, as well as colours to the selected subject.

### 7.6.1.5 Reasons of absence

Under <Master data> | <Reasons of absence> you enter the usual absence categories for your school. These are assigned to student absences.

### Reason of absence Illness (Ill)

Type of element

Short name   Active

Full name

Absence counts

Absence is automatically excused with status

Privilege

You can specify whether an absence with this reason of absence should count or not. It is also possible to define reasons of absence that result in an immediate excuse with the selected status of absence.

#### 7.6.1.6 Reasons of exemption

Under <Master data> | <Reasons of exemptio> you can define reasons for [exemptions](#)

### Reason of exemption release for health reasons (release hr)

Short name   Active

Full name

#### 7.6.1.7 Excuse status

Use the excuse status to determine whether excuse for an absence was accepted or not.

### Excuse status excused (exc.)

Short name  
  Active

Full name

Excuse counts

#### 7.6.1.8 Remark category

Class register entries can be assigned to different remark categories which can be specified here. A remark category can apply to individual students or to an entire class.

### Remark category disorder (disorder)

Short name  
  Active

Full name

▼

Group for remark categories  
 ▼

Go to <Master data> | <Group of remark categories> for creating new category groups for remarks in the class register. In the example above you see the group 'Behaviour'.

### Group of remark categories

In some countries it is usual to combine remark categories to groups in the class register. Here an example for groups:

### Groups for remark categories

Selection

			Name	Full name	Active
<input type="checkbox"/>			Behavior	Behavior	<input checked="" type="checkbox"/>
<input type="checkbox"/>			Conduct	Conduct	<input checked="" type="checkbox"/>

2 Elements found, showing all Elements.1

And in the following an example how the individual categories are assigned to the groups:

### Remark categories

Search

Selection

	Type	Name	Full name	Active		
<input type="checkbox"/>				Bullying	Bullying	<input checked="" type="checkbox"/>
<input type="checkbox"/>				Cheating	Cheating	<input checked="" type="checkbox"/>
<input type="checkbox"/>				Cut cla		
<input type="checkbox"/>				disorde		
<input type="checkbox"/>				Fighting		
<input type="checkbox"/>				lup		

6 Elements found, showing all Elements.

**Remark category Bullying (Bullying)**

Short name   Active

Full name

▼

Group for remark categories  ▼

Combining the individual categories only is relevant in statistical analyses.

#### 7.6.1.9 Types of exam

You can enter different types of exam under <Master data> | <Types of examinations>.

## New type of examination

Short name  
  Active

Full name

Type of examination  
 Written  
 Oral  
 Announced exam

Foreground colour     
 Background colour

## Maximum number of exams per student

Per day   
 Per week   
 Per time range  within  days  
 Grouping   
 No exam after  free days including weekends

## Grades

Grading scheme   
 Weighting factor

### Announced exam

If this option is checked examinations with this exam type will appear in the timetables. Uncheck the option if you wish to suppress the display in the timetables.

### Maximum number

You can specify the maximum number of exams a student can be expected to take in each time period. Entries for grouping allow you to combine various types of examinations. Enter the same number into the respective field of the different examination types which you wish to combine. This number has nothing to do with the number of examinations. It merely serves to combine examination types.

### No exam after n free days

With this option it is possible to prohibit exams on the first day after a certain number of days off, for instance on the first day after three days off.

**Grading schemes**

The grading schemes defined under <Master data> | <Grading schemes> can be assigned to the different types of examinations, e.g. you need a different scheme for an oral review check than for a written test.

**Weighting factor**

You can decide yourself which global weighting factor the individual type of exam should have in order to weight the individual types differently.

**7.6.1.10 Exam blockings**

Under <Administration> | <Exam blockings> you can enter exam blocks for several classes.

## New exam blocking

Classes	Type of examination	
<input type="text" value="Classes"/>	<input type="text" value="All examinations"/>	
Element selection		
<input type="text" value="1a"/> <input type="text" value="1b"/> <input type="text" value="1c"/> <input type="text" value="2a"/> <input type="text" value="2b"/> <input type="text" value="3a"/> <input type="text" value="3b"/> <input type="text" value="4a"/> <input type="text" value="4b"/> <input type="text" value="4c"/> <input type="text" value="ASINT"/>		
Fr.	To	
<input type="text" value="4/13/2015"/>	<input type="text" value="4/13/2015"/>	
Start time	End time	
<input type="text" value="8:00 AM"/>	<input type="text" value="6:00 PM"/>	
<input checked="" type="checkbox"/> continuous		
Day of the week		
<input type="text" value="every day"/>		
Text		
<input type="text"/>		
<input type="button" value="Save"/>	<input type="button" value="Save &amp; New"/>	<input type="button" value="Cancel"/>

Define which type of exam is blocked, plus you can also define weekdays for recurring exam blockings here.

### 7.6.1.11 Teaching methods

Under <Master data> | <Teaching methods> you can define the usual methods of teaching at your school (group work, chalk-and-talk etc.). Reports can subsequently be filtered by teaching method amongst others.

### Teaching method reading matter (reading matter)

Short name  
  Active

Full name

#### 7.6.1.12 Services

A class teacher/form teacher will generally assign [class services](#) such as class representative or class prefect to each class.

### Service Class officer (Cl. officer)

Short name  
  Active

Full name

Type  
 

Standard Period

Under <Master data> | <Services> you can create different class services. Under <Class register> | <Class services> you can subsequently assign these services to students.

#### 7.6.1.13 Reduction reason

Under <Master data> | <Reduction reason> you can define reasons for reduction.

### New reduction reason

Short name   Active

Full name

External Id

Codes

## 7.6.2 Settings – Class register

General class register settings are made via menu item <Class register> | <Settings>. They can be divided up into the following categories:

- [Class register main page](#)
- [General](#)

### 7.6.2.1 Class register main page

These settings relate to the main page of the class register, where absences are noted and teaching content entered.

**Class register main page**

Sort the student list	<input checked="" type="radio"/> from top to bottom
	<input type="radio"/> from left to right
Sort students by class	<input type="checkbox"/>
Student pictures: portrait layout	<input type="checkbox"/>
Number of columns in the student list	<input type="text" value="4"/>
The absence-time must lie within the lesson-period	<input type="checkbox"/>
Default for the end time of an absence	<input checked="" type="radio"/> End of the period
	<input type="radio"/> End of the day
	<input type="radio"/> Fixed time <input type="text" value="3:30 PM"/>
Direct entry of absences via the checkbox	<input type="checkbox"/>
Display all absences of the day	<input type="checkbox"/>
Show class-register entries from	<input checked="" type="radio"/> Start of the current week
	<input type="radio"/> Start of school year
	<input type="radio"/> Fixed date <input type="text"/>
	<input type="radio"/> [days] back <input type="text" value="0"/>

**Sort order**

The first few items relate to how students are sorted on this page.

**Absences**

These are parameters used to capture [absences](#) such as end time of an absence or whether it is possible to create an absence by clicking on the green tick next the student name. In the latter case, no other entries are necessary.

**Display**

The last few items relate the display of [absences](#) and the [class register entries](#).

**7.6.2.2 General**

The 'General' section contains settings relating to the handling of the class register such as the definition of the time range allowed for input or texts for written excuses.

## General

Absence monitoring	<input checked="" type="checkbox"/>
Numbering of excuses	across the classes
Valid date-range	
Data-entry for [days] in the past	
Data-entry for [days] into the future	
Absences/Class register entries may only be deleted within [hours].	
Display open periods from	<input type="radio"/> Start of the current week <input checked="" type="radio"/> Start of school year <input type="radio"/> Fixed date 4/13/2015 X <input type="radio"/> [days] back 0
Display open periods for	- All - <input type="checkbox"/> Fixed setting for all users
Missed period counts from (min or %)	50%
Absence half-day counts from [min. or %]	
Day of absence counts from [Min or %] on	50%
Max. absence minutes per lesson	0
Ignore exams for the calculation of absence times	<input type="checkbox"/>
Admissible days for the entry of the teaching content	0
Allow the entry of teaching content for future periods	<input checked="" type="checkbox"/>
Enter the teaching content for all periods of a block	<input checked="" type="checkbox"/>
You have to change the status of an excuse in combination with a reason of absence.	<input type="checkbox"/>
Default reason of absence for absent students	Illness
Default reason of absence for students who are late	lateness
Default reason of absence for student-absences entered by the students themselves	Illness
Default reason of excuse	<Selection>
Automatic excuse after [days]	0
Status for the automatic excuse	<Selection>
Text for the written excuse above the signature	This written apology must be submitted within one week. In case of illness of more than 2 days (BSO see. § 32) of apology is also accompanied by a photocopy of the certificate of disability.
Text for the written excuse below the signature	I know that I rework the failed subject matter and has informed me of the dates agreed during my absence, etc. in time.

## Absence check

If this option is activated, periods in which student absences were not checked will be listed under open periods. If an absence is entered, the check performed will be entered for the period. If there are no student absences to enter, the <Absences checked> button below the student list in the class register can be used to confirm that absences have been checked.

## Absences/Class register entries may only be deleted within [hours]

This option allows deletion to take place only in a certain time range. The administrator can, of course, delete absences and class register entries at a later point in time. The max. permissible entry here is

999.

#### Open periods

Select the time range for open periods as well as whether a missing absence check and/or missing teaching content should be displayed.

#### Missed lesson / missed days

This is where you can specify from which point an absence is to be counted as a missed lesson or missed day.

#### Default reason of absence

You can select default reasons of absence for various scenarios from the [reasons of absence](#) you defined. These are then entered automatically but can be changed.

#### Text for excuses

These two text block allow individualisation of excuses (see example). They will subsequently be shown at all letters of excuses.

### 7.6.2.3 Settings – Lessons

You will find additional parameters for displaying and entering lessons under menu item <Lessons> | <Settings>.

#### General

### Activities settings

#### Examinations

Admissible time range for exam entries	<input type="text"/>	<input type="text"/>
Permit room conflicts for exams	<input type="checkbox"/>	
Transfer of exams to Untis until [days] into the future	<input type="text" value="7"/>	
Only transfer those exams affecting the cover schedule	<input type="checkbox"/>	

#### Examinations

You can specify a date range in which it is allowed to enter examinations.

Specify whether room conflicts are allowed for examinations or not.

Examinations are exported to Untis in the same way as bookings. You can specify the time period for which you wish to export exams to Untis.

You can specify that only exams relevant for substitutions should be transferred to Untis.

### 7.6.2.4 Settings - Grading

If the your grading scheme is not predefined when you receive WebUntis, your system administrator can define several grading schemes, e.g. '1-5' or '+,~,-' under <Master data> | <Grading scheme>.

#### Grading scheme

Grading scheme for the overall grade

scheme percent

Selection	Name	Active
<input type="checkbox"/>	scheme points	<input checked="" type="checkbox"/>
<input type="checkbox"/>	scheme ex	<input checked="" type="checkbox"/>
<input type="checkbox"/>	scheme pa	<input checked="" type="checkbox"/>
<input type="checkbox"/>	scheme re	<input checked="" type="checkbox"/>
<input type="checkbox"/>	scheme percent	<input checked="" type="checkbox"/>

5 Elements found, showing all Elements.1

In our example the grading scheme 'SchemeWH' should be applied for oral participation during a lesson using the grades '+', '-' and '~'.

#### Grading scheme scheme re

Name

scheme re  Active

#### Grades

	Grade	Value
	plus	1
	tilde	2
	minus	3

**Note:**

You do not necessarily need to assign values to the grades of a grading scheme. If there are no values assigned, subsequently no average grades are shown in this scheme.

If the administrator defines a grading scheme under <Master data> | <Types of examinations>, then this scheme must be applied for the respective types of exam.

**Type of examination Exam (EX)**

Short name

EX  Active

Full name

Exam

Type of examination

- Written  
 Oral

 Announced examForeground colour #d1fff4   Background colour #ffffff   **Maximum number of exams per student**Per day Per week Per time range  within  daysGrouping No exam after  free days including weekends **Grades**Grading scheme  Weighting factor 

In our example this is the case with the exam type 'Test' using the grading scheme 1-5.

## 7.7 Administration – Agenda

Administration of the Agenda module can be divided into three areas:

- **Master data**
- [Settings](#)
- [Daily operations](#)

### 7.7.1 Master data – Agenda

The following master data elements play a role in administering rooms and resources with the Agenda module:

- [Rooms](#)
- [Room groups](#)
- [Room types](#)
- [Buildings](#)
- [Departments](#)
- [Resource types](#)
- [Resources](#)
- [Resource groups](#)
- [Types of activities](#)

#### 7.7.1.1 Rooms

Basic room information is generally imported with the timetable data from Untis.

You can set a room to be inactive if, for example, it is no longer available and therefore should no longer be displayed in selection lists, but you wish to retain past booking data. To do this uncheck 'active'.

## Room technical workroom (TW)

Short name <input type="text" value="TW"/> <input checked="" type="checkbox"/> Active	Building <input type="text" value="&lt;Selection&gt;"/>	Capacity <input type="text" value="0"/>
Full name <input type="text" value="technical workroom"/>	Department <input type="text" value="&lt;Selection&gt;"/>	Capacity for exams <input type="text" value="0"/>
Alias name <input type="text"/>	Room type <input type="text" value="&lt;Selection&gt;"/>	Area <input type="text" value="0"/>
External Id <input type="text"/>	Foreground colour <input type="text" value="#000000"/> <input type="button" value="x"/> <input type="button" value="v"/>	Book no later than (min. bef. app. time) <input type="text" value="0"/>
Person in charge <input type="text"/> <input type="button" value="v"/> <input type="button" value="f"/>	Background colour <input type="text" value="#000000"/> <input type="button" value="x"/> <input type="button" value="v"/>	<input checked="" type="checkbox"/> Booking possible
Text <input type="text"/>	Type of resource <input type="text" value="- All -"/>	<input type="checkbox"/> Reservations only
Resources <input type="text"/>	Available resources <input type="text"/>	<input type="checkbox"/> Supervision area
Room-groups <input type="text"/>	Available room-groups <input type="text"/>	

Additional attributes can, however, be added to room master data, which can then be used as search criteria. These data include e.g. [Department](#) , [Building](#) , Room type, Capacity, Area and person responsible.

You can also specify whether the room can be booked or whether it can only be reserved.

Some rooms should not be booked ad hoc. They may need to be set up and cleared before they can be used. The entry 'Book no later than (min. bef. app. time)' allows you to enter how many minutes a room must be booked latest prior to its actual use.

Resources and/or room groups can be assigned to every room using the familiar [assignment functions](#) :

### Resources

One or more [resources](#) can be assigned to every room. You will see all the resources assigned to the room in the selection field 'Resource'. The selection list 'All resources' displays all resources of the type of resource set.

### Room groups

Rooms can also be assigned to one or several [room groups](#) . Booking rights can be restricted for each [user group](#) to individual room groups.

You can create room groups under <Master data> | <Room groups> and assign the individual rooms to them. You can also assign individual groups to existing room groups under <Master data> | <Rooms>.

### 7.7.1.2 Room groups

[Rooms](#) can also be combined to form room groups under menu item <Master data> | <Room groups>. Individual [user groups](#) can then be granted the booking right for these room groups (instead of school rooms).

#### New room-group

Short name  
RG1

Name  
room group 1

Assigned rooms

- R1b
- R1a
- PHYS

All rooms

- GROB
- PR
- R2a
- R2b
- R3a
- R3b
- R4a
- R4b
- KI
- GR1EG

Save Save & New Cancel

You can also assign rooms to room groups under <Master Data> | < [Rooms](#)>.

### 7.7.1.3 Room type

You can define the room type under <Master data> | <Room types>. Room type can subsequently be used as a selection criterion for bookings.

## Room type

Search

Selection

			Name	Full name
<input type="checkbox"/>			Lab	laboratory
<input type="checkbox"/>			Cl.a.r.	classroom
<input type="checkbox"/>			GYM	gym
<input type="checkbox"/>			Mr	music room

4 Elements found, showing all Elements.1

### 7.7.1.4 Buildings

A school may consist of several buildings. You should therefore enter the different buildings of your school under <Master data> | <Rooms> in order to be able to limit a subsequent search for rooms to one building.

## New building

Short name

Full name

Assigned rooms

- R3ci
- R2bi
- R1ci
- R2ci
- R3bi

All rooms

- R1a
- R1b
- GROB
- PR
- R2a
- R2b
- R3a
- R3b
- R4a
- R4b

You can also assign individual rooms to a building in this window. A further input possibility is under <Master data> | <Rooms>.

### 7.7.1.5 Departments

Departments can be entered, deleted or modified under <Master data> | <Departments>. Departments are always imported from Untis.

#### Department DepartmentA (DeptA)

Short name  
  Active

Full name

Key (external)

UntisId  Department

Person in charge

Assigned rooms

- R1a
- R1b
- GROB
- PR
- R2a
- R2b
- R3a
- R3b
- R4a
- R4b

All rooms

Rooms can be assigned to the relevant departments in WebUntis Agenda, and the room search restricted to individual departments. Valid attributes for departments are short name and full name.

Assigning individual rooms to a department can be effected using the standard assignment function. Please note that teachers can also be assigned to departments. You will find this assignment option under <Master data> | <Teachers>.

### 7.7.1.6 Types of resource

You can define any type of resource you like under <Master Data> | <Types of resource>.

### Type of resource projectors (Projectors)

Short name  
  Active

Full name

Description

Assigned resources

All resources

Explanatory text can be entered in the 'Description' field.

#### 7.7.1.7 Resources

New resources are created under menu item <Master Data> | <Resources>.

Short name  
  Active

Full name

Type

Inventory number

Text

Person in charge

Resource of room / Location

Booking possible

Reservations only

Department

Building

Groups of resources

Available groups of resources

The type describes the [resource type](#) of the resource. Assignment is effected from a selection field and is optional. You can also choose to enter an inventory number and a person in charge of the resource. You can make a fixed [room](#) assignment for the resource in the 'Resource of room' field. Furthermore, resources can be assigned to specific [departments](#) or [buildings](#) .

A resource can also be assigned to one or more [resource groups](#) . You can restrict a [user group](#) to specific resource groups when booking resources.

As of WebUntis 2015 you can filter user groups and departments in the field <Person in charge>.

## Importing resource types and resources

Resource types and resources can be imported from text files. The procedure is very similar to the one used to import [student master data](#) .

For the import field 'Booking possible' and 'Reservations only' please enter '1' for yes and '0' for no.

**Types of resource**

Search

Selection		Type of resource	Full name	Description	Active
<input type="checkbox"/>	 	Prjct	projectors		<input checked="" type="checkbox"/>
<input type="checkbox"/>	 	Maps	maps	maps	<input checked="" type="checkbox"/>
<input type="checkbox"/>	 	Projectors	projectors		<input checked="" type="checkbox"/>
<input type="checkbox"/>	 	Instruments	instruments		<input checked="" type="checkbox"/>

4 Elements found, showing all Elements.1

### 7.7.1.7.1 General resources

Resources which are bound to the location and where the option 'Booking possible' is not active can be assigned to as many rooms as required since due to this function it is, e.g. not necessary to create the resource 'internet' to every single room.

Raum Aula (Aula)

Kurzname   aktiv

Abteilung

Raumart

Text

Kapazität

Fläche

Ressourcen

- ac1
- INTERNET**
- HEIZUNG

Vordergrundfarbe

Hintergrundfarbe

Langname  Alias

Gebäude

**Ressource INTERNET (Internet)**

Kurzname   aktiv

Langname

Art

Inventarnummer

Text

Verantwortlicher

Ressource von Raum / Standort

Buchung möglich

ausschließlich Reservierung

7.7.1.8 Resource groups

You can assign individual resources to resource groups under <Master data> | <Resource groups>.

Groups of resources

Search

Selection  **Group of resources Full name**

<input type="checkbox"/>	<input type="button" value="edit"/>	<input type="button" value="delete"/>	Maps	Maps
--------------------------	-------------------------------------	---------------------------------------	------	------

1 Element found.1

You can restrict a [user group](#) to specific resource groups for booking resources when setting [user rights](#)

Book Room	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	All
Make reservation Resource	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	All
Book Resource	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	All
Booking in the past	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	All
Change rooms in regular lessons	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	All
Timetable modification for bookings	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

Book Resource x

Restrict to groups of resources:

Please select All

Maps

### 7.7.1.9 Types of activities

Various activity types can be defined under <Master data> | <Types of activities> such as lectures or seminars. [Activities](#) can be assigned to these activity types.

#### Types of activities

Search

Selection		Name	Full name	Type	Key (external)	Active
<input type="checkbox"/>	<input type="checkbox"/>		Lesson	Lesson	Lessons	<input checked="" type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>		Office hour	Office hour	Office hour	<input checked="" type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>		Standby	Standby	Standby	<input checked="" type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>		Break supervision	Break supervision	Break supervision	<input checked="" type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>		ES	Evening Seminar	Other	<input checked="" type="checkbox"/>

5 Elements found, showing all Elements. 1

If you create a type of activity anew you can define if you want these activities to be transmitted to Untis or not. Furthermore, there is the option to assign user groups or to set this type of activity as default. Only after an activity type has been assigned to a user group, the respective users can create activities of this type.

## New type of activity

Short name  
  Active

Full name

Type  
Lessons ▼

Key (external)

Priority  
normal ▼

Transmit activities of this type to Untis

Assigned user groups


Available user groups  
admin  
user  
Untis  
Teacher  
Klassenlehrer

## Priorities of activity types

Activity types which are created in WebUntis can be assigned priorities. The basic idea is borrowed from Untis events and can be described as follows:

Students can be displaced from a lesson of normal priority by a lesson of higher priority. The teacher of the original lesson of regular priority needs to be informed that the respective students are not absent, but participating in a school event of higher priority.


In the following example some students of class 1a and 1b attend the school event 'Excursion: Haus der Musik' which is of higher priority.



Not all students take part in this excursion, some students remain in the regular lessons. Teachers who are holding the regular lessons see that some students are taking part in this excursion:

<input type="checkbox"/> Adi	<input type="checkbox"/> Hasmik	<input checked="" type="checkbox"/> Kilian	<input type="checkbox"/> Nikolas
<input type="checkbox"/> Alessandro	<input type="checkbox"/> Jakob	<input type="checkbox"/> Lea	<input checked="" type="checkbox"/> Nina
<input type="checkbox"/> Alexander	<input type="checkbox"/> Jan	<input type="checkbox"/> Lea	<input type="checkbox"/> Oliver
<input checked="" type="checkbox"/> Alexander	<input type="checkbox"/> Jan	<input type="checkbox"/> Luca	<input checked="" type="checkbox"/> Philipp
<input checked="" type="checkbox"/> Anna	<input checked="" type="checkbox"/> Jan	<input type="checkbox"/> Lukas	<input type="checkbox"/> Raphael
<input type="checkbox"/> Antonio	<input type="checkbox"/> Jasmin	<input type="checkbox"/> Manuel	<input checked="" type="checkbox"/> Richard

For the activity 'Excursion:Haus der Musik' there are the respective complementary class register lists:



With the priority field you can define types of activities in WebUntis which automatically initiate that students are 'taken out' of a lesson of lower priority.

### Type of activity Excursion: house of music (Excursion)

Short name  
  Active

Full name

Type

Key (external)

Priority  


- normal
- low
- normal
- high

 Transmit activities of this type to Untis

Assigned user groups

Available user groups

## 7.7.2 Settings – Agenda

There are three items under menu item <Administration> with which you can influence bookings:

- [Lock-out times](#)
- [Bookings restrictions](#)

### 7.7.2.1 Reservations / bookings

Reservations / bookings WebUntis Agenda provides two different ways of making room bookings:

1. Reservations
2. Bookings

There is a separate line for each of these types of bookings in user rights.

Make reservation Room	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	RG1
Book Room	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	RG2

A reservation is understood to be a temporary booking that still needs to be confirmed. This is intended for users who do not have the right to make final bookings. The procedure for making a reservation is exactly the same as for making a [booking](#).

#### **Warning: Reservations – bookings**

Please note that a room can be reserved by different users at the same time but it can only be booked once. A user who only has the 'Book' right cannot make reservations, only bookings.

The example below shows the room '1S 01 PC' reserved on 6 September. The icon in the 'Status' column indicate a reservation.

#### My bookings

Jul 27, 2015 - Aug 2, 2015

Search  Start search

Selection	Type	Status	Type	Room	Day	Date	Fr.	To	Periodicity	Remark	Students	Booked on	Booking
<input type="checkbox"/>			Lesson	TW2, INF2, R3b	Tue	Jul 28, 2015	3:34 PM	4:15 PM	once (nonrecurring)			Jul 27, 2015 3:34:32 PM	<a href="#">121</a>
<input type="checkbox"/>			Lesson	TW2, INF2, R3b	Mon	Jul 27, 2015	3:34 PM	4:15 PM	once (nonrecurring)			Jul 27, 2015 3:30:22 PM	<a href="#">120</a>

2 Element found, showing all Elements. 1

List of Bookings

Two users reserving a room or resource at the same time will result in a conflict, which is best resolved using the [worklist](#).

## Restriction to room group

The right to reserve rooms as well as the right to book rooms can be restricted to individual room groups.

Office hours	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>			
Messages	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
SMS	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Contact details	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input style="color: blue;" type="button" value="+"/>	
Student assignment	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input style="color: blue;" type="button" value="+"/>	
Student assignment	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input style="color: blue;" type="button" value="+"/>	
Details of the period	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input style="color: blue;" type="button" value="+"/>	
Teacher's working hours	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Lehrerabwesenheiten anzeigen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Make reservation Room	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="button" value="All"/> <input type="button" value="▶"/>
Book Room	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="button" value="All"/> <input type="button" value="▶"/>
Make reservation Resource	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="button" value="All"/> <input type="button" value="▶"/>
Book Resource	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="button" value="All"/> <input type="button" value="▶"/>
Booking in the past	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Change rooms in regular lessons	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="button" value="All"/> <input type="button" value="▶"/>
Timetable modification for bookings	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input style="color: blue;" type="button" value="+"/>
Timetable modification	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input style="color: blue;" type="button" value="+"/>
Enable booking for other teachers	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Booking for other users	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

**Book Room** x

Restrict to room groups:

Please select

- room group 1
- room group 2

### 7.7.2.2 Lock-out times

You can use lock-out times (<Administration> | <Lock-out times>) to prevent bookings being made at certain times. This is useful for example when you do not wish bookings to be made when work is in progress on cover planning, which is when room changes have to be made. Once you have finished cover planning you can transfer the latest timetable modifications from Untis to WebUntis, and WebUntis Agenda can be available once more for users.

The entry is made with the day of the week and the start and end times.

The booking system can be locked, for instance, on Monday and Tuesday between 7:50 am and 8:15 (i.e. the time when urgent cover planning changes are being made).

### Blocked times for bookings

Selection		Day of the week	Start time	End time
<input type="checkbox"/>	<input type="checkbox"/>	Monday	7:50 AM	8:15 AM
<input type="checkbox"/>	<input type="checkbox"/>	Tuesday	7:50 AM	8:15 AM

2 Elements found, showing all Elements. 1

### 7.7.2.3 Booking restrictions

The <Administration> | <Booking restrictions> function allows you to restrict bookings as you think fit.

## Booking restrictions

Only time grid-compliant bookings <input type="checkbox"/>		
Booking possible (h:mm a)	Start time	End time
	8:00 AM	6:00 PM
Bookings possible on	<input checked="" type="checkbox"/> Mon	
	<input checked="" type="checkbox"/> Tue	
	<input checked="" type="checkbox"/> Wed	
	<input checked="" type="checkbox"/> Thu	
	<input checked="" type="checkbox"/> Fri	
	<input type="checkbox"/> Sat	
	<input type="checkbox"/> Sun	
Bookings possible until (date MMM d)		
Possible booking period (days 1-365)	0	Exclude holidays and other days off from school <input checked="" type="checkbox"/>
Confirmation only within [1-365] days of the booking		
Booking status is 'confirmed' by default	<input checked="" type="checkbox"/>	
Default length for appointments [mins.]	30	
Need identification attrib.for activity	<input type="checkbox"/>	

Save Cancel

### Booking only according to time grid allowed

Bookings can only be made in accordance with the time grid when this option is activated.

### Booking allowed...

This is where you define the hours of the day and the days of the week when bookings may be made as well as a fixed date by which bookings must be performed.

### Permitted booking time period

Maximum number of days starting with the current day during which bookings can be made. Here you can optionally exempt days without school from the calculation of the valid time range.

### Confirmation only within [1-365] days before booking

This field specifies the number of days before the booked date a confirmed booking can be made. If you enter e.g. 10 here and a user wishes to reserve a room on 20 May, the reservation may only be confirmed as a definite booking from 10 May onwards.

### Booking status is 'confirmed' by default

If a user is entitled to make bookings and reservations, this setting determines whether the option 'Confirm booking immediately' in the 'Booking' window will be checked or not by default.

### Default for the duration of appointments

This is where you can set the default length of an [appointment](#). You can change the length of an appointment when you create it.

#### 7.7.2.4 Room blocking

In a similar way to lock-out times, you can also prevent individual rooms or groups of rooms being available for booking at certain times. The necessary input for this is made in menu <Administration> | <Room blockings>.

### New blocking

Type

Fr.  To

Start time  End time

continuous

Day of the week

Text

Room blockings can be made for individual rooms, groups of rooms, individual resources or all resources.

#### Permanent

Rooms are blocked permanently, i.e. from the start of the blocked period to the end of the blocked period without interruption.

If you uncheck the option the lock will only be valid for a certain period of time in the specified date range.

#### 7.7.2.5 Activity lists

As of WebUntis 2016 you have the option of *Activity lists* (activity formats) similar to the substitution lists. You can access the activity lists via <Administration> | <Monitor views>.

### Monitor views

Substitutions **Activities**

Selection			Name	
<input type="checkbox"/>			<a href="#">first floor</a>	<a href="#">Show on this computer</a>
<input type="checkbox"/>			<a href="#">Lobby</a>	<a href="#">Show on this computer</a>

2 Elements found, showing all Elements.1

Click on <New>in order to generate a new activity format.

### New activity list

Name	<input type="text" value="Lobby"/>
Caption	<input type="text" value="What's going on today?"/> (Standard: 'Activities')
Active columns	<input checked="" type="checkbox"/> Time <input checked="" type="checkbox"/> Rooms <input checked="" type="checkbox"/> Type of activity <input checked="" type="checkbox"/> Classes <input checked="" type="checkbox"/> Teacher <input checked="" type="checkbox"/> Denomination
Show future messages only	<input checked="" type="checkbox"/>
Shift relative to the current date [days]	<input type="text" value="0"/>
Interval for paging [sec]	<input type="text" value="30"/>
Intervall for data retrieval from server [sec]	<input type="text" value="600"/>
Number of days	<input type="text" value="2"/>
Font size	<input type="text" value="16"/>
Height of the display [pixel]	<input type="text" value="0"/>

### Filter for the shown activities

Types of activities	<input type="text" value="Please select"/> <ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Unterricht</li> <li><input checked="" type="checkbox"/> Sprechstunde</li> </ul>
Departments	<input type="text" value="Please select"/>
Rooms	<input type="text" value="Please select"/>

Please note that only activities which were booked in WebUntis can be shown in the activity lists.

## 7.7.3 WebUntis Agenda in practice

You will mainly work with the [worklist](#) on a daily basis.

### 7.7.3.1 Worklist

Under <Book> | <Worklist> you will now see all the conflicts and incidents that need to be processed and which have already been completed with.

### Reservation

A reservation can now be confirmed or rejected. A third option is changing the room where the lesson takes place.

**To-do list**

Conflicts  Not confirmed  Done

Reason	Date	Time	Class	Subject	Teacher	Room	User	Aktion	Book.-Nr.
2bR/Conflict	Apr 13, 2015	8:30 AM - 9:15 AM	2b	BIO	BI, BJJ	2bR			
2bR/Conflict	Apr 13, 2015	8:30 AM - 9:15 AM	2b	BIO	BI, BJJ	2bR			
4a/Conflict	Apr 13, 2015	8:30 AM - 9:15 AM	4a	G	KW	4a			
4a/Conflict	Apr 13, 2015	8:30 AM - 9:15 AM	4a	G	PX	4a			
4a/Conflict	Apr 13, 2015	9:15 AM - 10:00 AM	4a	G	KW	4a			
4a/Conflict	Apr 13, 2015	9:15 AM - 10:00 AM	4a	G	PX	4a			
4a/Conflict	Apr 15, 2015	8:30 AM - 9:15 AM	4a	G	KW	4a			
4a/Conflict	Apr 15, 2015	8:30 AM - 9:15 AM	4a	G	PX	4a			
4a/Conflict	Apr 20, 2015	8:30 AM - 9:15 AM	4a	G	KW	4a			
4a/Conflict	Apr 20, 2015	8:30 AM - 9:15 AM	4a	G	PX	4a			
4a/Conflict	Apr 20, 2015	9:15 AM - 10:00 AM	4a	G	KW	4a			
4a/Conflict	Apr 20, 2015	9:15 AM - 10:00 AM	4a	G	KW	4a			

**Note: Reservation is split**  
 If a reservation consists of several times, the booking will be split into several parts. This allows some bookings to be confirmed at some times and rejected at others.

**Conflicts**

The worklist will show a conflict if a room or resource is booked at the same time by two different events. There are three options available here, as well. You can change the room of the lesson, shift the lesson or cancel the lesson.

If team teaching takes place at your school, this should be entered back in Untis. Please also see the chapter [Team teaching](#) under [Untis users](#).

**7.7.3.2 Lock booking**

Situations may arise where you do not wish 'normal' users to be able to book rooms, for example when, as room administrator, you are busy with cover planning for the following day and you first wish to arrange the required room substitutions.

In this case you can lock the system using the <Lock bookings> function in the <Book> menu.

Even when WebUntis Agenda is locked for bookings, all other system functions (e.g. timetable display) can still be used.

**7.7.3.3 Room conflicts**

You can display the conflicts for the current week under <Book> | <Room conflicts>. Click on the <Search> button to activate the list.

### Room clashes

Period  
 4/1/2015 ▾ 4/30/2015 ▾ Current month ▾

Room	Date	Fr.	To	Nr. Book.	Appointments
1ci	Apr 9, 2015	8:30 AM	9:15 AM	2	
1ci	Apr 9, 2015	9:15 AM	10:00 AM	2	
1ci	Apr 13, 2015	8:30 AM	9:15 AM	2	
1ci	Apr 13, 2015	9:15 AM	10:00 AM	2	
1ci	Apr 14, 2015	10:15 AM	11:00 AM	2	
1ci	Apr 16, 2015	8:30 AM	9:15 AM	2	
1ci	Apr 16, 2015	9:15 AM	10:00 AM	2	
1ci	Apr 20, 2015	8:30 AM	9:15 AM	2	
1ci	Apr 20, 2015	9:15 AM	10:00 AM	2	

Conflict details will be displayed as soon as you click on the button in the 'Appointments' column.

### Room clashes

Room	Book.-Nr.	L-No.	Apr 9, 2015	Apr 16, 2015	Apr 23, 2015	Apr 30, 2015
1ci		<a href="#">52800</a>	9:15 AM-10:00 AM	9:15 AM-10:00 AM	9:15 AM-10:00 AM	9:15 AM-10:00 AM
1ci		<a href="#">52801</a>	9:15 AM-10:00 AM	9:15 AM-10:00 AM	9:15 AM-10:00 AM	9:15 AM-10:00 AM

**Room clashes** x

The following rooms are overbooked on the Apr 30.

Room	Book.-Nr.	L-No.	Fr. - To	8:00 AM	9:00 AM	10:00 AM	11:00 AM	12:00 PM	1:00 PM	2:00 PM	3:00 PM	4:00 PM	5:00 PM
1ci		52800	8:30 AM - 9:15 AM		■								
1ci		52801	8:30 AM - 9:15 AM		■								
1ci		52800	9:15 AM - 10:00 AM			■							
1ci		52801	9:15 AM - 10:00 AM			■							

Clicking on one of the links coloured in red displays a pop-up window with the exact cause of the conflict.

You can resolve the conflict by clicking on the link to the booking in the conflict details window and changing the booking to eradicate the conflict.

**Tip: Worklist**

The [worklist](#) shows conflicts and at the same times offers options to solve the conflict. You can find it under [<Book>](#) | [<Worklist>](#).

## Resource conflicts

Resource conflicts are managed in exactly the same way as room conflicts. We recommend the [worklist](#) there, as well.

## 7.8 Student module

The WebUntis Student module enables students to register for certain courses online.

The following steps should always be followed when working with WebUntis Student:

### Create so-called course templates

These course templates serve as patterns for courses that are actually held. They are created only once and can be reused again and again.

### Creating courses

Actual [courses are created](#) from the templates each school year (or term). For example, the Italian course with 2 periods for students in years 10 – 12.

### Specifying registration periods

A [time period](#) must be defined during which students may register for the courses.

### Registration

Students can register for the planned courses online within the defined period. A difference should be made between advance registration, registration and standby registration.

### Data transfer to Untis

The transfer of course registrations to Untis in order to first create the clusters with the courses module and finally to set up the timetable. Please refer to the course planning manual for detail of the work involved in Untis.

### 7.8.1 Course templates

Course templates You will find a list of course templates already defined under <Courses> | <Course templates>. Click on the <New> button if you wish to create a new course template.

#### Course templates

From school year  Subject  Course categories

Selection	Name	Full name	Subject	Per	From school year	Level	Category
<input type="checkbox"/>	InfC	informatics course	INF	2	2014/2015	2 - 3	Wpf
<input type="checkbox"/>	PolEdu	political education	GEO	2	2014/2015	4	Wpf

2 Elements found, showing all Elements. 1

The general features that the courses being generated from the template are to have can now be saved in the course template.

### Course template

Short name InfC		Full name informatics course	
Subject INF		Person in charge hh	
Teachers Ah (Ah) AH (AH) BC (BC) BJJ (BJJ) BE (BE) BR (BR) BY (BY)		Classes 1a 1b 1c 2a 2b 3a 3b	
Course categories Wahlpflichtfach		From school year 2014/2015	
Duration Academic year			
Periods/week 2	Period length [min] 45		
From class level 2	To class level 3		
Content Microsoft Office Word Microsoft Office Powerpoint Microsoft Office Excel		Grading Is assessed on the basis of a final project work that is carried out in the group.	Educational objectives Creating documents with MS Word. Creating presentations with MS PowerPoint. Creating spreadsheets with MS Excel.
Remark This course is designed for both beginners as well as Office for office professionals.		Costs For the course at no additional cost.	

### Course categories

It is also helpful to define course categories and to assign courses to the different categories. Course categories can be created under <Courses> | <Course categories>. Courses and course templates can be filtered by course category

### Course categories

Search

Selection

Course category	Full name
<input type="checkbox"/> Es	elective subject

1 Element found.1

## Settings

You can enter various defaults for creating courses and course templates under <Courses> | <Settings>. These defaults can of course be modified for individual courses.

### Default values for new courses

#### General

Periods/week	<input type="text" value="2"/>
Waiting list	<input checked="" type="checkbox"/>
Max. nr. of participants	<input type="text" value="25"/>
Status	<input type="text" value="planned"/>
Anmeldungen für Schüler sichtbar machen	<input checked="" type="checkbox"/>

#### Course registration

Number of selectable course priorities	<input type="text" value="3"/>
The priority cannot be selected more than once.	<input type="checkbox"/>
You can only chose each priority only once per module.	<input type="checkbox"/>
Course reg. w. acceptance/confirmation by students	<input type="checkbox"/>

## 7.8.2 Creating courses

In contrast to course templates, courses are restricted to a school year since students select actual courses and are therefore assigned to the selected courses.

You will find a list of all course offered under <Courses> | <Courses>. Click on <New> in order to create a course.

Courses

Selection	Name	Full name	Subject	Per	Adv. reg.	Wait list	Reg.	Max. part.	School year	Semester	Level	Status	Teachers	Kursmodule	Category	Appointments	Activity
<input type="checkbox"/>	LB	LB	INF	2	0	0	0	25	2014/2015		2 - 3	cancelled	Ah			Mon-8:00 AM Tue-8:00 AM	<a href="#">72</a>
<input type="checkbox"/>	InfC	informatics course	INF	2	2	0	3	25	2014/2015		2 - 3	planned	BJJ		Es	Tue-2:00 PM	

2 Elements found, showing all Elements. 1

A mask is then displayed in which you can change all the attributes that were defined in the course template and add additional information.

New course

Course template political education

Short name PolEdu	Full name political education	School year 2014/2015
Subject GEO	Course code	Status planned
Teachers BJJ (BJJ) Ah (Ah) AH (AH) BC (BC) BE (BE)	Course categories elective subject	Person in charge hh
Departments DepartmentA AbteilungB Elektrotechnik	Kursmodule	Max. nr. of participants 25
From class level 4	To class level 4	Class 1a 1a 4a 4b 4c Please select
Periods/week 2	Period length [min] 45	Max. part. ∞ ∞ ∞ ∞ ∞ ∞
Content Policy landscape in Austria world Politics conflict zones	Grading Is assessed on the basis of a thesis amounting to 10 pages	Educational objectives Understanding of policy and independent judgments. Promoting political commitment.
Remark	Costs For the course at no additional cost	

Waiting list

Terms

You can specify whether you work with terms under <Master data> | <School year>.

## School year

Name

Fr.  To

Activate entry of final grades

	Semester	Start date	End date
 	winter semester	Sep 1, 2014	Feb 2, 2015
 	summer semester	Feb 3, 2015	Jul 5, 2015

### Standby registration possible

This option allows students to enter their names in a standby registration list (waiting list) if the course has already reached its maximum number of participants.

If a student registered on the course withdraws, the name at the top of the standby list will be automatically registered instead.

### Class level

You can use the class level to restrict which students may register for a course.

Create the coming school year in Untis and transfer the students into the next class level. Then export the master data to WebUntis. The correct class level will now be entered for all students.

### Warning: Entering class level in Untis

Please note that for this purpose the class level must be entered in Untis under 'Master data | Classes'.

### Content etc.

The entries for content, assessment, learning aims, comments and costs can be viewed by students when registering.

### Times

You can specify the time and date for the planned course if you already know it. It will then be displayed as information during registration.

When you click on <Save> you will create an actual course for specific school year.

## 7.8.3 Editing courses

If you wish to edit a course, click on the <Edit> button the [course list](#). You can now change or supplement all the fields that were available when you created the course. In addition to these fields you

will also find the <participants> button.

**Course InfC**

Course template informatics course

Short name:

Full name:

School year:

Subject:

Course code:

Status:

Teachers:

Course categories:

Person in charge:

Departments:

Kursmodule:

Max. nr. of participants:

Class:

From class level:  To class level:

Periods/week:  Period length [min]:

**Participants**  Waiting

Content:

Grading:

Educational objectives:

## Participants

You will see a list of participants together with their status (registered, standby, ...). This option allows you to change the list of participants.

The course lists also show which priority the students have given to the courses they selected.

### Participant of course InfC

Max. nr. of participants 25  
 Registrations 3  
 Advance registrations 2  
 Waiting list 0

<Selection>

Selection	Surname	First name	Sex	Class	Exit date	Registration-status	Priority	Schwerpunkt	Ausstehende Kurse	Course-choice category	Login time
<input type="checkbox"/>	1	Dennis		2b		registered	1			1st elective subject	Feb 13, 2015 12:18:25 PM
<input type="checkbox"/>	2	Alexander		2a		registered	1			1st elective subject	Feb 13, 2015 12:19:48 PM
<input type="checkbox"/>	3	Anita		4b		course dropped	1			1st elective subject	Feb 13, 2015 2:25:43 PM
<input type="checkbox"/>	4	Simon		2b		registered	1			1st elective subject	Feb 13, 2015 2:26:27 PM
<input type="checkbox"/>	5	Amila		2a		advance registration	1			1st elective subject	Feb 13, 2015 3:46:44 PM
<input type="checkbox"/>	6	Andreas		2b	Jul 31, 2016	advance registration	1			1st elective subject	---

Change status

Change course category

Change course Register students Reports Registration history Back

This can be used as a criterion for overbooked courses regarding acceptance of pre-registered students.

**Change status**

The upper selection box acts as a filter while you can use the lower box to change the status of students.

**Change course**

You can reassign students to a different course if a course has to be cancelled.

**Register students**

You can assign students to the course from the list of students. A check is made to ensure that the maximum number of participants is not exceeded.

**Serial change of status**

In the course lists you also have the option of a serial change of the marked courses via the function <Change status>.

**Participant of course InfC**

Max. nr. of participants 25  
 Registrations 3  
 Advance registrations 2  
 Waiting list 0

<Selection> ▾

Selection

Selection		Surname	First name	Sex	Class	Exit date
<input checked="" type="checkbox"/>		1 Dennis		♂	2b	
<input checked="" type="checkbox"/>		2 Alexander		♂	2a	
<input checked="" type="checkbox"/>		3 Anita		♀	4b	
<input type="checkbox"/>		4 Simon		♂	2b	
<input type="checkbox"/>		5 Amila		♀	2a	
<input type="checkbox"/>		6 Andreas		♂	2b	Jul 31,

Change status  
 Change course category  
 Change course Registered parts ▾ Re

<Selection> ▾  
 <Selection>  
 course dropped  
**advance registration**  
 registered  
 on waiting list

### 7.8.4 Course selection categories

You can define various selection criteria under menu item <Courses> | <Course selection category> that students can choose when [registering of a course](#) .

#### Course-choice categories

Search

Selection		Name	Full name
<input type="checkbox"/>		Es1	1st elective subject
<input type="checkbox"/>		Es2	2nd elective subject

2 Elements found, showing all Elements.1

### 7.8.5 Registering for courses

Since students themselves can register for courses, the process is described in the [Students](#) section under [Student module for students](#) .

#### Courses per student

As administrator it is possible for you to select menu item <Courses> | <Courses per student> for a particular student and view which courses he/she has selected and what the status of the selection is.

#### Courses per student

Classes  Students  Status

Name	Full name	Subject	Per	Status	Course-choice category	Adv. reg.	Wait list	Reg.	Max. part.	School year	Semester	Level	Teachers	Appointments	Category
InfC	informatics course	INF	2	registered	1st elective subject	0	0	3	25	2014/2015		2 - 3	BJJ	Tue-2:00 PM	Es

1 Element found.1

### Reports

You will find the above-mentioned list, a course participants list and a course overview under menu item <Courses> | <Reports>. These reports can be filtered by various criteria.

## Reports

School year:  Class level:  Class:  Student:

### Courses

- Course overview   
- Course overview Registration figures  
- List of participants     No courses without registrations.
- Course list per student   

## 7.8.6 Registrations/withdrawal period

You can specify specific registration periods for students via menu item <Courses> | <Registration periods>. Registration periods apply to the whole school. The entire course registration process will be inactive if there is there is no active registration period.

The same applies to advance registration and withdrawals, for which separate periods have to be defined.

### Time frame for course registrations

Short name:

Full name:

Permitted registration-status:

Department:

Number of selectable courses:

Fr.:  To:

Start time:  End time:


Changed on Jul 29, 2015 10:00:24 AM from hh

As of WebUntis 2015, you now can activate several registration statuses in the time frames for course registrations.

### 7.8.7 Transferring data to Untis

Course registration data can be exported from WebUntis to the Untis course scheduling module via the Untis/WebUntis interface.

As of WebUntis 2015 it is possible when transferring data to Untis to import the numbers of students in the courses and any time restriction.



#### 7.8.7.1 Course settings

Under <Courses> | <Settings> you have the option to set the default values for your courses.

## Default values for new courses

### General

Periods/week	<input type="text" value="2"/>
Waiting list	<input checked="" type="checkbox"/>
Max. nr. of participants	<input type="text" value="25"/>
Status	<input type="text" value="planned"/>
Anmeldungen für Schüler sichtbar machen	<input checked="" type="checkbox"/>

### Course registration

Number of selectable course priorities	<input type="text" value="3"/>
The priority cannot be selected more than once.	<input checked="" type="checkbox"/>
Eine Priorität darf innerhalb eines Modules nur einmal gewählt werden.	<input type="checkbox"/>
Course reg. w. acceptance/confirmation by students	<input type="checkbox"/>

Here you set the default settings for e.g. the maximum number of participants, the periods per week or the status.

You also can define as an option if the students can select the courses with *priority*. The following example describes the process.

As you can see above, there are 3 priorities to choose, although each individual priority level may only be selected once.

For the students this means that they can give every selected course one priority. In the course lists of the administrator now show which priority the students have given to the different courses. This can be used as a criterion for overbooked courses regarding acceptance of pre-registered students.

**Registration for cours g3**

Max. nr. of participants 25  
 Registrations 14  
 Advance registrations 7  
 Waiting list 0

Priority

## 7.9 User tips

This final chapter in the administration section is intended to provide a number of tips to help you in the use of WebUntis.

### 7.9.1 Warning

#### Short names

The (short) names of elements are used to synchronise data between Untis and WebUntis. For this reason they should not be changed after the school year commences. Should it be necessary to change a short name, though, then you must do this in both Untis and WebUntis to ensure that the element in question has the same (short) name in both systems.

#### Time grid

Please note that you may not modify the Untis time grid in the course of a school year.

#### School year data

WebUntis takes the information about the start and end of the school year from Untis data. This information is transferred with the initial data import for the school year in question.

Please note that from this point in time school year data in Untis and in WebUntis must be identical. This means that you may not make any arbitrary change to the school year in Untis.

### 7.9.2 School year

#### Terms

The school year can be divided into several terms (under <Master data> | <School year>). This is of particular benefit for reports, e.g. the school exam calendar.

## School year

Name

Fr.  To

Activate entry of final grades

	Semester	Start date	End date
 	winter semester	Sep 1, 2014	Feb 2, 2015
 	summer semester	Feb 3, 2015	Jul 5, 2015

## School holidays

School holidays under <Master data> in the navigation menu are always imported from Untis but can be amended in WebUntis. If you use WebUntis Agenda you should if possible specify with the 'Booking' option whether bookings are allowed during the school holidays or not.

## New date

Short name

Full name

Fr.  To

Activity possible

## Change of school year

A new school year is created when timetable data for a new school year are transferred from Untis to WebUntis. No further preparation is required in WebUntis. The new school year will be available in WebUntis as soon as you have imported the timetable data for a new school year from Untis,

Valid student data must now be imported for the new school year in order for the electronic class register to be available. This data is primarily required for assigning students to the individual classes.


The students must then of course be assigned to the individual lessons.

It is worth mentioning in this context that all (master) data is valid across school year boundaries with the exception of class and time grid data. This means that if room 'TS1' was created for the 2011/12 school year it will also be valid for the 2012/13 school year .

### 7.9.3 Quick launch

You can set the URL of your browser in such a way that users automatically find the name of the school already entered. They then only have to enter their user name and password.

To do this, simply add '?school= <your\_school\_name>' to the end of the address. Our example shows the entry for school 'WU' on server 'urania'.



### 7.9.4 Data export

Under <Administration> | <Export> there are several export options which were created for data exchange with student administration applications, especially for *SokratesWeb* .

## Export

Period  
9/1/2014 ▼ 7/5/2015 ▼ Current school year ▼

Absent Times - Totals	 
Student groups	 
Lessons	 
UntisCentral Hamburg	<input type="button" value="Export"/>
Sokrates	<input type="button" value="photoImport"/>
Student assignments	<input type="button" value="studassignImport"/>
NL Exceeding Absence Times	<input type="button" value="calculate"/> <input type="button" value="Details"/>
CmpLessons	 

### 7.9.5 Class change

A student occasionally changes class in the course of a school year. Proceed as follows in this case:

Access the list of students via <Master data> | <Students> and click on the <Edit> button for the student in question. The student's master data sheet will open.

**Student Simon,**

Surname   Active

First name

Short name

External Id

Birthdate  Sex  Female  Male

Entry date  Exit date

Class



Here, click on the <Change class> button. Select the student's new class and the date he/she should be assigned to the class, and then click on <Next>.

### Change of class for Simon

New class

Start date

Class	Start date	End date
2b	Sep 1, 2014	Jul 5, 2015

Finally, select the student groups to which the student should be added and click on <Save>.

## Change of class for Simon

New class Simon beginning with Apr 8, 2015

Select the new student groups for the student

Selection	Name	Classes	Subject
<input type="checkbox"/>	BE_2a	2a	A
<input checked="" type="checkbox"/>	BE_2a	2a	A
<input checked="" type="checkbox"/>	BSP_2a	2a	SP
<input type="checkbox"/>	BSP_2a	2a	SP
<input checked="" type="checkbox"/>	BSP_2a	2a	SP
<input checked="" type="checkbox"/>	TT_2a	2a	TT
<input type="checkbox"/>	TT_4b	1a, 1b, 1c, 2a, 2b, 3a, 3b, 4a, 4b, 4c	TT

If you click on <Cancel> instead of <Save> you must add the new student to the relevant student groups at a later point in time under <Lessons> | <Lessons: Classes>.

### 7.9.6 Withdrawing from a lesson

If a student withdraws from a lesson during the school year, the student group for the lesson must be modified accordingly.

Go to <Lessons> | <Lessons: Classes> and select the class of the respective student. Click on <Students in the student group> icon. .

### Lessons 2b

Classes: 2b | Period: 4/6/2015 - 4/12/2015 | Current week

Class	Teacher	Subject	Prd.	Appointments	Students	Student groups	Reports
2b	BI, NM	A	1	[Icons]	[Icons]	[Icons]	[Icons]
2a, 2b	BS	SP	2	[Icons]	[Icons]	[Icons]	[Icons]
2b	HN	SP	2	[Icons]	[Icons]	[Icons]	[Icons]
2a, 2b	BS	SP	2	[Icons]	[Icons]	[Icons]	[Icons]
2b	BI	T-ES	1	[Icons]	[Icons]	[Icons]	[Icons]
2b	BJJ	TT	1	[Icons]	[Icons]	[Icons]	[Icons]

Buttons: Temporary course reversal | Student-group-allocation | Report | Matrix of absent days | Student-lesson-matrix

Now enter a 'To' date for the respective student and click on the <Save> button. This means that the student will cease to take part in the respective lessons.

#### Students in the student group BSP\_2a2b

Class: 2a, 2b  
Number of students: 47

Selection	Surname	First name	Sex	Class	Catalogue number	Fr.	To	Text
<input checked="" type="checkbox"/>	Alexander		♂	2a	0			
<input checked="" type="checkbox"/>	Alexander		♂	2a	0			
<input checked="" type="checkbox"/>	Alma		♀	2a	0			
<input checked="" type="checkbox"/>	Amila		♀	2a	0			
<input checked="" type="checkbox"/>	An		♂	2a	0			

### 7.9.7 Limited change of lessons

It sometimes happens that an entire class participates in a school event over several days such as a skiing course or a class trip with the exception of a few individual students who do not participate and are thus assigned to different lessons for the duration of the event where they can be supervised.

The procedure is described below:

#### Untis

The Untis (cover) scheduler makes the necessary entries in the Untis file (absences or events) and transfers the data to WebUntis.

#### Time period

In WebUntis, the class in question is accessed via <Lessons> | <Lessons: Classes>. Click on the

<Limited change of lesson> button and set the time period.

### Lessons 2b

The screenshot shows the 'Lessons 2b' interface. At the top, there are filters for 'Classes' (2b), 'Period' (4/6/2015 to 4/12/2015), and 'Current week'. Below is a table with columns: Class, Teacher, Subject, Prd., Appointments, Students, Student groups, and Reports. A modal dialog titled 'Temporary course reversal for students' is open, showing 'Fr.' and 'To' dates both set to 4/8/2015, and 'Next' and 'Cancel' buttons. A red box highlights the 'Temporary course reversal' button in the bottom navigation bar.

Now select the students who will not participate in the trip and need to be assigned to other lessons. Then select the target class, which the students are to attend in the given time period.

### Temporary course reversal for students

Please select the students

This screenshot shows the 'Temporary course reversal for students' dialog. On the left, a list of students is shown with 'Alma' and 'Bernadette' selected. Below the list are 'Back', 'Next', and 'Cancel' buttons. The 'Next' button is highlighted with a red box. On the right, a sub-dialog titled 'Temporary course reversal for students' asks to 'Please select the target class' with a dropdown menu set to '2a' and 'Back', 'Next', and 'Cancel' buttons. A red arrow points from the 'Next' button in the first dialog to the 'Next' button in the second dialog.


Now select the lessons that the students are to attend (individual assignment to a student group, for example in the event of split lessons, will take place later).

### Temporary course reversal for students

Please select the lesson(s)

Selection	Class	Teacher	Subject	Prd.	Student groups
<input type="checkbox"/>	2a	BX	A	1	
<input type="checkbox"/>	2a	BE	BIO	2	
<input type="checkbox"/>	2a, 2b, 3a, 3b, 4c	PL	CZ	1	
<input type="checkbox"/>	2a	BY	PH	2	
<input type="checkbox"/>	2a	MM	RE-C	2	
<input type="checkbox"/>	2a, 2b	BR	RT	1	
<input type="checkbox"/>	2a, 2b	BX	RT	1	
<input type="checkbox"/>	2a, 2b	BP	RT	1	
<input type="checkbox"/>	2a	BE	SP	2	
<input type="checkbox"/>	2a, 2b	BS	SP	2	
<input type="checkbox"/>	2a	BE	SP	2	
<input type="checkbox"/>	2a, 2b	BS	SP	2	
<input type="checkbox"/>	2a	SP	TT	1	

Each lesson in the target class now has at least two student groups. The first (without parenthesis) contains the usual students of the class while the second (with parenthesis) contains the student group which is limited exactly to the selected time period.



If you wish to assign these 'guest students' to another special group for split lessons, you must edit the appropriate [student group](#) .

It is now assured that the students unable to participate in the multi-day event can still be entered in the class register.

### 7.9.8 Several schools

In some cases it is necessary to combine several Untis data sets to form one WebUntis 'school'. This is the case, for example, when

- a) the school is organised in departments and the individual departments create their own timetables independently of each other, or
- b) various types of schools at one location (e.g. primary and secondary schools) schedule their timetables independently of each other, and

you wish to represent the entire institution in WebUntis.

The individual Untis 'schools' must be defined as departments with an <UntisID> **before the first import of master data** :

## Departments

Search

Selection

		Department	Full name	UntisId	Department	Person in charge	Active	Key (external)
<input type="checkbox"/>	 	DeptA	DepartmentA	1			<input checked="" type="checkbox"/>	1
<input type="checkbox"/>	 	DeptB	DepartmentB	2			<input checked="" type="checkbox"/>	2

2 Element found, showing all Elements. 1

It is important in this process that you enter a unique UntisID for each of these 'departments':

### Department DepartmentA (DeptA)

Short name   Active


Full name

Key (external)

UntisId  Department

Person in charge

The same ID must be entered in Untis in the field 'ID' under 'Start | Settings | Settings | School data | General' .



Now you can transfer master data, lessons and substitutions from Untis to WebUntis as usually .

## 7.9.9 Maintenance functions

The <Administration> menu contains several WebUntis maintenance functions.

### Active users

This function displays a list of users currently logged in to the system. This is particularly useful when you wish to ensure that all users have actually logged out before you perform maintenance work on the system.

### Backup

You can use the function <Backup> in the <Administration> menu of the navigation menu to archive all contents of the underlying database. The backup process will provide you with all WebUntis data in a zip file. You can in principle use these data to recreate the entire WebUntis data set.

#### **Warning: Backup**

Gruber & Petters only perform backups for the operational area. We therefore recommend that you create and archive your own backups.

### Lock/unlock access

Access to the system should be locked while timetable data is being imported from Untis or during similar significant maintenance work.

'Normal' users (without administrator rights) can no longer log in to the system when access to the system is locked. Please note that users already logged into the system will not be automatically logged out when access is locked. You should therefore use function <Active users> to check that no other users are working in WebUntis before you lock the system.

### About WebUntis

This function provides information on the WebUntis version in use.

You can also clear the cache and the prim ID here. You also see the dates of the last imports from Untis (master data, lessons, substitutions), available SMS (text messages) (if activated) or activated modules.

## WebUntis 2016 Ver. 10.0.20 (Jul 3, 2015)

Copyright (c) 2005-2015 by Gruber & Petters GmbH, 2000 Stockerau, Austria

This product includes software developed by The Apache Software Foundation (<http://www.apache.org/>).

This product includes software developed by the Spring Framework Project (<http://www.springframework.org>).

```
server time          Jul 6, 2015 1:56 PM
Expiry date (Day.Month.Year) Jul 31, 2015
modules             BOOKING, CLASSBOOK, TIMETABLING, PRESENT, COURSEREG, STUDENTSTPL

SMS                 Sent:      44
                   Disposable: -44
```

```
Last master data import Jul 6, 2015 10:37:00 AM, Start date: Sep 19, 2016
Last timetable import   Jul 6, 2015 10:30:32 AM, Start date: Sep 19, 2016
Last cover data import  Jul 6, 2015 10:30:34 AM, Start date: Sep 19, 2016
```

### 7.9.10 WebServices

WebUntis also provides you with the WebServices module. This optional module allows you to exchange (timetable) data with external programs via WebServices. If you are interested in this option, please contact your Untis regional partner.

WebServices

## 8 Students

You may also create a user for each individual student. This allows every student to view his/her personal timetable together with all substitution data.

Using the [Class register module](#) students can view the contents of the class register and even report absences.

Using the [Student module](#) students can register for courses for the following year (following term).

### 8.1 Class register for students

You can also grant students rights that allow them to use additional class register functions such as:

- [My absences](#)
- [Time absent](#)
- [Class register entries](#)
- [Homework](#)

#### 8.1.1 My absences

If the 'class register' right is activated for user group 'students', they can view their own absences under Absences, <Class register> | <My absences>.

### My absences

Period: 9/1/2014 - 7/5/2015, Current school year, Status: [Open]

Selection	Type	Student	Class	Fr.	To	Start	End	Reason	Status	Text
<input type="checkbox"/>		Amila	2b	Jan 28, 2015	Jan 28, 2015	10:15 AM	11:00 AM	Ill	Open	
<input type="checkbox"/>		Amila	2a	Feb 11, 2015	Feb 11, 2015	10:15 AM	11:00 AM	Ill	Open	
<input type="checkbox"/>		Amila	2a	Apr 28, 2015	Apr 28, 2015	10:15 AM	11:50 AM	Ill	Open	

3 Elements found, showing all Elements.1

Students can now also print out a letter of excuse for selected absences by clicking on the button <Print letters of excuse for selected absences>.

An additional right, 'report absences', even allows students to report themselves absent via the button <Report absence>. This function is of course restricted to the student assigned to the user.

New absence
✕

Student

Fr.  To

Start time  End time

Reason of absence

Text

### 8.1.2 Time absent

Students can see exactly what lessons they have missed and which status these absences have under the menu item 'Time absent'.

Absence times

Status: - All -    Period: 1/9/2015 - 4/8/2015    Time range: [dropdown]

Student	Class	Date	Time	Subject	Teacher	Per of Abs	Min of Abs	counts	Reason of absence	Status	Text
Amila	2a	Wed Feb 11, 2015	10:15 AM - 11:00 AM	BIO	BE (BE)	1	45	<input checked="" type="checkbox"/>	III	Open / 2443	
Amila	2b	Wed Jan 28, 2015	10:15 AM - 11:00 AM	BIO	BE (BE)	1	45	<input checked="" type="checkbox"/>	III	Open	
Amila	2b	Wed Jan 28, 2015	10:15 AM - 11:00 AM	G	BJJ (BJJ)	0	0	<input type="checkbox"/>	III	Open	

### 8.1.3 Class register entries

Class register entries can also be displayed for students provided they have appropriate rights.

Period: 1/1/2015 - 4/10/2015    Time range: [dropdown]

Type	Name	Class	Day	Date	Time	Subject	User	Remark category	Text
	Amila	2b	Thu	Jan 15, 2015	3:24 PM		hhlehrer		Amila has done a great work today
	Amila	2a	Tue	Mar 3, 2015	10:15 AM	SP	ad		Amila has done a great work today

2 Elements found, showing all Elements. 1

[Report](#)

### 8.1.4 Notenanzeige

Under <Lessons> | <My lessons> students can access their grade overview per subject by clicking on the star icon. They need to have the reading right for <Grade entries> lesen notwendig.

**My lessons Amila**

Type of activity: <Selection>    Period: 4/6/2015 - 4/12/2015    Current week   

Type	Class	Subject	Teacher	Per	Fr.	To	Appointments	
	2a	A	BX	1	Sep 1, 2014	Jul 5, 2015		
	2a	BIO	BE	2	Sep 1, 2014	Jul 5, 2015		
	2a	E	BI, BR	4	Sep 1, 2014	Jul 5, 2015		
	2a	ECDL	HN	1	Sep 1, 2014	Jul 5, 2015		
	2a	G	KL, BX	4	Sep 1, 2014	Jul 5, 2015		
	2a	GEO	KL	2	Sep 1, 2014	Jul 5, 2015		
	2a	HIS	BX	2	Sep 1, 2014	Jul 5, 2015		
	2a	INF-EL	HN	1	Sep 1, 2014	Jul 5, 2015		
	2a	M	SB, B	4	Sep 1, 2014	Jul 5, 2015		

### 8.1.5 Homework

When a teacher enters homework in the class registers, it is also possible to give students the right to view it.

### Homework

Subject:  Period:

Aufgabedatum	Date due	Subject	Teacher	Homework
Mon Feb 16, 2015	Mon Feb 23, 2015	MU	BJJ (BJJ)	Write an essay about music in history.

The tool tip then displays the entire text entered for the homework item.

### 8.1.6 Student exemptions

The right <Exemption> enables the students to view their exemptions under <Class register> | <Exemptions>.

### My exemptions

Period:

Student	Class	Subject	Fr.	To	Day of the week	Start	End	Reason of exemption	Text
Andreas	PB		Jul 1, 2014	Jul 27, 2015	every day	12:00 AM	12:00 AM	Release HR	Release for health reasons

1 Element found. 1

## 8.2 Student module for students

With appropriate authorisation, students can register for courses for the following year (following term).

### Courses

You will now find all the courses for which registration might be possible under menu item <Courses> | <Courses>. The list can be filtered by various criteria.

### Courses

Registration

My courses Subject:  Course categories:

### Information

Clicking on the <Edit> button for a course will display information on that course.

Politische Bildung			0 / 25	not registered		
<b>Info</b>						
Subject	Course categories	Teachers				
GEO	Wahlpflichtfach	BJJ (BJJ)				
Periods/week	School year					
2	2014/2015					
Status	planned					
Person in charge	hh					
<b>Content</b>						
Educational objectives						
Grading						
Costs						
Remark						

## Registering/ Withdrawing

Registration for / withdrawal from a course can be accessed by clicking on the <Register / withdraw> either direct in the course list or from course information.

You have the option here of selecting by [Course selection categories](#) and different priorities provided that the administrator has set these up.

Click the <Register> button to actually register.

Course registration		
<b>Politische Bildung</b>		
0 / 25		
Registration-status		
not registered		
Course-choice category		
<Selection>		
Priority		
<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3		
Register in advance		Cancel

## My courses

The <Courses> | <My courses> list is exactly the same course list described above with the exception that it is restricted to the courses that for which the student is registered, pre-registered or registered on standby.

## Courses

Registration		My courses		Vorschau	
School year	Semester	Subject	Course categories		
- All -	- All -	- All -	- All -		
Name	Per	Status	Priority	Teachers	Appointments
InfK - Informatik Kurs 2014/2015 INF - Wahlpflichtfach	2	advance registration 1.Wahlpflichtfach	1	BJJ	Tue-2:00 PM
1 Element found.1					


## 9 Untis users

Data from Untis form the basis for WebUntis. Untis users (timetable scheduler, cover scheduler) therefore play a decisive role in the successful deployment of WebUntis. It is vital that lessons are represented in Untis exactly as they are held.

You will find in conclusion a number of tips to ensure that WebUntis operates smoothly.

### 9.1 Data transfer

If you wish to transfer data to WebUntis, open menu item 'File | Import/Export | Untis | WebUntis' in Untis. A dialogue window will be displayed where you can enter connection parameters. You will receive these after you ordered WebUntis.



Please enter the name of the host server (e.g. urania.webuntis.com) on which WebUntis runs in the field 'Webserver'. Do not enter any protocol (such as http://), port or page name in the 'Webserver' field. The port is generally 80 (unless you have configured your system differently).

**Warning: https**

Please change the port to 443 if you wish to use the https option.

The school name is the WebUntis school short name. User name and password are the details of a WebUntis user with appropriate rights. By default, user Untis with password admin is set up in WebUntis. This user is assigned to user group Untis, which only has the right to access Untis.

**Master data**

Use the <Master data> button to transfer school name, school year, time grid, holidays, subjects, classes, teachers, rooms, students (if you have the student timetable or course scheduling modules) and departments to WebUntis. Data transfer is independent on a time range that is specified.

The option 'Combine partial classes' will only be effective if you work with class groups in Untis, i.e. when lessons of an actual class are divided into several logical classes. When this option is active, such partial classes will be combined to form a single class in WebUntis. Aggregation will be performed

according to the entry in the field main class.

The

'Ignore course data'

button is used when you do NOT wish to transfer the student allocation to courses from Untis to WebUntis. This can be useful if student allocations in Untis are no longer correct some time after the start of a school term but the data in WebUntis are fully correct.

You can use the

'Only room/date changes'

option to transfer 'non-critical' timetable changes (such as mere room changes) for any desired start date from Untis to WebUntis.

Provided no master data are changed, it is sufficient to transfer them once at the beginning of the school year. However, you can repeat the export of data as often as you wish without any risk. Please note that master data elements in WebUntis can only be modified or created but not deleted.

## Lessons

Use the <Lessons> button to transfer lessons and timetable (i.e. scheduled lessons) and – if they exist – substitution data to WebUntis. The transfer will start with the date displayed above the button.

You should transfer lessons for the very first time at the start of the school year. If the school year has already started, check the Start date option and select 'Beg. of school year'. (You can always overwrite the default 'Start date' when transferring lesson data.)

You only need to transfer lessons if the lessons and/or timetable in Untis are changed.

When lessons are transferred, real synchronisation takes place in WebUntis. Lessons are not only created, but also – where necessary – deleted, too. For this reason lessons should always be transferred at the latest possible point in time (generally from the date when the new timetable comes into effect) so that as little data as possible in WebUntis is affected.

## Substitutions

Finally, you can transfer the substitutions via the <Substitutions> button. The default date here is always the current date. The substitution transfer will probably have to be launched at least once a day.

Transferring data to WebUntis is effected directly using the http protocol from Untis to WebUntis. The actual import of data takes place asynchronously, i.e. the connection between Untis and WebUntis is cut as soon as all data have been received on the server before WebUntis writes the data into the database.

Untis can therefore report transmission errors but not import errors. Any import errors are reported by e-mail and are sent to the 'Scheduler e-mail address' entered under <Administration> | <Settings>.

### **Important: Short names**

Please note that master data elements (such as rooms, teachers and classes) are synchronised with WebUntis using the short name. If you need to change the short name, you must make the change in Untis as well as in WebUntis. This alone will allow the elements to be synchronised subsequently. Otherwise the elements with the old short names would be retained in WebUntis and new elements with new names would be created additionally.

We therefore strongly recommend that you make all changes to short names before you start working

with WebUntis.

**Note: Time of data update**

The time of the last data update by Untis is displayed in the WebUntis timetable on the left below the timetable.

## 9.2 Changing the timetable

You create a new term in Untis when the timetable changes, For this reason, exporting lessons to WebUntis is also dependent on the beginning of a term.

**Warning: Changing the past**

We strongly advise you against exporting lessons that are at least partially in the past. If a lesson changes position in the timetable, any teaching content entries already made can no longer be assigned and must be re-entered.

## 9.3 Workflow for examinations

Examinations are entered in WebUntis by the teacher concerned. Any teachers and rooms can be selected for examinations lasting several periods.

The examination is transferred to Untis and displayed in the (booking) transfer window. Any conflict with a teacher or room will be displayed to the (cover) scheduler.

The scheduler will make any necessary substitution arrangements and change the teacher and/or room for the exam if required. The scheduler may not make any other changes to the examination.

Substitutions and examinations are now exported to WebUntis. If any element changes have been made, the examination will be synchronised appropriately in WebUntis.


If tests exist in Untis as special duties, the test will also be transferred as examination data records to WebUntis and created there as exams.

## 9.4 Importing bookings

You can transfer booking information back to Untis in order to inform the substitution scheduler of changed room allocation.

Launch Untis and call the function ' [File | Import/Export | Untis | WebUntis](#) ' and open the interface dialogue window for WebUntis Agenda.

Click on the <Bookings> button in the input block <Transfer from Untis> in order to transfer the booking data from WebUntis Agenda to the Untis cover planning module. Bookings are imported into Untis as special duties and room changes as room substitutions.




You can now decide whether bookings and room substitutions should be imported into Untis as special duties or not.

**Note: Import or ignore bookings**  
 You should always import or ignore bookings in order to avoid future errors.


### Importing bookings more than once

Each booking is imported into Untis only once. Should it prove necessary for some reason to import bookings again you must uncheck the option <exported> for the bookings concerned in WebUntis under <Book> | <Bookings> and then click on the <Save> button. Now the respective bookings can be sent once again to Untis.



## 9.5 Office hours in Untis

Mark office hours in Untis under <Subjects> | <Master Data> by ticking the respective checkbox '(S) Office hour'.



## 9.6 Student groups in Untis

Student groups must already be defined in Untis. This has the following advantages in WebUntis:

- [Lessons can be combined](#) .
- [Team teaching can be recorded correctly](#) .
- [Austrian state schools can import student numbers into Untis](#) .

### Entering student groups in Untis

Student groups required in WebUntis need to be created in Untis first. It is the responsibility of the timetable scheduler to create these student groups in Untis.

You will find the 'Student group' field in Untis lessons windows. You can enter a suitable group name in this field when dividing students into groups.

#### **Warning: Distinct user group**

The names of student groups must be unique throughout the school. You cannot enter the student group name 'Group 1' for English and French lessons even though the same students assigned to both of them.

L-No.	Cl.Te.	UnSc	Les. groups	LG-D	Assi.Les.Grp	Per	YrsPrds	Teacher	Subject	Student group	Class(e)	Subject	Home rc	Double pers.	Block
11	4, 1					30.00	0	Hugo	GEc	Gec1a1b2a2b	a,1b, a,2b		R1a		
7	2, 3						2	Ander	DS	DS1a	a	WS	R1a	1-1	
73	2, 2						3	Arist	PEG	Peg1a1b	a,1b	SH2	R1a		
31							5	Arist	MA	Ma1a	a		R1a		
33							5	Arist	EN	EN1a	a		R1a		
35							2	Callas	MU	MU1a	a		R1a		
39							2	Callas	AR	AR1a	a		R1a	1-1	
46							2	Nobel	RE	RE1a	a		R1a		
53							5	Rub	DE	DE1a	a		R1a		
63							2	Cer	BI	B1a	a		R1a		

### Note: Automatic student group name

Entering a '?' in the 'Student group' field causes Untis to assign a unique student group name of its own. This consists of a combination of the classes involved and the subject. If you enter, however, in the field 'Student group' a '\$', Untis assigns a student group name made of the combination of subject, class and teacher. The third possibility is to enter '%'; This generates a name made of the combination subject, class and room. You also can add '#' in order to initiate numbering in a serial change.

## Entering student groups

Enter in every lesson which is held for a part of the students of the respective classes a student group name. This has the advantage that teachers see immediately where groups are split up when they access their lessons. They only have to choose the participating students.

When the data is transferred to WebUntis, the student groups used in Untis will be imported along with the other data. Individual students must then still be assigned to these student groups in WebUntis.

Students in the student group BU\_2a

Class: 2a  
Number of students: 22

Selection

		Surname	First name	Sex	Class	Catalogue number	Fr.	To	Text
<input type="checkbox"/>	1	Alexander		♂		0			
<input type="checkbox"/>	2	Alexander		♂		0			
<input type="checkbox"/>	3	Alma		♀		0			
<input checked="" type="checkbox"/>	4	Amila		♀		0			
<input type="checkbox"/>	5	Anas		♂		0			
<input checked="" type="checkbox"/>	6	Andreas		♂		0			
<input type="checkbox"/>	7	Armando		♂		0			
<input checked="" type="checkbox"/>	8	Aylin		♀		0			
<input checked="" type="checkbox"/>	9	Behice		♀		0			
<input type="checkbox"/>	10	Bernadette		♀		0			
<input type="checkbox"/>	11	Daniel		♂		0			
<input checked="" type="checkbox"/>	12	Daniel		♂		0			
<input type="checkbox"/>	13	Daria		♀		0			
<input checked="" type="checkbox"/>	14	David		♂		0			
<input checked="" type="checkbox"/>	15	Dennis		♂		0			
<input checked="" type="checkbox"/>	16	Edna		♀		0			

**Note: WebUntis rights for assigning students to student groups**

Teachers need to have the right 'Student assignment' in order to be able to assign students to student groups.

### 9.6.1 Combining lessons

It sometimes happens that a lesson in Untis must be split into sub-lessons for scheduling reasons. This division, however, is unnecessary in WebUntis. These split lessons can be combined in WebUntis by entering the same student group for both (or all) sub-lessons. Lessons will be combined in WebUntis if subject, [class and student group](#) are identical.

Class 1a (Gauss) / Class

1a


L-No.	Cl,Te	UnSc	Per	YrsPrds	Teacher	Subject	Class(es)	Subject roo	Home room	Student group
46	1, 2		2		Nobel	RE	1a		R1a	
					Hugo	RE	1a		R1a	
11	4, 1		2		Hugo	GEc	1a,1b,2a,2b		R1a	
7	2, 3		2		Ander	DS	1a	WS	R1a	
73	2, 2		3		Arist	PEG	1a,1b	SH2	R1a	

### 9.6.2 Team teaching

Team teaching occurs when two teachers take a class (in the same room) together. In this case, both teachers in WebUntis should have the opportunity to edit the class register, but it should not have to be

edited twice.

Please enter the same student group in both coupling rows in Untis in order to represent this situation correctly.



L-No.	Cl,Te	UnSc	Per	YrsPrds	Teacher	Subject	Class(es)	Subject roo	Home room	Student group
46	1, 2		2		Nobel	RE	1a,1b		R1a	RE_1a1b
					Hugo	RE	1a,1b		R1a	RE_1a1b
11	3, 1		2		Hugo	GEc	1a,2a,2b		R1a	
7	2, 3		2		Ander	DS	1a	WS	R1a	
73	2, 2		3		Arist	PEG	1a	SH2	R1a	

### 9.6.3 Student numbers

It is possible for Austrian schools to transfer student numbers from their electronic register to Untis at the press of a button. The prerequisite for this is that the student groups have already been entered when the data are exported from Untis to WebUntis.

### 9.7 Do not import elements

You may use master data elements and lessons that you do not wish to export to WebUntis. You can prevent this by entering an underscore, '\_', in statistical code column of the element in question.

Name	Full name	Altern	Rm. V	Stat. code(s)
SH1	Sports Hall 1	SH2	4	
SH2	Sports Hall 2	SH1	4	
PL	Physics lab.		3	
WS	Workshop		3	
TW	Textiles workshop		4	
HE1	Home Econ. room		4	
R1a	Class Room 1a	R1b	2	
R1b	Class Room 1b	R2a	2	
R2a	Class Room 2a	R2b	2	
R2b	Class Room 2b	R3a	2	
R3a	Class Room 3a	R1a	2	
Ps1	Pseudo Room 1 (3b)	R1a	2	-
Ps2	Pseudo Room 2 (4)	R2a	2	

Additionally you have even more options to control the import/export of data between WebUntis and Untis under <Administration> | <Integration> | <Import from Untis>.

**Import from Untis**

Fetch student master data.

Fetch the studentgroup-assignment

Do not import student groups with a leading underscore.

Assign all students of a class to a student group with only one class

Do not import lessons with this statistical code in Untis

Use the teacher colours from Untis

Do not transfer open substitutions

Notify all teachers after the import of the lessons.

Mark Untis' "Messages of the day" public

Show Untis' "Messages of the day":  Monitor: Header  Monitor: Ticker

If you want to mark lessons which should not be exported to WebUntis in the future, you can decide on a statistical code by checking the box <Do not import lessons with this statistical code in Untis>.

# Index

## - E -

entry categories 56

## - S -

selection criterion 168

Absences 42

About WebUntis 208

absence categories 152

Absence check 145, 151, 161

Absence time per class 97

Absence time per student 97

absences 89, 160, 209

Access via Untis 124

Accessing the class register 41

Active users 208

Additional periods 83

Administration 105

Administration - Class register 143

Administration rights 124

advance registration 194

Advanced search 71

Agenda 65

All 118

Allocation functions 106

Announced exam 155

appointments 85, 180

Area 166

Assigning students 38

Assignment 38, 114

Backup 124, 208

Basic settings 108

Booking resources 77

Booking restrictions 180

Booking rooms 70

booking time period 180

Bookings 71, 121

browser cache 108

Buildings 169

cache 208

Calendar 14

Capacity 166

Change course 190

Change of room for a lesson 67

Change of school year 197

Change status 190

Changing the timetable 217

Character set 113

Class change 200

class prefect 92

Class register 40, 122

Class register entries 56, 92, 211

Class register main page 160

Class register page 42

class representative 92

class services 92, 159

class teachers 88

class trip 203

Classes 145

Colour settings 136

conflicts 183

connection parameters 214

Course categories 186

Course registrations 125

Course selection categories 193

Course templates 186

courses 186, 188, 212

Courses per student 193

cover scheduler 214

Create 118

Create users 131

Creating a student group 37

Creating courses 188

Creating several users 131

Creating users 127

CSV output 96

Daily overview 15

Data source 113

Data transfer 214

data update 214

Default reason of absence 161

Delete 106, 118

Deleting absences 45

Departments 170

Distribution lists 27

Do not import elements 222

due date 86

Duplicating rights 118

Edit 106

Editing absences 89

- 
- Editing courses 190
  - element list 140
  - e-mail address 11
  - emergency 104
  - Emergency list 104
  - Entering absences in the school office 100
  - Entering examinations 59
  - Entering new absences 42
  - Entering teaching content 47
  - Exam calendar 61
  - Examination lists 61
  - Examination overview 61
  - Examinations 59, 163
  - Examples of reports 97
  - Excel output 96
  - Excuse status 153
  - Excuses 89
  - Exemptions 95
  - Extending absences 44
  - External substitution 137
  - External user name 129
  - Form teacher/class teacher 88
  - Free rooms 75
  - General 161
  - Getting started 105
  - Handling lists 106
  - headmaster 99
  - Higher-priority school events 46
  - Home page 12
  - Homework 57, 211
  - https 214
  - iCal calendar subscription 17
  - ICS formats 142
  - import 113, 114
  - Import profile 114
  - Importing bookings 217
  - Importing student data 113
  - Importing student images 116
  - Interrupting absences 44
  - Inversion 38
  - Language 11, 129
  - LDAP 132
  - Lessons 34
  - Limited change of lessons 203
  - list 106
  - list of resources 66
  - List of rooms/resources 66
  - Lock booking 184
  - Lock/unlock access 208
  - Lock-out times 180
  - Mail server 108
  - Maintenance functions 208
  - Master data 123
  - Master data – Class register 143
  - Mes. /Student asgnmnt/Details period 121
  - Messages 22, 108, 110, 121
  - Messages of the day 110, 124
  - messaging system 22
  - missed days 161
  - My absences 209
  - My bookings 86
  - New 106
  - New activities 81
  - New lessons 82
  - Office hours in Untis 218
  - Open class register periods 89
  - Open periods 58, 161
  - partial classes 214
  - participants 190
  - Password 11
  - PDF output 96
  - Periodicity 75
  - Person role 129
  - port 214
  - prim ID 208
  - Public 110, 140
  - Read 118
  - reason of absence 42
  - Reasons of absence 152
  - Reasons of exemption 153
  - Register / withdraw 212
  - Registering for courses 193
  - Registration 212
  - Registration periods 194
  - Registrations/withdrawal period 194
  - Remark category 154
  - Reports 96
  - Reports on lessons 52
  - Reservation 183
  - Reservations / bookings 179
  - Resource conflicts 184
  - Resource groups 174
  - Resource overview 79
  - Resources 171
  - Return 64
  - Rights templates 118

room and resource administration 65  
Room blocking 181  
Room conflicts 163, 184  
Room groups 168  
Room list 71  
Room type 168  
Rooms 166  
school administration 114  
school event 203  
School holidays 197  
school logo 108  
School secretary 100  
School year 124, 197  
Search 106  
Search for free rooms 74  
selection functions 38  
separator 114  
Sequence 110  
Services 159  
Session timeout 125  
Settings – Lessons 163  
Several schools 206  
Short names 197  
skiing course 203  
Sort order 106, 160  
standby registration list 188  
Start date 214  
Status 89  
student absences 42, 100, 122  
Student assignment 121  
Student data 113  
Student groups 36  
Student groups in Untis 219  
student import 113  
Student module 186  
Student module for students 212  
Student numbers 222  
Students 147, 209  
Students arriving late 44  
Subjects 151  
synchronisation 214

## - T -

task type 86  
Tasks 86  
Teachers 34  
teaching content entry 145, 151

Teaching methods 158  
Team teaching 221  
Terms 188, 197  
Test import 113  
Time absent 91, 210  
Time grid 124, 137, 197  
Time range 110  
time restrictions 125  
Timetable 136  
timetable cell 137  
Timetable display 15  
Timetable formats 124, 137  
Timetable overview 15  
timetable scheduler 214  
Timetable settings 140  
Today's lessons 34  
Types of activities 175  
Types of exam 155  
Types of resource 170

## - U -

underscore 222  
Untis users 214  
Upload image 108  
URL 9  
User administration 117, 124  
User attributes 129  
User groups 118, 125  
User login 9  
User profile 11  
User rights 118

## - W -

Warning 197  
Webserver 214  
WebServices 209  
WebUntis Info 8  
WebUntis Student 186  
withdrawal 212  
Work report 52  
Workflow for examinations 217  
Worklist 183  
Write 118

---

Endnotes 2... (after index)

Back Cover